



**BRIEF**

**CATA  
LOG  
GU  
E**

**2019**

[www.pelsan.com.tr](http://www.pelsan.com.tr)



Pelsan Aydınlatma A.Ş. which was founded in Istanbul 37 years ago, is biggest manufacturer in the lighting industry in Turkey by its production, export and employment figures.

5 millions of lighting fixtures are manufactured every year and exported to 65 countries by 450 employees at Pelsan own plants with indoor area of 30.000 m<sup>2</sup>. Optical, thermal, mechanical and electrical designs are performed within Pelsan by the R&D department running with strong engineer staff. Again all lighting products

are certified with the Lighting Laboratory that has been established internally and registered upon accreditation by Turkish Accreditation Institution. Main product groups of Pelsan Aydınlatma, offering venue specific project design and lighting design with total saving approach, are Interior Lighting, Exterior Lighting, Industrial Lighting, Equipment and Lamps.



- **30.000m<sup>2</sup> Manufacturing Zone**
- **250m<sup>2</sup> R&D Center**
- **Loading and Unloading ramp for 10 trucks**
- **1.000m<sup>2</sup> Showroom**
- **500m<sup>2</sup> Accredited Laboratory**





<p><b>8</b> R.M. Backlight Office Luminaires</p>	
<p><b>9</b> S.M. Backlight Office Luminaires</p>	
<p><b>10</b> R.M./S.M. Backlight Office Luminaires</p>	
<p><b>11</b> Innovative Office Luminaires</p>	
<p><b>12</b> R.M. Backlight Office Luminaires</p>	
<p><b>13</b> LED Panel Luminaires</p>	
<p><b>14</b> Sterile Luminaires</p>	
<p><b>15</b> Conventional Luminaires</p>	
<p><b>16</b> Linear Luminaires</p>	
<p><b>17</b> Smart Luminaires</p>	
<p><b>18</b> Architectural Luminaires</p>	
<p><b>20</b> Pendant Luminaires</p>	
<p><b>21</b> LED Track Spot Luminaires</p>	

Visit our website [www.pelsan.com.tr](http://www.pelsan.com.tr) for updated product informations and quality documents.



22	Recessed Mounted Backlight LED Downlight	
24	Recessed Mounted LED Downlight Lumina.	
25	Slim LED Downlight	
26	Surface Mounted Luminaires	
27	IP66 Ceiling	
28	LED Ceiling Luminaires	
30	Sensor	
32	Sensor Luminaires	
33	Batten Luminaires	
36	Waterproof Luminaires	
37	Aluminium Waterproof Luminaires	
39	Emergency Lighting Luminaires	
42	School Type Luminaires	

Visit our website [www.pelsan.com.tr](http://www.pelsan.com.tr) for updated product informations and quality documents.



<p><b>43</b>    <b>Highbay Luminaires</b></p>	
<p><b>45</b>    <b>Highbay Luminaires</b></p>	
<p><b>46</b>    <b>Canopy Luminaires</b></p>	
<p><b>47</b>    <b>Ex-Proof Luminaires</b></p>	
<p><b>48</b>    <b>LED Floodlights</b></p>	
<p><b>51</b>    <b>Floodlights</b></p>	
<p><b>52</b>    <b>Floodlights</b></p>	
<p><b>53</b>    <b>Wallwashers</b></p>	
<p><b>54</b>    <b>LED Road &amp; Street Luminaires</b></p>	
<p><b>55</b>    <b>LED Road &amp; Street Luminaires</b></p>	
<p><b>56</b>    <b>LED Road &amp; Street Luminaires</b></p>	
<p><b>57</b>    <b>Road &amp; Street Luminaires</b></p>	
<p><b>58</b>    <b>Park and Garden Luminaires</b></p>	

Visit our website [www.pelsan.com.tr](http://www.pelsan.com.tr) for updated product informations and quality documents.



60	Park and Garden Luminaires				
62	Park and Garden Luminaires				
64	Led Grass Luminaires				
65	LED Grass Luminaires				
66	Grass Luminaires				
67	Appliques				
68	Outdoor Appliques				
69	Lamps				
73	LED Strips and Neon LED				
73	Ballasts and Kit				
74	Components				
77	Group Socket				
80	Switches and Sockets				

Visit our website [www.pelsan.com.tr](http://www.pelsan.com.tr) for updated product informations and quality documents.



# Pelsan Backlight Office Luminaires



Poz No  
742-1100

Isolated



Dekoled



+125 lm/W Efficiency

ENEC Certified Driver

LM80-TM21 LM79 Reports

R.M S.M P.C. Clip-in

## Isolated 60x60 Recessed Mounted



IP 40 3000K 4000K 6500K

Performance\* Series: +125 lm/W




Code No	Specifications	ENEC	Pcs/Pack	Code No	Specifications	Performance*	ENEC	Pcs/Pack
108417	28W 60x60 R.M.	ENEC	5	108420	28W 60x60 R.M.	Performance*	ENEC	5
105659	33W 60x60 R.M.	ENEC	5	108471	33W 60x60 R.M.	Performance*	ENEC	5
105679	42W 60x60 R.M.	ENEC	5	108470	42W 60x60 R.M.	Performance*	ENEC	5

## Isolated 30x30 Recessed Mounted



IP 40 3000K 4000K 6500K




Code No	Specifications	ENEC	Pcs/Pack
106163	12W 30x30 R.M.	ENEC	5

## Isolated 30x60 Recessed Mounted




IP 40 3000K 4000K 6500K



Code No	Specifications	ENEC	Pcs/Pack
106171	17W 30x60 R.M.	ENEC	4

## Isolated 30x60 & 30x120 Recessed Mounted



IP 40 3000K 4000K 6500K




Code No	Specifications	ENEC	Pcs/Pack
108950	33W 30x120 S.A.	ENEC	4
108951	84W 60x120 S.A.	ENEC	2

## Clipped 30x30 Clip-in

New Product



IP 40 4000K 6500K



Code No	Specifications	Pcs/Pack
108085	20W 30x30 Clip-in	20

## Options

Code No	Specifications	Pcs/Pack
316611	Emergency Lighting Kit (3 Hours)	1
313527	Spring for Plaster Ceiling (4 Pcs)	1


Specifications	Pcs/Pack
Triac Dim	1
1-10V Dim	1
DALI Dim	1






# Surface Mounted Backlight Office Luminaires

### Dekoled 60x60 Surface Mounted



IP 40  ● 3000K ● 4000K ● 6500K

**Performance\* Series: +125 lm/W**

Code No	Specifications	ENEC	Pcs/Pack	Code No	Specifications	Performance*	ENEC	Pcs/Pack
108423	28W 60x60 S.M.	ENEC	5	108425	28W 60x60 S.M.	Performance*	ENEC	5
108303	33W 60x60 S.M.	ENEC	5	108480	33W 60x60 S.M.	Performance*	ENEC	5
108478	42W 60x60 S.M.	ENEC	5	108479	42W 60x60 S.M.	Performance*	ENEC	5

### Dekoled 30x30 Surface Mounted



IP 40  ● 3000K ● 4000K ● 6500K

Code No	Specifications	ENEC	Pcs/Pack
108392	12W 30x30 S.M.	ENEC	5

### Dekoled 30x60 Surface Mounted



IP 40  ● 3000K ● 4000K ● 6500K

Code No	Specifications	ENEC	Pcs/Pack
108302	17W 30x60 S.M.	ENEC	4

### Dekoled 30x120 Surface Mounted



IP 40  ● 3000K ● 4000K ● 6500K

Code No	Specifications	ENEC	Pcs/Pack
108952	33W 30x120 S.M.	ENEC	4

### Dekoled 60x120 Surface Mounted



IP 40  ● 3000K ● 4000K ● 6500K

Code No	Specifications	ENEC	Pcs/Pack
108953	84W 60x120 S.M.	ENEC	2

### Dekoled 60x60 Surface Mounted **New Product**



IP 40  ● 3000K ● 4000K ● 6500K

 Sensor  
 Emergency

Code No	Specifications	Microwave Sensor	Pcs/Pack
108786	33W 60x60 S.M.	Microwave Sensor	5
108785	33W 60x60 S.M.	Mic. Sensor + Emer. Light. Kit	5

### Dekoled 30x30 Surface Mounted **New Product**



IP 40  ● 3000K ● 4000K ● 6500K

 Sensor  
 Emergency

Code No	Specifications	Microwave Sensor	Pcs/Pack
108780	12W 30x30 S.M.	Microwave Sensor	5
109086	12W 30x30 S.M.	Mic. Sensor + Emer. Light. Kit	5



## Pelsan Recessed and Surface Mounted Backlight Office Luminaire

### Seoled4 60x60

Recessed Mounted & Clip-in 30W

New Product



IP 40 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
109234	33W 60x60 S.M.	4
109235	33W 60x60 Clip-in	4

### Seoled4 60x60

Surface Mounted 30W

New Product



IP 40 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
109236	33W 60x60 S.M.	4

### Seoled3 60x60

Recessed Mounted & Clip-in 30W



IP 40 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
106725	33W 60x60 S.M.	4
106731	33W 60x60 Clip-in	4

### Seoled3 60x60

Surface Mounted 30W



IP 40 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
106728	33W 60x60 S.M.	4

### Seoled2 60x60

Recessed Mounted & Clip-in 30W



IP 40 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
106713	33W 60x60 S.M.	4
106719	33W 60x60 Clip-in	4

### Seoled2 60x60

Surface Mounted 30W



IP 40 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
106716	33W 60x60 S.M.	4

### Seoled1 60x60

Recessed Mounted & Clip-in



IP 40 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
106697	33W 60x60 S.M.	4
106707	30W 60x60 Clip-in	4

### Seoled1 60x60

Surface Mounted



IP 40 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
106703	33W 60x60 S.M.	4

### Options

Code No	Specifications	Pcs/Pack
316611	Emergency Lighting Kit (3 Hours)	1
313527	Spring for Plaster Ceiling (4pcs)	1



# Innovotice Backlight Office Luminaires

## Divaled Recessed Mounted



**Easy & Fast Installation**  
Functional design provides easy electrical installation ability.

## Soft Version of Light!

**New Product**



### Direct and Indirect Lighting

Divaled provides a soft lighting thanks to the direct light emitted from its opal diffuser and indirect light reflected from its special reflector.




### Special Glare Control

Increases optic comfort in offices, banks, hospitals, conference halls and lobbies.



### Aesthetic Design


Provides an aesthetic appearance with its decorative design and minimal outline.



IP 20 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
108408	42W 60x60 R.M.	4

## Isoled Ambiance Recessed Mounted



**Isoled Ambiance**, provides different coronas from different angles with special diffuser.

## Different Coronas at Different Angles!



Anti-glare special diffuser



Efficiency over 100 lm/W




DALI, 1-10V DIM and emergency lighting kit options



Clip-in ceiling option

ENEC Certificated driver



IP 40 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
108958	12W 30x30 R.M. Ambiance	5
108959	17W 30x60 R.M. Ambiance	4
108960	33W 60x60 R.M. Ambiance	5
108962	42W 60x60 R.M. Ambiance	5
108963	42W 30x120 R.M. Ambiance	4



# Recessed Mounted Backlight Office Luminaires

## Effica





The sensor is able to adjust its own light according to daylight and detect movement in the view angle.

## More Energy Saving!

Daylight and Motion Sensor

### Daylight Sensor



130 lm/W Efficacy

ENEC Certified Driver

IP 20	● 3000K	● 4000K	● 6500K	
Code No	Specifications			Pcs/Pack
108988	35W 60x60 R.M.			1

## Retto

**UGR < 19**



## More Visual Comfort!

33W

100 lm/W Efficacy


ENEC Certified Driver


IP 40	● 3000K	● 4000K	● 6500K	
Code No	Specifications			Pcs/Pack
109075	33W 60x60 R.M.			1



## Slim LED Panel Office Luminaires


**Mioled 6x60**  
Recessed Mounted 36-54W




IP 40 

Code No	Specifications	Pcs/Pack
106071	36W 60x60 3000K Recessed Mounted	5
106072	36W 60x60 4000K Recessed Mounted	5
106073	36W 60x60 6500K Recessed Mounted	5
106089	36W 60x60 3000K Clip-in	5
106090	36W 60x60 4000K Clip-in	5
106093	36W 60x60 6500K Clip-in	5
107968	54W 60x60 4000K Recessed Mounted	5
107969	54W 60x60 6500K Recessed Mounted	5

**Mioled 30x30**  
Recessed Mounted 20W





IP 40 

Code No	Specifications	Pcs/Pack
108089	20W 30x30 3000K Recessed Mounted	10
108023	20W 30x30 4000K Recessed Mounted	10
108024	20W 30x30 6500K Recessed Mounted	10
108104	20W 30x30 3000K Clip-in	10
108029	20W 30x30 4000K Clip-in	10
108030	20W 30x30 6500K Clip-in	10

**Mioled 6x60**  
Recessed Mounted 36W


110 lm/W




IP 40 

Code No	Specifications	Pcs/Pack
108114	36W 60x60 4000K 110 lm/W	5
108115	36W 60x60 6500K 110 lm/W	5


**Mioled 30x60**  
Recessed Mounted 30W




IP 40 

Code No	Specifications	Pcs/Pack
108087	30W 30x60 3000K	5
108025	30W 30x60 4000K	5
108026	30W 30x60 6500K	5


**Mioled 30x120**  
Recessed Mounted 40W




IP 40 

Code No	Specifications	Pcs/Pack
108088	40W 30x120 3000K	5
108027	40W 30x120 4000K	5
108028	40W 30x120 6500K	5


**Surface Mounted Frame Mono** New Product




IP 40 

Code No	Specifications	Pcs/Pack
315382	60x60 Slim Panel Surface Mounted Frame	5
315898	30x30 Slim Panel Surface Mounted Frame	5


**Surface Mounted Frame Duo**




IP 40 

Code No	Specifications	Pcs/Pack
311266	60x60 Slim Panel Surface Mounted Frame	5
311267	30x30 Slim Panel Surface Mounted Frame	5
311268	30x60 Slim Panel Surface Mounted Frame	5
311269	30x120 Slim Panel Surface Mounted Frame	5

**Clip-in Frame** New Product



IP 40 

Code No	Specifications	Pcs/Pack
316484	60x60 Slim Panel Clip-in Frame	5
316582	30x30 Slim Panel Clip-in Frame	5

### Options

Code No	Specifications	Pcs/Pack	Specifications
316611	Panel Emergency Lighting Unit (fits all types of panel) (3 Hours)	1	Triac Dim 1
313524	Suspension Set (4Pcs)	1	1-10V Dim 1
313526	Plaster Ceiling Set (4Pcs)	1	DALI Dim 1



# Pelsan Sterile Environment & Hospital Luminaires

**IP65 LED Sterile Luminaire**  
Recessed Mounted Sandblasted Glass

IP 65 ⊕ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
106198	33W 60x60 R.M. IP65 Sterile	4
108286	42W 60x60 R.M. IP65 Sterile	4

**IP65 LED Sterile Luminaire**  
Surface Mounted Sandblasted Glass

IP 65 ⊕ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
106057	33W 60x60 S.M. IP65 Sterile	4
108285	42W 60x60 S.M. IP65 Sterile	4

**IP65 Sterile Luminaire**  
Recessed Mounted Sandblasted Glass

IP 65 ⊕

Code No	Specifications	Elect. Bal.	R.M.	Pcs/Pack
100743	2x18W TLD	Elect. Bal.	R.M.	4
100752	4x18W TLD	Elect. Bal.	R.M.	3
100765	2x36W TLD	Elect. Bal.	R.M.	3
101364	2x18W TLD	Elect. Bal.	R.M.	4
101324	4x18W TLD	Elect. Bal.	R.M.	3
101373	2x36W TLD	Elect. Bal.	R.M.	3

**IP65 Sterile Luminaire**  
Surface Mounted Sandblasted Glass

IP 65 ⊕

Code No	Specifications	Elect. Bal.	S.M.	Pcs/Pack
100706	2x18W TLD	Elect. Bal.	S.M.	4
100714	4x18W TLD	Elect. Bal.	S.M.	4
100722	2x36W TLD	Elect. Bal.	S.M.	4
100993	2x18W TLD	Elect. Bal.	S.M.	4
101003	4x18W TLD	Elect. Bal.	S.M.	4
101016	2x36W TLD	Elect. Bal.	S.M.	4

**IP65 Mioled**  
Recessed Mounted 60x60 New Product

IP 65 ⊕ ● 6500K

Code No	Specifications	Pcs/Pack
108152	40W 60x60 R.M. 6500K IP65	5

**Negatoskop**



IP 40 ⊕ ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
106101	42W LED 60x60 S.M.	1
106103	84W LED 60x120 S.M.	1



## Recessed Moun. & Surface Moun. Office Luminares



### 7 Lamel Double Parabolic Recessed Mounted

80mm

Code No	Specifications	Pcs/Pack
101148	2x18W TLD Elec. Bal. R.M.	4
101176	4x18W TLD Elec. Bal. R.M.	4
101217	2x36W TLD Elec. Bal. R.M.	4



### Dekolamp Surface Mounted

500mm

Code No	Specifications	Pcs/Pack
101843	2x18W TLD Elec. Bal. S.M.	6
101881	4x18W TLD Elec. Bal. S.M.	6
101922	2x36W TLD Elec. Bal. S.M.	4



### Prismatic Lens-Opal Lens Recessed Mounted

80mm

Code No	Specifications	Lens	Pcs/Pack
100566	2x18W TLD Elec. Bal. R.M.	Prismatic	4
100583	4x18W TLD Elec. Bal. R.M.	Prismatic	4
100602	2x36W TLD Elec. Bal. R.M.	Prismatic	4
101586	2x18W TLD Elec. Bal. R.M.	Opal	4
101597	4x18W TLD Elec. Bal. R.M.	Opal	4
101612	2x36W TLD Elec. Bal. R.M.	Opal	4



### Dekolamp Prismatic-Opal Lens Surface Mounted

500mm

Code No	Specifications	Lens	Pcs/Pack
101045	2x18W TLD Elec. Bal. S.M.	Prismatic	6
101057	4x18W TLD Elec. Bal. S.M.	Prismatic	6
101076	2x36W TLD Elec. Bal. S.M.	Prismatic	4
101970	2x18W TLD Elec. Bal. S.M.	Opal	6
101981	4x18W TLD Elec. Bal. S.M.	Opal	6
101994	2x36W TLD Elec. Bal. S.M.	Opal	4



### Indirect 1 Perforated Recessed Mounted

120mm

Code No	Specifications	Pcs/Pack
108378	3x24W T5 Elec. Bal. R.M.	3
102121	2x24W T5 Elec. Bal. R.M.	3

### Dekolamp Indirect Perforated Surface Mounted

650mm / 550MM  
60mm

Code No	Specifications	Pcs/Pack
102297	2x24W T5 Elec. Bal. S.M.	3
102300	3x24W T5 Elec. Bal. S.M.	3


### Isolamp T5 Recessed Mounted




50mm

Code No	Specifications	Pcs/Pack
100891	2x14W T5 Elec. Bal. R.M.	6
100896	3x14W T5 Elec. Bal. R.M.	6
100908	4x14W T5 Elec. Bal. R.M.	6
100963	2x28W T5 Elec. Bal. R.M.	4
101701	4x14W T5 Elec. Clip-in	6

### Dekolamp1 T5 Surface Mounted




500mm

Code No	Specifications	Pcs/Pack
101467	2x14W T5 Elec. Bal. S.M.	6
101480	4x14W T5 Elec. Bal. S.M.	6
101498	2x28W T5 Elec. Bal. S.M.	4




## Pelsan Linear Luminaires

### Eterna




- +50.000 hours lifetime
- Emergency Lighting
- DALI Options

#### Endless Linear Connection



#### Mounting Type



RAL 9005

RAL 9006

RAL 9016



### Eterna (57mm) Surface Mounted

New Product



57 mm  
85 mm

IP 20 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
108964	14W 600mm	1
108965	20W 900mm	1
108966	28W 1200mm	1
108967	42W 1500mm	1

### Eterna (57mm) Recessed Mounted

New Product



77 mm  
77 mm

IP 20 ● 3000K ● 4000K ● 6500K

Code No	Specifications	mm	Pcs/Pack
108898	14W 630mm	610X62	1
108899	20W 920mm	890X62	1
108900	28W 1230mm	1210X62	1
108901	42W 1510mm	1490X62	1

### Options

Code No	Specifications	Pcs/Pack
304906	Suspension set 100 cm (2 Pcs)	1
304915	Suspension set 150 cm (2 Pcs)	1
316957	Decorative Hanging set 150 cm (2 Pcs)	1
205224	Linear Connection Aparatus set (2 Pcs)	1





# Smart Luminaires

## Brilla

**UGR<19**





The sensor is able to adjust its own light according to daylight and detect movement in the view angle.

### More Energy Saving for Your Offices!

 ENEC Certified Driver

 130 lm/W Efficacy

 Daylight and Motion Sensor



IP 20	● 3000K	● 4000K	● 6500K	
Code No	Specifications			Pcs/Pack
109026	28W	1200mm		1


## Vista

**UGR<19**





The sensor is able to adjust its own light according to daylight and detect movement in the view angle.

### More Energy Saving for High Ceilings!

 ENEC Certified Driver

 Up to 125 lm/W Efficacy


 Daylight and Motion Sensor




IP 40	● 3000K	● 4000K	● 6500K	
Code No	Specifications			Pcs/Pack
109011	60W	1500mm		1

## Esta



 ENEC Certified Driver

 130 lm/W Efficacy

 IK10 UDE 0710-13 (Ball Test)





IP 20	● 3000K	● 4000K	● 6500K	
Code No	Specifications			Pcs/Pack
109035	100W/1200mm			1



# Architectural Luminaires

RAL 9005   RAL 9006   RAL 9016



## Circa



Code No	Specifications			Pcs/Pack
105796	45W	600mm	RAL 9006	1
108201	65W	900mm	RAL 9006	1
108202	100W	1200mm	RAL 9006	1
109139	90W	1500mm	RAL 9006	1
317028	Circa-Polaris Pendant Rozans 1 Single		RAL 9006	1
316738	Circa-Polaris Pendant Rozans 3 Triple		RAL 9006	1

## Polaris

Code No	Specifications			Pcs/Pack
105807	40W	400mm	RAL 9006	1
105814	60W	600mm	RAL 9006	1
105818	70W	900mm	RAL 9006	1
109140	120W	1200mm	RAL 9006	1
317028	Circa-Polaris Pendant Rozans 1 Single		RAL 9006	1
316738	Circa-Polaris Pendant Rozans 3 Triple		RAL 9006	1



# Architectural Luminaires Pelsan







## Quad

Code No	Specifications	Pcs/Pack
108513	20W 400x400mm RAL 9006	1
106298	75W 600x600mm RAL 9006	1
106307	100W 900x900mm RAL 9006	1
317383	Quad - Detra Pendant Rozans 1 Single RAL 9006	1
317148	Quad Pendant Rozans 3 Triple RAL 9006	1

## Detra

**New Product**

Code No	Specifications	Pcs/Pack
109149	100W 600x1200mm RAL 9006	1



## Twist

**New Product**

Code No	Specifications	Pcs/Pack
109130	45W 1500mm RAL 9006	1

## Tria

**New Product**

Code No	Specifications	Pcs/Pack
109141	130W 1300x1500mm	1



## Pelsan Decorative Pendant Luminaires

**Volga**  
104235 / 106638



**Simi**  
108972



**Pico**  
103782



**Rodos**  
103777



**Avsha**  
103774



**Sana**  
104278



**Tuna**  
104284



IP 20 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack	Code No	Specifications	Pcs/Pack
106638	<b>Volga</b> 50W LED 4000K Silver	6	103777	<b>Rodos</b> E27 Gold Oxide	4
104235	<b>Volga</b> E27 Silver	6	108972	<b>Simi</b> E27 White	4
103774	<b>Avsha</b> E27 Grey	4	104282	<b>Sana</b> E27 Q44	4
103782	<b>Pico</b> E27 Black	4	104278	<b>Tuna</b> E27 Q33	4



## LED Track Spot Luminaires

### Mila Monophase




Alüminyum reflektör ve lensli yapısı ile ışığı maksimum odaklar



CRI>80 ile daha canlı renkler



Işığı yönlendiren tasarım(270° / 360°)



IP 40

IP 40

Code No	Specifications	Pcs/Pack
109068	30W COB LED 3000K EU Components	12
109069	30W COB LED 4000K EU Components	12

Code No	Specifications	Pcs/Pack
108008	40W COB LED 3000K	12
108009	40W COB LED 4000K	12


### Seta Monophase



IP 40

Code No	Specifications	Pcs/Pack
107907	30W COB LED 3000K	12
107910	30W COB LED 4000K	12

### Theta Monophase



IP 40

Code No	Specifications	Pcs/Pack
107982	30W COB LED 3000K	16
107981	30W COB LED 4000K	16

### Lampda Monophase



IP 40

Code No	Specifications	Pcs/Pack
108010	30W COB LED 3000K	24
108011	30W COB LED 4000K	24

### Monophase Track and Accessories



I Connection



T Connection



L Connection

#### Black Monophase Track and Accessories

Code No	Specifications	Pcs/Pack
303845	Monophase Track Black 1m	1
303846	Monophase Track Black 2m	1
303847	Monophase Track Black 3m	1
303848	L Connection Black	1
303849	T Connection Black	1
316066	X Connection Black	1
303835	I Connection Black	1
316067	End Cap Black	1

#### White Monophase Track and Accessories

Code No	Specifications	Pcs/Pack
303839	Monophase Track White 1m	1
303840	Monophase Track White 2m	1
303841	Monophase Track White 3m	1
303842	L Connection White	1
303843	T Connection White	1
316068	X Connection White	1
303844	I Connection White	1
316069	End Cap White	1



# Recessed Mounted Backlight LED Downlight Luminaires



There is always a Tira suitable to your place!



- +50.000 hours lifetime
- DALI Dim options
- Black and White Frame

3 Different Body Options



## Tira Ø Flat Diffuser



Code No	Specifications	Ø mm	Pcs/Pack
107086	10W	185	15
107088	15W	185	15
107090	20W	185	15
107092	20W	220	10
107095	25W	220	10
107097	35W	220	10

## Tira Ø Aluminium



Code No	Specifications	Ø mm	Pcs/Pack
109158	12W	185	15
109163	24W	185	15
109165	36W	185	15

## Tira ∅ Aluminium



Code No	Specifications	Ø mm	Pcs/Pack
109159	12W	185	15
109164	24W	185	15
109166	36W	185	15

## Tira IP54



Code No	Specifications	Ø mm	Pcs/Pack
107081	25W	220	10
107084	35W	220	10

Code No	Specifications	Ø mm	Pcs/Pack
107075	15W	185	15
107078	20W	185	15

Code No	Specifications	Ø mm	Pcs/Pack
107069	7W	132	20
107072	10W	132	20


## Options

Code No	Specifications	Pcs/Pack
316611	Emergency Lighting Kit (3 Hours)	1



# Backlight LED Downlight Luminaires

## Tira Ø Black



Øxhmm

7W	: 148x56.5
10W	: 148x56.5
15W	: 197x56.5
20W	: 197x56.5
25W	: 233x56.5
35W	: 233x56.5


IP 40 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Ø mm	Pcs/Pack
108969	20W	220	10
107048	25W	220	10
107049	35W	220	10

Code No	Specifications	Ø mm	Pcs/Pack
108633	10W	185	15
108139	15W	185	15
107046	20W	185	15

Code No	Specifications	Ø mm	Pcs/Pack
108968	5W	132	20
107044	7W	132	20
107879	10W	132	20

## Tira ∇ Black



axbxhmm

7W	: 148x148x56.5
10W	: 148x148x56.5
15W	: 197x197x56.5
20W	: 197x197x56.5
25W	: 233x233x56.5
35W	: 233x233x56.5


IP 40 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Ø mm	Pcs/Pack
107062	20W	220	10
107064	25W	220	10
107066	35W	220	10

Code No	Specifications	Ø mm	Pcs/Pack
107056	10W	185	15
107058	15W	185	15
107060	20W	185	15

Code No	Specifications	Ø mm	Pcs/Pack
107050	5W	132	20
107052	7W	132	20
107054	10W	132	20

## Tira Ø White



Øxhmm

7W	: 148x56.5
10W	: 148x56.5
15W	: 197x56.5
20W	: 197x56.5
25W	: 233x56.5
35W	: 233x56.5


IP 40 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Ø mm	Pcs/Pack
106969	20W	220	10
106977	25W	220	10
106985	35W	220	10

Code No	Specifications	Ø mm	Pcs/Pack
106943	10W	185	15
106950	15W	185	15
106961	20W	185	15

Code No	Specifications	Ø mm	Pcs/Pack
106928	5W	132	20
106934	7W	132	20
106937	10W	132	20

## Tira ∇ White



axbxhmm

7W	: 148x148x56.5
10W	: 148x148x56.5
15W	: 197x197x56.5
20W	: 197x197x56.5
25W	: 233x233x56.5
35W	: 233x233x56.5

IP 40 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Ø mm	Pcs/Pack
107018	20W	220	10
107021	25W	220	10
107025	35W	220	10

Code No	Specifications	Ø mm	Pcs/Pack
107003	10W	185	15
107006	15W	185	15
107012	20W	185	15

Code No	Specifications	Ø mm	Pcs/Pack
106991	5W	132	20
106994	7W	132	20
106997	10W	132	20



# Pelsan Recessed Mounted Backlight LED Downlight Luminaires

Rita




With Integrated driver  
**Easy Assembly**



**Body Type**  
Aluminium + Polymer Injection



**High Lumen Output**




**Anti-Glare Diffuser**

**Backlight Downlight  
With Affarolable**

**Rita 6W**

**New Product**




IP 40 ☉

Code No	Specifications	Ø mm	Pcs/Pack
108266	6W 4000K	85	100
108256	6W 6500K	85	100

**Rita 9W**

**New Product**




IP 40 ☉

Code No	Specifications	Ø mm	Pcs/Pack
108268	9W 4000K	100	100
108267	9W 6500K	100	100

**Rita 12W**

**New Product**




IP 40 ☉

Code No	Specifications	Ø mm	Pcs/Pack
108270	12W 4000K	125	50
108269	12W 6500K	125	50

**Rita 18W**

**New Product**



IP 40 ☉

Code No	Specifications	Ø mm	Pcs/Pack
108272	18W 4000K	155	30
108271	18W 6500K	155	30





## Slim LED Downlight Luminaires

### Sirma 3W



IP 40 ☺

85mm  
20mm

Code No	Specifications	Ø mm	Pcs/Pack
107891	3W 3000K	75	60
107892	3W 4000K	75	60
107893	3W 6500K	75	60

### Sirma 6W



IP 40 ☺

120mm  
20mm

Code No	Specifications	Ø mm	Pcs/Pack
107918	6W 3000K	105	30
107919	6W 4000K	105	30
107920	6W 6500K	105	30

### Sirma 15W **New Product**



IP 40 ☺

200mm  
20mm

Code No	Specifications	Ø mm	Pcs/Pack
108325	15W 6500K	170x170	30

### Sirma 9W



IP 40 ☺

145mm  
20mm

Code No	Specifications	Ø mm	Pcs/Pack
107921	9W 3000K	130	30
107922	9W 4000K	130	30
107923	9W 6500K	130	30

### Sirma 12W



IP 40 ☺

170mm  
20mm

Code No	Specifications	Ø mm	Pcs/Pack
107924	12W 3000K	155	30
106427	12W 4000K	155	30
106428	12W 6500K	155	30

### Sirma 18W **New Product**



IP 40 ☺

225mm  
20mm

Code No	Specifications	Ø mm	Pcs/Pack
108328	18W 6500K	200x200	30

### Sirma 15W



IP 40 ☺

190mm  
20mm

Code No	Specifications	Ø mm	Pcs/Pack
106431	15W 3000K	175	30
106430	15W 4000K	175	30
106432	15W 6500K	175	30

### Sirma 18W



IP 40 ☺

223mm  
20mm

Code No	Specifications	Ø mm	Pcs/Pack
107925	18W 3000K	205	30
106433	18W 4000K	205	30
106434	18W 6500K	205	30

### Sirma 24W **New Product**



IP 40 ☺

300mm  
20mm

Code No	Specifications	Ø mm	Pcs/Pack
108327	24W 6500K	275x275	20

### Sirma 24W



IP 40 ☺

300mm  
20mm

Code No	Specifications	Ø mm	Pcs/Pack
107926	24W 3000K	280	20
106442	24W 4000K	280	20
106443	24W 6500K	280	20

### Emergency Lighting Kit



IP 40 ☺

Code No	Specifications	Pcs/Pack
316611	Slim Down. Emer. Ligh. Kit (3 hours)	1

### Triac Dim Driver Options



IP 40 ☺

Code No	Specifications	Pcs/Pack
313211	Triac DIM Dri.(For 12W Slim Do.)	1
313212	Triac DIM Dri.(For 15W Slim Do.)	1
313213	Triac DIM Dri.(For 18W Slim Do.)	1



# Pelsan Surface Mounted LED Downlight Luminaires

### Mira

**New Product**

Øxhmm  
 3W : 90x50  
 6W : 120x50  
 9W : 150x50  
 12W : 180x50

RAL 9005  
Color Option

IP 40

Code No	Specifications	Pcs/Pack
109117	3W 4000K	24
109118	3W 6500K	24
109119	6W 4000K	24
109120	6W 6500K	24
109123	12W 4000K	24
109124	12W 6500K	24

### Risa

**New Product**

Øxhmm  
 3W : 90x85  
 6W : 120x93  
 9W : 150x100  
 12W : 180x130

RAL 9005  
Color Option

IP 40

Code No	Specifications	Pcs/Pack
109107	3W 4000K	24
109108	3W 6500K	24
109109	6W 4000K	20
109110	6W 6500K	20
109113	12W 4000K	16
109114	12W 6500K	16

### Sirma 18W

IP 40

Code No	Specifications	Pcs/Pack
107999	18W 4000K	20
108000	18W 6500K	20

### Sirma 18W

**New Product**

IP 40

Code No	Specifications	Pcs/Pack
107997	18W 4000K	20
107998	18W 6500K	20

### Sirma 24W

IP 40

Code No	Specifications	Pcs/Pack
108131	24W 4000K	20
108132	24W 6500K	20

### Sirma 24W

**New Product**

IP 40

Code No	Specifications	Pcs/Pack
108312	24W 4000K	20
108310	24W 6500K	20

### Options

Code No Specifications Pcs/Pack  
 European Origin Emergency Lighting Kit 1

### Sirma 36W

**New Product**

IP 40

Code No	Specifications	Pcs/Pack
108151	36W 6500K	6

# IP66 Ceiling Luminaires




## Havana IP66 Round Water and Dust Proof

- Pelsan Havana ceiling luminaire is harsh environ metal conditions.
- High resistance to impacts. Unbreakable
- Options: E27, LED, LED microwave sensor, LED emergency lighting kit.
- Stainless screw and UV reinforced opal diffuser.




### Havana Ø



IP 66 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
105092	E27	8
105124	2xE27	8
105101	15W	8
105118	15W Sensor	8
105109	15W Emerg.Light.Kit	8
109048	15W Sens.Emerg.Light.Kit	8


### Havana Ø



IP 66 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
105090	E27	8
105122	2xE27	8
105098	15W	8
105115	15W Sensor	8
105106	15W Emerg.Light.Kit	8
109047	15W Sens.Emerg.Light.Kit	8


### Havana Ø



IP 66 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
105091	E27	8
105123	2xE27	8
105104	15W	8
105121	15W Sensor	8
105112	15W Emerg.Light.Kit	8
109049	15W Sens.Emerg.Light.Kit	8


### Havana Çift Işık Ø Grey/Red



IP 66

Code No	Specifications	Pcs/Pack
105093	E27	8
108464	2xE27	8


### Havana Çift Işık Ø Grey/Orange



IP 66

Code No	Specifications	Pcs/Pack
105095	E27	8
108466	2xE27	8

### Havana Çift Işık Ø Grey/Blue



IP 66

Code No	Specifications	Pcs/Pack
105094	E27	8
108465	2xE27	8

# Pelsan LED Ceiling Luminaires

### Punto



IP 40 4000K 6500K

Code No Specifications Pcs/Pack

107945	24W Round		10
108772	24W Round	Microwave Sensor	10

Ø350  
74mm

### Picto




IP 40 4000K 6500K

Code No Specifications Pcs/Pack

107960	24W Round		10
--------	-----------	--	----

Ø350  
74mm

### Punto



IP 40 4000K 6500K

Code No Specifications Pcs/Pack

107948	24W Square		10
108773	24W Square	Microwave Sensor	10

350mm  
350mm  
74mm

### Picto



IP 40 4000K 6500K

Code No Specifications Pcs/Pack

107963	24W Square		10
--------	------------	--	----

350mm  
350mm  
74mm

### Punto Dynamic White



IP 40


Code No Specifications Pcs/Pack

107946	2x24W Round	Dynamic White	10
--------	-------------	---------------	----

Ø350  
74mm

Switch Step 1 Step 2 Step 3

### Picto Dynamic White



IP 40


Code No Specifications Pcs/Pack

107961	2x24W Round	Dynamic White	10
--------	-------------	---------------	----

Ø350  
74mm

Switch Step 1 Step 2 Step 3

### Punto Dynamic White



IP 40


Code No Specifications Pcs/Pack

107949	2x24W Square	Dynamic White	10
--------	--------------	---------------	----

350mm  
350mm  
74mm

Switch Step 1 Step 2 Step 3

### Picto Dynamic White



IP 40

Code No Specifications Pcs/Pack

107964	2x24W Square	Dynamic White	10
--------	--------------	---------------	----

350mm  
350mm  
74mm

Switch Step 1 Step 2 Step 3



350 mm


24 W

2x24 W Dyn. White



250 mm

16 W





E27

Aluminium Injection Body

IP44



### Pio 35cm

IP 40 ⊕ 4000K 6500K

Code No	Specifications	Pcs/Pack	Price
107951	24W	10	25,00 \$
107952	2x24W Dynamic White	10	46,20 \$


### IP44 Oval Grill Aluminium Injection

IP 44 ⊕ 4000K 6500K

Code No	Specifications	Pcs/Pack	Price
204487	Oval Grill 21 Grey E27	18	8,20 \$


### Pio 25cm

IP 40 ⊕ 4000K 6500K

Code No	Specifications	Pcs/Pack	Price
105395	16W	10	13,75 \$





### Pio 35X35cm




IP 40 ⊕ 4000K 6500K

Code No	Specifications	Pcs/Pack	Price
107954	24W	10	25,00 \$
107956	2x24W Dynamic White	10	46,20 \$



### Opal 35cm + 35X35cm

IP 40 ⊕ 4000K 6500K

Code No	Specifications	Pcs/Pack	Price
105388	23W Round	16	24,50 \$
105389	23W Square	16	24,50 \$


### Pio 25X25cm

IP 40 ⊕ 4000K 6500K

Code No	Specifications	Pcs/Pack	Price
105393	16W	10	13,75 \$

### 360° Motion Sensor




3 eye sensor technology makes detection in every direction.

IP 20

Code No	Specifications	Pcs/Pack
314720	360 Motion Sensor	50


### 180° Motion Sensor



IP 20

Code No	Specifications	Pcs/Pack
314717	180 Motion Sensor	50

### Mini Motion Sensor




Provides a practical solution for sensors that do not fit in the application area.

IP 20

Code No	Specifications	Pcs/Pack
314732	Mini Motion Sensor	100

### Microwave Sensor




Sensitive detection behind drywalls and glass.

IP 20

Code No	Specifications	Pcs/Pack
314725	Microwave Sensor	100

### Recessed Ceiling Sensor




It provides easy installation for plasterboard ceilings with adjustable time, lux and distance features.

IP 20

Code No	Specifications	Pcs/Pack
314726	Recessed Ceiling Sensor	50

### Motion Sensor With Lampholder

**New Product**




Zaman ve Lux ayarlamaları özelliği ile sıva üstü uygulamalar için ideal çözüm

IP 20

Code No	Specifications	Pcs/Pack
109227	E27 Duyulu Sensör	50

### IP65 Sensor Box




Protects indoor IP20 sensors from rain and dust

IP 65

Code No	Specifications	Pcs/Pack
314735	IP65 Sensor Box	50

### Photocell




It makes sensitive light and dark perception for outdoors.

IP 54

Code No	Specifications	Pcs/Pack
314738	Photocell	100


### Presence Sensor



IP 20 ☺

Code No	Specifications	Pcs/Pack
314733	Presence Sensor	50

### Four Way Motion Sensor




IP 20 ☺

Code No	Specifications	Pcs/Pack
314729	Four Way motion Sensor	100

### Applique With Sensor IP54 **New Product**


Mova



IP 54 ☺

Code No	Specifications	Pcs/Pack
109228	10W Applique White Sensor	12


### High Ceiling Sensor (Max. 15m)



IP 20 ☺

Code No	Specifications	Pcs/Pack
314730	High Ceiling Sensor	50

### Motion Sensor Lamp Holder



IP 20 ☺

Code No	Specifications	Pcs/Pack
314722	Motion Sensor Lamp Holder	50

### Integrated Sensor Dimming LED Driver (15W-27W)




IP 20 ☺

Code No	Specifications	Pcs/Pack
314737	With Radar Sensor Dim Driver 27W (30-45V /DC 600 mA)	50
314736	With Radar Sensor Dim Driver 15W (30-51V /DC 300 mA)	50

### Integrated Sensor Dimming LED Driver(15W)

Automatic switching and dimming based on motion and light level.



Daylight Sensor

Functions in the ambient light less than 5 lux

Dimmed light (20% optional) and selectable lux value (< 5lux)


10 minute hold time

## Sense



## Light is on Just in Time!

- Can be adjusted to how long the lamp will light with the "time" button and to how far away will detect the motion with the "sens" button.



- High sensitivity PIR sensor with day and night setting.
- Maximum mounting height 4.5m

### Sense Emergency Sensor



 Sensor  
 Emergency  
 Base

IP 20

Code No	Specifications	Pcs/Pack
104367	2xE27 Sensor + Emergency	10

### Senseled Sensor







 Sensor  
 LED

IP 20

Code No	Specifications	Pcs/Pack
104364	6W LED Sensor	10

### Senseled Emergency Sensor



 Sensor  
 Emergency  
 LED

IP 20

Code No	Specifications	Pcs/Pack
104369	8W LED Sensor + Emergency	10

### Sense & Sense Sensor







 Sensor  
 Base

IP 20

Code No	Specifications	Pcs/Pack
104357	2xE27	10
104359	2xE27 Sensor	10

### IP66 Havana Microwave Sensor + Emergency Kit






 Sensor  
 Emergency  
 LED

IP 66

Code No	Specifications	Pcs/Pack
105115	15W LED Microwave Sensor	8
105106	15W LED Emergency	8
105127	15W LED Microwave Sensor+ Emergency	8

### Punto Microwave Sensor



 Sensor  
 LED

IP 40

Code No	Specifications	Pcs/Pack
108773	24W LED Square Microwave Sensor	10
108772	24W LED Round Microwave Sensor	10




## Special Design That Gives Motion to the Light

### Multiline LED Linear Luminaires

Mobile system that enables light to be transmitted to the desired direction in stores, supermarkets, offices and stores. It provides directable linear lighting thanks to its modern industrial design.


- Directs the light to the desired spot
- Provides continuous linear light
- 7 steps beam angle light level from 15° to 115°

### Multiline LED Linear Luminaires



#### Provides Continuous Linear Light

Provides uninterrupted light with side covers and connection clips designed for linear connection



#### Easy Installation

You can easily and safely mount a 2-piece Multiline LED linear luminaire



ENEC certified driver



110 lm / W



Matt Grey anodised aluminium body



Glare-proof special diffuser



Pendant and surface mounted application

#### Options

- Emergency lighting unit (1-3 hours)
- DALI 1-10V Dim
- 120cm / 150cm options
- 3000K-4000K-6500K
- Frosted and clear diffuser options



IP 40 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack	Code No	Specifications	Pcs/Pack
105381	35W 120cm Opal Diffuser	4	108508	35W 120cm Opal Diffuser	4
105383	35W 150cm Opal Diffuser	4	108509	35W 150cm Opal Diffuser	4
105385	50W 150cm Opal Diffuser	4	108416	50W 150cm Opal Diffuser	4

Continuously Linear Connection

**Clear LED**



IP 40 ☉

Code No	Specifications	Pcs/Pack
105713	36W LED 6500K 120cm	10
102381	1x18W T8 Elec. Bal.	10
102392	2x18W T8 Elec. Bal.	10
102403	1x36W T8 Elec. Bal.	10
102417	2x36W T8 Elec. Bal.	10


**Plex**



IP 40 ☉

Code No	Specifications	Pcs/Pack
102513	2x18W T8 Elec. Bal.	1
102521	2x36W T8 Elec. Bal.	1

**Linea Large LED**



IP 40 ☉

Code No	Specifications	Pcs/Pack
107932	18W 4000K 60cm	20
107933	18W 6500K 60cm	20
107938	36W 4000K 120cm	20
107939	36W 6500K 120cm	20

**Linea LED**



**Continuous Light**



**Accessories are included in the :**  
Power cable , 15 cm. flexible connection, Mini connection accessory , ground mounting clips, end cap



IP 40 ☉

Code No	Specifications	Pcs/Pack
204672	4W 6500K 30cm	30
204673	8W 6500K 60cm	30
204671	16W 6500K 120 cm	30
306960	Plug Cable	150

## Metal Bat. With IP54 Lampholder

Suitable for LED Tubes

**New Product**



IP 54 ☺

Code No	Specifications	Pcs/Pack
108833	Single 60cm	6
108835	Single 120cm	6
108837	Single 150cm	6

IP 54 ☺

Code No	Specifications	Pcs/Pack
108834	Double 60cm	6
108836	Double 120cm	6
108838	Double 150cm	6

## Metal Bat. With IP20 Lampholder

Suitable for LED Tubes



IP 20 ☺

Code No	Specifications	Pcs/Pack
100371	TMS Single 60cm	12
100372	TMS Single 120cm	12
109245	TMS Double 60cm	6
106374	TMS Double 120cm	6

## Fiberglass Bat. with IP65 Lampholder

Suitable for LED Tubes



IP 65 ☺

Code No	Specifications	Pcs/Pack
103200	Polyester Single 120cm	12
103261	Polyester Single 150cm	12
103210	Polyester Double 120cm	6
103268	Polyester Double 150cm	6

## T8 Metal Bat. with IP65 Lampholder



IP 20 ☺

Code No	Specifications	Pcs/Pack
103223	1x18W T8 Metal Batten With Lampholder	6
103242	2x18W T8 Metal Batten With Lampholder	6
103233	1x36W T8 Metal Batten With Lampholder	6
103252	2x36W T8 Metal Batten With Lampholder	6
103284	1x58W T8 Metal Batten With Lampholder	6
103275	2x58W T8 Metal Batten With Lampholder	6

## T8 Fiberglass Bat. with IP65 Lampholder



IP 65 ☺

Code No	Specifications	Pcs/Pack
103204	1x36W T8 Fiberglass Bat. Elec. Bal.	6
103214	2x36W T8 Fiberglass Bat. Elec. Bal.	6
103264	1x58W T8 Fiberglass Bat. Elec. Bal.	6
103269	2x58W T8 Fiberglass Bat. Elec. Bal.	6


## TMS T8 Fluorescent



IP 20 ☺

Code No	Specifications	Pcs/Pack
100223	1x18W TMS T8 Fluorescent Elec. Bal.	6
100236	2x18W TMS T8 Fluorescent Elec. Bal.	6
100215	1x15W TMS T8 Fluorescent Elec. Bal.	6
100246	1x30W TMS T8 Fluorescent Elec. Bal.	6
100260	1x36W TMS T8 Fluorescent Elec. Bal.	6
100277	2x36W TMS T8 Fluorescent Elec. Bal.	6
100357	1x58W TMS T8 Fluorescent Elec. Bal.	6
100364	2x58W TMS T8 Fluorescent Elec. Bal.	6

## T5 Market Luminaire



IP 20 ☺

Code No	Specifications	Pcs/Pack
105335	1x28W Elec. Bal. TL5	1
105339	2x28W Elec. Bal. TL5	1
105342	1x35W Elec. Bal. TL5	1
105344	2x35W Elec. Bal. TL5	1
105348	1x54W Elec. Bal. TL5	1
105353	2x54W Elec. Bal. TL5	1
105331	T8 Market Lum. 1x18W 120 cm	5
105332	T8 Market Lum. 1x24W 150 cm	5



# Waterproof Luminaires

## Forza

- Easy Installation
- 2x18W LED Tube Included
- 120 cm
- 36W LED Module

Unlatched Design

IP65



### Easy and Fast Installation

With its functional unlatched design, Forza is easy and fast to install into surface and cable trays without intervention.



### Optional Linear Connection

Suitable for linear connection with the terminal covers on the both side.

## Forza LED

New Product



110mm  
7mm

IP 65

Code No	Specifications	Pcs/Pack
108118	36W 4000K 120cm LED	6
108119	36W 6500K 120cm LED	6
108883	36W 4000K 120cm Emergency Lighting Kit	6
109017	36W 6500K 120cm Emergency Lighting Kit	6

## Forza LED Tube

New Product



Integrated LED Tube

110mm  
7mm

IP 65


Code No	Specifications	Pcs/Pack
108120	2x18W 4000K 120cm LED Tube Integrated	6
108407	2x18W 6500K 120cm LED Tube Integrated	6
108798	2x18W 6500K 120cm LED Tube Integrated Emergency Kit	6
109101	2x18W 6500K 120cm LED Tube Integrated Corridor Function**	6

\* 1 Pcs included emergency LED tube.  
\*\* 2 Pcs included corridor function LED tube.

# Waterproof Luminaires



## Largo



### Largo LED




85mm

IP 65

Code No	Specifications	Pcs/Pack
105722	20W 6500K 120cm	6
105719	36W 6500K 120cm	6
105721	36W 6500K 120cm Emergency Lighting Kit	6
108519	45W 6500K 150cm	6

### Largo LED



85mm

IP 65

● 3000K ● 4000K ● 6500K

**Parking Function**

Code No	Specifications	Pcs/Pack
109150	20W 60cm	6
109151	36W 120cm	6
109153	42W 150cm	6
109065	36W 120cm Dimming Function	6
109066	36W 120cm Dimming Function Emergency Lighting Kit	6

### Largo LED Tube Single Clear Glass




125mm

IP 65

● Emergency lighting kit is available (9-18W)

Code No	Specifications	Pcs/Pack
102669	LED Tube Single 60cm	6
102713	LED Tube Single 120cm	6
102867	LED Tube Single 150cm	6
102687	LED Tube Double 60cm	6
102744	LED Tube Double 120cm	6
102878	LED Tube Double 150cm	6
313117	9-18W LED Tube Converter Kit	1

### Largo T8 Fluorescent




85mm 125mm

IP 65

Code No	Specifications	Pcs/Pack
102677	Largo 1x18W Elec. Bal. TLD	6
102724	Largo 1x36W Elec. Bal. TLD	6
102872	Largo 1x58W Elec. Bal. TLD	6
102697	Largo 2x18W Elec. Bal. TLD	6
102761	Largo 2x36W Elec. Bal. TLD	6
102883	Largo 2x58W Elec. Bal. TLD	6

### Largo LED Frozen Until -40°C



85mm

IP 65

● Suitable for use in cold storage and frozen products warehouse

● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
105871	21W 60cm (-25°C)	6
105884	42W 120cm (-40°C)	6
105894	63W 150cm (-40°C)	6

### Mar LED Tube



180mm 95mm

IP 65

Code No	Specifications	Pcs/Pack
108801	LED Tube Triple 60cm	4
108800	LED Tube Triple 120cm	4
102577	LED Tube Triple 150cm	4
108802	LED Tube Quadruple 60cm	4
102574	LED Tube Quadruple 120cm	4
102579	LED Tube Quadruple 150cm	4

# Pelsan Waterproof Luminaires


## Solida



5 years warranty

IP65

Aluminium Body



IP 65 ☺ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
105599	23W 60cm	6
105603	35W 90cm	6
105606	45W 120cm	6
105609	65W 120cm	6

## Prota



IP65

Aluminium Body



IP 65 ☺ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
109145	20W 60cm	6
109147	27W 90cm	6
109148	35W 120cm	6


## Inovaled IP66



Angle Adjustable IP66 Waterproof

IP66

Aluminium Body



Adjustable Angle




☺ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
105597	21W 60 cm	6
105593	42W 120 cm	6
105585	45W 150 cm	6
311186	Mounting Aparatus for Adjustable Angle (x2)	6

## 2x10W Emergency Spot

### Emergency Situations Under Pelsan Protection

- Long Life SMD LED
- 180° Adjustable Head
- Portable Desing
- Charge Indicator
- On / Off Switch



### 2x10W LED 6 Hours Disc. Time



Code No	Specifications	Pcs/Pack
203907	2x10W LED 6 Hour	8

### 2x5W LED 4 Hours Disc. Time



Code No	Specifications	Pcs/Pack
203913	2x5W LED 4 Hour	8

### 2x3W LED 6 Hours Disc. Time



Code No	Specifications	Pcs/Pack
203911	2x3W LED 6 Hour	10

### LED Lantern 8 Hours Disc. Time



Code No	Specifications	Pcs/Pack
204619	30 LED Lantern	40
204620	40-60 LED Lantern	24
204623	90 LED Lantern	20

### 24 LED Emergency



Code No	Specifications	Pcs/Pack
203905	24 LED Emergency	20

### Ufo Emergency Lighting Spot (2 Pcs)



Code No	Specifications	Pcs/Pack
204463	3W 3000K (2 Pcs )	20

**200 kinds of label option !**



Pls. check [www.pelsan.com.tr](http://www.pelsan.com.tr) for different options


• 200 kinds of label option is valid for 200511, 200541, 200379, 200205 codes.

• Please inform your choice of label with product code



**R.M Exiled Exit**  
With Label Option

With Label Option




IP 20

Code No	Specifications	Pcs/Pack
200511	Recessed Mounted One Side Exiled	10
200545	Recessed Mounted Double Side Exiled	10

**Exiled Exit**  
With Label Option

With Label Option




IP 20

Code No	Specifications	Pcs/Pack
200379	One Side Exiled	10
200205	Double Side Exiled	10

**On Side Exiled**

fixed label




IP 20

Code No	Specifications	Pcs/Pack
203891	On Side 3W 3 Hour	10

**Double Side Exiled**

fixed label




IP 20

Code No	Specifications	Pcs/Pack
203885	Double Side 3W 3 Hour	10

**Double Side Exiled**

fixed label




IP 20

Code No	Specifications	Pcs/Pack
203890	Double Side 3W 3 Hour	10

**Double Side Exiled**

fixed label




IP 20

Code No	Specifications	Pcs/Pack
203888	Double Side 3W 3 Hour	10

**Double Side Exiled**

fixed label




IP 20

Code No	Specifications	Pcs/Pack
203889	Double Side 3W 3 Hour	10

**Double Side Exiled**

fixed label




IP 20

Code No	Specifications	Pcs/Pack
203887	Double Side 3W 3 Hour	10



# Emergency Lighting Luminaires



Recessed / Surfaced Mounting Options

Charge Indicator

Four Different Routing Label

## Ausled IP65 Emergency AC/DC


**New Product**



4 different routing labels are included in the



Ausled recessed mounted application



IP 65 ☉ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108390	5W 6500K Surface Mounted	12
315895	Recessed Spring (Double)	1

## Vialed




Recessed



Mafsalı



Pendant



Charge Indicator

Different Label Option

Long Life Ni-Cd Battery

IP 40 ☉

Code No	Specifications	Pcs/Pack
201064	Recessed Mounted One Side 3W	1
201110	Recessed Mounted Double Side 3W	1
200944	One Side Exit 3W White Bracket	1
201013	Double Side Exit 3W With Bracket	1
201136	One Side Pendant 3W	1
201165	Double Side Pendant 3W	1


## Clear



IP 40 ☉

Code No	Specifications	Pcs/Pack
105713	Clear LED 36W 6500K 120 CM	1
102381	T1 Clear 1x18W 6500K T8 Lum. Elec. Bal.	1
102392	T1 Clear 2x18W 6500K T8 Lum. Elec. Bal.	1
102403	T1 Clear 1x36W 6500K T8 Lum. Elec. Bal.	1
102417	T1 Clear 2x36W 6500K T8 Lum. Elec. Bal.	1


## Plex



☉

Code No	Specifications	Pcs/Pack
102513	Opal 2x18W Elec. Bal. TLD	1
102521	Opal 2x36W Elec. Bal. TLD	1

## Linea Large LED



IP 40 ☉

Code No	Specifications	Pcs/Pack
107932	18W 4000K 60cm	20
107933	18W 6500K 60cm	20
107938	36W 4000K 120cm	20
107939	36W 6500K 120cm	20

## Linea LED



Continuous Light



IP 40 ☉

Code No	Specifications	Pcs/Pack
204672	4W 6500K 30cm	30
204673	8W 6500K 60cm	30
204671	16W 6500K 117,3cm	30
306960	Plug Cable	150



Accessories are included in the :  
Power cable , 15 cm. flexible connection, Mini  
connection accessory , ground mounting clips,end cap.

## Etna LED IP65 Highbay Luminaires

New Product

### 150lm/W Efficacy, 5 Years Warranty!




 ENEC Certified

 +70.000

 150 lm/W Efficacy

 Aluminium Body


 Different Optics

 IP65 Dust and Waterproof

#### Busbar Application



IP 65  4000K  6500K



Code No	Specifications	a (mm)	Pcs/Pack
108526	80W <b>Narrow Beam Angle</b>	120cm	1
108524	100W <b>Narrow Beam Angle</b>	120cm	1
108532	125W <b>Narrow Beam Angle</b>	150cm	1
108534	140W <b>Narrow Beam Angle</b>	150cm	1
108688	200W <b>Narrow Beam Angle</b>	150cm	1
108527	80W <b>Wide Beam Angle</b>	120cm	1
108525	100W <b>Wide Beam Angle</b>	120cm	1
108533	125W <b>Wide Beam Angle</b>	150cm	1
108535	140W <b>Wide Beam Angle</b>	150cm	1
108690	200W <b>Wide Beam Angle</b>	150cm	1

## Hima LED IP65 Highbay Luminaires

New Product

### 100lm/W Efficacy, Affordable !



 ENEC Certified

 50.000 Hours Lifetime

 100 lm/W Efficacy


#### Integrated Highbay Sensor Application



 Aluminium Body

 IP65 Dust and Waterproof

IP 65  4000K  6500K



Code No	Specifications	a (mm)	Pcs/Pack
108225	75W	120cm	1
108372	75W Sensor	120cm	1
108373	75W Sensor Kit	120cm	1
108672	100W	120cm	1
108674	125W	150cm	1

**New Product**


**Süphan**  
IP65 Highbay Luminaires



GRP Body

Tempered Glass

2x54W / 2x80W Options



IP 65

Code No	Specifications	Pcs/Pack
109222	2x54W T5 1285mm	1
109223	2x80W T5 1595mm	1

**Sia**  
IP65 LED Highbay Luminaires




**120 lm/W**

Aluminium Injection Body

Tempered Glass

ENEC Certificated



IP 65 4000K 6500K

Code No	Specifications	Pcs/Pack
108589	75W	1
108600	100W	1
106634	125W	1
109221	150W	1


**Castor**  
IP65 LED Highbay Luminaires



Aluminium Injection Body

Pendant Application With Chain

100 lm/W Efficacy




IP 65


Code No	Specifications	Pcs/Pack
107995	100W 5700K	4
108122	150W 5700K	4

## Karpat T5 IP65 Highbay Luminaires

Busbar Hanging Set




  
 :axbxcmm  
 2x54W:1210x190x82  
 4x54W:1210x345x82  
 2x80W:1510x190x82  
 4x80W:1510x345x82



IP 65

Code No	Specifications	Pcs/Pack
100778	2x54W T5	1
100790	4x54W T5	1
101262	2x80W T5	1
101282	4x80W T5	1


## Oriza IP65 Highbay Luminaires



IP 65

Code No	Specifications	Pcs/Pack
103457	2x54W T5 1285mm	1
103460	2x80W T5 1595mm	1

## Mar IP65 Highbay Luminaires




IP 65

Code No	Specifications	Pcs/Pack
108801	LED Tube Triple 60cm	4
108802	LED Tube Quadruple 60cm	4
108800	LED Tube Triple 120cm	4
102574	LED Tube Quadruple 120cm	4
102577	LED Tube Triple 150cm	4
102579	LED Tube Quadruple 150cm	4

## Gediz Highbay Luminaires




∅xaxbmm  
 E27...420x260x175  
 E40...500x322x143



IP 65/20

Code No	Specifications	Pcs/Pack
104128	Gediz Highbay Lum. Empty E27	10
104136	Gediz Highbay Lum. Empty E40	10
311067	∅402mm Glass Gasket Clips	10
311144	∅420mm Wire Cage	1

## Firat Highbay Luminaires



IP 65/20

Code No	Specifications	Pcs/Pack
104142	Firat 250W E40 MH/SB Poly. Highbay Lum.	4
104149	Firat 400W E40 MH Poly. Highbay Lum.	4
104153	Firat 400W E40 SB Poly. Highbay Lum.	4
311068	Diffuser (482x4mm) + Gasket and Latch	1
311145	400W Highbay Wire Cage	1


## Options

Specifications	Pcs/Pack
Busbar Honging set, suitable for Etna, Hima, Karpat, Oriza, Highbay Luminaires	1

## ATEX Certified

- **Gas Explosion Proof: Zone 2**  
 II 3G Ex nR IIC T5 Gc
- **Dust Explosion Proof : Zone 22**  
 II 3D Ex tc IIIC (T95 C ) Dc
- **Standards**  
 EN 60079-0: 2012, EN 60079-15: 2010,  
 EN 60079-31:2009
- **Certificate No**  
 IEP 16 ATEX 0468
- **Zone Class**  
 Zone 2  
 Zone 22

Ex-Proof Luminaires can be safely used in potentially explosive environments where hazardous gas and dust are present.




Pelsan Ex-Proof Luminaires can be used safely in Chemical , paint and Coating Facilities, Petroleum Storage Facilities, Oilfilling and Discharging Facilities, Ports and Shipyards, Power Plants & Industrial Plants, Fueling Stations.

### Piroliz Ex-Proof

IP66 LED Canopy Luminaire



- **Gas Explosion Protection:** II 3G Ex nR IIC T5 Gc
- **Dust Explosion Protection:** II 3D Ex tc IIIC (T95 C ) Dc




IP 66 ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
106578	Piroliz Ex 50W	1
106579	Piroliz Ex 75W	1
106580	Piroliz Ex 100W	1
106581	Piroliz Ex 125W	1
106582	Piroliz Ex 150W	1

### Piroliz Waterproof

IP65 LED Canopy Luminaire




IP 65 ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
106583	75W	1
106584	100W	1
106585	125W	1

### Okta Waterproof

IP65 LED Canopy Luminaire



IP 65 ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
106627	Okta LED 80W	1

## ATEX Certified Ex-Proof Waterproof

- **Gas Explosion Proof: Zone 2**  
 II 3G Ex nR IIC T6 Gc
- **Dust Explosion Proof : Zone 22**  
 II 3D Ex tc IIIC (T80 C) Dc



- **Standards**  
 EN 60079-0: 2013, EN 60079-15: 2010, EN 60079-31:2014
- **Certificate No**  
 IEP 16 ATEX 0597
- **Zone Class**  
 Zone 2  
 Zone 22

Ex-Proof Luminaires can be safely used in potentially explosive environments where hazardous gas and dust are present.

Pelsan Ex-Proof Luminaires can be used safely in Chemical, paint and Coating Facilities, Petroleum Storage Facilities, Oilfilling and Discharging Facilities, Ports and Shipyards, Power Plants & Industrial Plants, Fueling Stations.

**LED Ex-Proof** New Product  
**Largo IP65 Waterproof Luminaires**



IP 65 4000K 6500K

Code No	Specifications	Pcs/Pack
108458	Largo Ex 25W 60cm Opal	1
108459	Largo Ex 45W 120cm Opal	1


**T8 Ex-Proof** New Product  
**Largo IP65 Waterproof Luminaires**



IP 65

Code No	Specifications	Pcs/Pack
108297	Largo Ex 2x18W Clear	1
108298	Largo Ex 2x36W Clear	1


**Ex-Proof Highbay Luminaire**  
**Sia**



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
106615	Sia Ex 50W	1
106616	Sia Ex 75W	1
106617	Sia Ex 100W	1
106618	Sia Ex 125W	1
106619	Sia Ex 150W	1


**Ex-Proof Canopy Luminaire**  
**Piroliz**



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
106578	Piroliz Ex 50W	1
106579	Piroliz Ex 75W	1
106580	Piroliz Ex 100W	1
106581	Piroliz Ex 125W	1
106582	Piroliz Ex 150W	1


**Ex-Proof Floodlight**  
**Nairo**



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
106498	Nairo Ex 50W	1
106499	Nairo Ex 75W	1
106500	Nairo Ex 100W	1
106501	Nairo Ex 125W	1
106502	Nairo Ex 150W	1

**Ex-Proof Road and Street Lum.** New Product  
**Nairo**



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
108991	Nairo Ex 100W	1
108990	Nairo Ex 125W	1
108989	Nairo Ex 150W	1



# Pelsan LED Floodlights

Ria LED




## More Savings with Automatic Night Mode!




- 130lm/W Efficacy
- Symmetric / Asymmetric Light Distribution
- Wide Power Option Between 100W and 300W
- IK10 Aluminium Injection Body
- IP66 Dust and Waterproof
- 35/+50C Working Temperature

- LM79**
- LM80**
- TM21**



### Ria IP66 Symmetric




### For The Highest Poles



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
107140	180W Symmetric	1
107141	200W Symmetric	1
107130	240W Symmetric	1
109218	300W Symmetric	1

### Ria IP66 Asymmetric




### For Facade Lighting



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
107137	180W Asymmetric	1
107138	200W Asymmetric	1
107127	240W Asymmetric	1

### Ria IP66 Symmetric



### For Wide Areas...

★ Night Mode Option



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
109209	100W Symmetric	1
109210	125W Symmetric	1
109211	150W Symmetric	1





## LED Floodlights



Ria MED




**250W** MH Eşdeğer  
Işık Çıktısı

**W** 50-120W

**Upto 150 lm/W Efficacy**

**IP66 Dust and Waterproof**



**LM79**

**LM80**

**TM21**

**-30/+50°C**  
Working Temperature

**New Product**



**+54.000 Hours Lifetime**  
Power LED Chip

**@ Tc:70°C**  
**100.000 Hours Lifetime**

**Dust and Waterproof**  
IP66

**IK09, Uvreinforced**  
Diffuser

**IK09 Aluminium Injection**  
Body



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
108560	50W	1
108562	80W	1
108564	100W	1
109220	120W	1



## LED Floodlights

# MAX LED

İMUM POWER  
İMUM PERFORMANCE



Available For Pole Mounted



No Wind Resistance With Help of Moduler Design



Aluminium Body



ENEC Certificated Driver



External Power Unit



20x30 cm



500W

110 lm/W

IP66


### Maxled IP66



External Power Unit

IP 66 4000K 6500K

axbxcm  
300W 630x345x339  
500W 630x515x339




Code No	Specifications	Pcs/Pack
107142	300W 6500K	1
107143	500W 6500K	1

### Inoaled



Renk Opsiyonu



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
105561	2x30W Amber	1
105575	3x30W Amber	1


### Forino



106574

106598


axbxcm  
59W 420x310x84  
103W 558x440x260



IP 65 4000K 6500K

Code No	Specifications	Pcs/Pack
106574	59W 6500K	1
106568	103W 6500K	1

### Nairo



IP 65 4000K 6500K

Code No	Specifications	Pcs/Pack
106504	75W 6500K	1
106505	100W 6500K	1
106518	125W 6500K	1



# LED Floodlights Pelsan

### Franko 300W





IP 65

Code No	Specifications	Pcs/Pack
107116	300W 5000K	1
310865	300W Grill	1

### Franko 400W





IP 65

Code No	Specifications	Pcs/Pack
107117	400W 5000K	1
310866	400W Grill	1

### Franko 200W





IP 65

Code No	Specifications	Pcs/Pack
107112	200W 5000K	1
310864	200W Grill	1

### Franko 250W





IP 65

Code No	Specifications	Pcs/Pack
107115	250W 5000K	1
310865	250W Grill	1

### Franko 100W





IP 65

Code No	Specifications	Pcs/Pack
107105	100W 4000K	4
107106	100W 6500K	4

### Franko 150W





IP 65

Code No	Specifications	Pcs/Pack
107109	150W 5000K	2
310863	150W Grill	1

### Franko 50-70W

6500K 4500K Amber Green








IP 65

Code No	Specifications	Pcs/Pack
107101	50W 4000K	6
107102	50W 6500K	6
108166	50W Amber	6
108167	50W Green	6
107103	70W 4000K	4
107104	70W 6500K	4

### Franko 30W-Portable Tripod

IP 65

Code No	Specifications	Pcs/Pack
107100	30W 6500K	10
203948	Floodlight Tripot	4




## Pelsan Floodlights

### Olimpiad 1000W-400W Symmetric Fiberglass



1000W




IP 65 ☺

Code No	Specifications	Pcs/Pack
105256	400W Metal MH	1
105137	1000W Metal, MH/SB	1

### Yeno 250W-400W Symmetric Fiberglass




400W



IP 65 ☺

Code No	Specifications	Pcs/Pack
105161	250W MH/SB HPI-T	1
105173	400W SB SON-T	2
105166	400W MH HPI-T	2


### Elit Pesato 250W-400W Asymmetric Injection



IP 65 ☺

Code No	Specifications	Pcs/Pack
105187	250W MH/SB HPI-T	1
105190	400W MH HPI-T	1
105196	400W SB SON-T	1


### Tünel 250W-400W Aluminium Injection



IP 65 ☺

Code No	Specifications	Pcs/Pack
104327	250W MH/SB E40	1
104329	400W SB E40	1

### Elit Lirad 70W-150W Symmetric Fiberglass



IP 65 ☺

Code No	Specifications	Pcs/Pack
104320	70W MH/SB MHN-TD	6
104323	150W MH/SB MHN-TD	6


### Shekelo Projektör



IP 65 ☺

Code No	Specifications	Pcs/Pack
204165	Shekelo E40 Boş	1
105229	Shekelo 250W E40 MH/SB	1
105232	Shekelo 400W E40 MH/SB	1


### Elit Semiad 70W-150W Asymmetric Fiberglass



IP 65 ☺

Code No	Specifications	Pcs/Pack
104308	70W MH/SB MHN-TD	4
104311	150W MH/SB MHN-TD	4

### Levoled Aluminium Injection



IP 65 ☺

Code No	Specifications	Pcs/Pack
104300	70W Metal CDM-T	4
104301	150W Metal CDM-T	4
107758	Levoled 25W 6500K	4



## Long Lifespan, Highly Efficient

## Wallwasher



 IP66 Dust and Waterproof

 IK08 Impact Resistance

 Non-Yellowing Diffuser

 Aluminium Body




Hava Ventilli Rakor ile Nem Yapmaz!

### S.M. Wallwasher IP66 Inovaled

ForProduct video



Color Options



IP 66

Code No	Specifications	Pcs/Pack
105509	15W 45+20° 6500K 300mm	1
105536	Double Module 30W (40+20°) 6500K 300mm	1
105518	30W 45+20° 6500K 600mm	1
105543	Double Module 60W (45+20°) 6500K 600mm	1

IP 66

Code No	Specifications	Pcs/Pack
105526	45W 45+20° 6500K 900mm	1
105550	Double Module 90W (45+20°) 6500K 900mm	1
108112	45W 45+20° 6500K 1200mm	1



# Pelsan LED Road Luminaires

**Doka**
**New Product**

## Maximum Performance for urban Lighting

Efficacy up to 150lm/W

**IK09 Aluminium Injection Body**

**IP66 Dust and Waterproof**

**ENEC Certified @Tc - 70°C 100.000 Hours Lifetime**

**+54.000 Hours Lifetime LED Chip**

Code No	Specifications	Pcs/Pack
108943	50W 4000K	1
108944	80W 4000K	1
108947	100W 4000K	1
109219	120W 4000K	1

**Madrid**
**New Product**

## Affordable and Efficient Lighting for Urban Areas

129 lm/W

**129 lm/W Efficiency Factor**

**4290 lm 33W**

**ENEC Certified Driver**

**+50.000 Hours System Lifetime**

Code No	Specifications	Pcs/Pack
108494	33W 4000K	1



# LED Road Luminaires



## Rio



+120 lm/W



LED Chip: L90 @105 °C 86.000 Hours Lifetime



ENEC Certified LED Driver



-40 / +50 °C Working Temperature



10 kV High Voltage Protection



IK10 Aluminium Injection Body




5 Different Console Angles

★Night Mode Option  
★02:00'den Sonra Otomatik Dim

## Rio IP66

45-150W




IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
109212	45W	1
109214	65W	1
109169	80W	1
109171	100W	1
109173	125W	1
109175	150W	1

## Rio IP66

140-220W




IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
109181	140W	1
109183	180W	1
109185	200W	1
109187	220W	1

## Rio IP66

240-300W



IP 66 4000K 6500K

Code No	Specifications	Pcs/Pack
109194	240W	1
109196	270W	1
109198	300W	1



# Pelsan LED Road Luminaires

### Talin 30 - 50W

axbxc mm    Ø

30W: 355x125x55:42  
50W: 405x165x55:42

IP 65 ☺

Code No	Specifications	Pcs/Pack
107992	30W 4000K	15
107993	50W 4000K	10

### Talin 100W

620mm

60mm

75mm

220mm

IP 65 ☺

Code No	Specifications	Pcs/Pack
107994	100W 4000K	4

### Bari

419mm

192mm

Ø42

IP 65 ☺

Code No	Specifications	Pcs/Pack
109204	100W 4000K	2

### Tokyo

axbxcxdmm

Tokyo: 558x260x440x92

Tokyo MED: 442x310x310x115

Ø42

Ø60

IP 65 ☺

Code No	Specifications	Pcs/Pack
106526	77W 4000K Tokyo	1
106531	103W 4000K Tokyo	1
106537	39W 4000K Tokyo Med	1
106543	59W 4000K Tokyo Med	1

### Lima

605mm

302mm

73mm

Ø42

Ø60

IP 65 ☺

Code No	Specifications	Pcs/Pack
105957	103W 4000K	1
105961	154W 4000K	1
105967	180W 4000K	1

### Seul

425mm

240mm

240mm

170mm

Ø42

IP 65 ☺


Code No	Specifications	Pcs/Pack
105979	30W 4000K	10
104111	E27 Base	10





# Road Luminaires Pelsan


### Roma Polymer Injection



IP 66 ☺

Code No	Specifications	Pcs/Pack
104102	250W SB SON-T	1
104105	400W SB SON-T	1


### Sofia Polymer Injection



IP 65 ☺

Code No	Specifications	Pcs/Pack
104077	Sofia 100W Sodium SON-T	2
104081	Sofia 150W Sodium SON-T	2


### Riga Polymer Injection



IP 65 ☺

Code No	Specifications	Pcs/Pack
104062	Riga 50W Sodium SON-T	2
104064	Riga 70W Sodium SON-T	2


### Lyon Aluminium Injection



IP 65 / 43 ☺

Code No	Specifications	Pcs/Pack
103991	100W Sodium SON-T	1
103992	150W Sodium SON-T	1
103998	250W Sodium SON-T	1
104007	400W Sodium SON-T	1


### Ibiza / Corfu Fiberglass



IP 54 / 43 ☺

Code No	Specifications	axbxcxd mm	Pcs/Pack
103952	Empty E27	480x230x198x280	5
103958	70W Son-T	480x230x198x280	5
103823	250W Empty E40	778x368x328x450	1
103831	250W Sodium SON-T	778x368x328x450	1
103842	400W Sodium SON-T	778x368x328x450	1

### Bakü / Parma Tempered Glass Aluminium



IP 65 / 43 ☺

Code No	Specifications	axbxcxd mm	Pcs/Pack
103874	150W Sodium SON-T	625x315x245x340	1
103877	250W Sodium SON-T	625x315x245x340	1
103881	400W Sodium SON-T	625x315x245x340	1
103790	160W Empty E27	570x280x195x300	5
103796	150W Sodium SON-T	570x280x195x300	5

### Consoles

Code No	Specifications	Pcs/Pack
311160	Pole type console 60cm	1
311157	Set-top console 60cm	1
311156	Wall type console 30cm	1
311151	Console 60cm	1

Code No	Specifications	Pcs/Pack
311155	Wall type console 60cm	1
311158	Console with bracelet	1
301125	Ø42 - Ø60 Console adaptor	1
310724	Bracelet	1



# LED Park and Garden Luminaires

## Mesaled



60W




5260 lm



Aluminium Body



Anti - Glare Specol Diffuser



### Anti-glare special diffuser



Special prismatic diffuser



Anti-glare optical design



High light transmission

### Recommended application height



4-6 m

### Different RAL Code Application



RAL9005



RAL9006



RAL7043

## Mesaled

IP 54 ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
108609	30W	1
108608	60W	1



# LED Park and Garden Luminaires


Olimpos

Olimpos Series Combined With Lean Lines and Performance.


 ENEC Certificated Driver

 100x100 mm Aluminium Body

 117 lm/W


 IP65 Dust and Waterproof

 IK08 Impact Resistance




 Night Mode Option

After 19:00



%100 Light

After 02:00





%50 Light

After 07:00



%0 Light




## Olimpos

IP 65  3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108261	50W 4,5m RAL9005	1
108499	50+25W 4,5m RAL9005	1
108498	50+50W 4,5m RAL9005	1
107509	50W 4,5m RAL9005	1
108846	50+25W 4,5m RAL9005	1
109009	50+50W 4,5m RAL9005	1



## Pelsan LED Park and Garden Pole Luminaires

**Datça**


IP 65

Ø300mm



● 3000K  
● 4000K  
● 6500K

Code No	Specifications	Pcs/Pack
107619	150W G12	1
107601	30W LED	1
313768	RGB Controller	1

**Eevald**

IP 54

Ø200mm



● 3000K  
● 4000K  
● 6500K

Code No	Specifications	Pcs/Pack
108610	40W LED	1
107520	E27	1

**Arta**

IP 54

Ø200mm

Code No	Specifications	Pcs/Pack
107591	Arta Pole Luminaire E27	1






## LED Park and Garden Pole Luminaires



700mm

754mm

710mm



### Limra LED

IP 54

Ø250mm

- 3000K
- 4000K
- 6500K

Code No	Specifications	Pcs/Pack
107416	150W E40	1
108606	38W LED 3 Module	1
108605	80W LED 5 Module	1

### Patras LED

IP 65

Ø250mm

- 3000K
- 4000K
- 6500K

Code No	Specifications	Pcs/Pack
107661	150W Rx7S	1
105989	68W LED	1

### Samos LED

IP 65

Ø250mm

- 3000K
- 4000K
- 6500K

Code No	Specifications	Pcs/Pack
108612	150W G12	1
108163	50W LED	1



# Pelsan LED Park and Garden Pole Luminaires

120mm

2500mm

220mm

**Alinda**

IP65 ☺ 3000K

Code No Specifications	Pcs/Pack
107467 Alinda 35W	1

120mm

2500mm

220mm

**Milas**

IP54 ☺ 3000K 4000K 6500K

Code No Specifications	Pcs/Pack
108500 100W	1

120mm

2500mm

250mm

**Assos**

IP54 ☺ 3000K 4000K 6500K

Code No Specifications	Pcs/Pack
107470 100W	1

Ø168mm

3000mm

Ø300mm


**Milet**

IP65 ☺ 3000K 4000K 6500K

Code No Specifications	Pcs/Pack
108501 40W	1




## LED Park and Garden Pole Luminaires



Antalya Double

IP 54 ☺


Code No	Specifications	Pcs/Pack
107531	Single Pole E27	1
107532	Double Pole E27	1



Ruso Double

IP 54 ☺

Code No	Specifications	Pcs/Pack
107461	Ruso Single Casting Base Pole E27	1
107463	Ruso Double Casting Base Pole E27	1



Perge

IP 54 ☺


Code No	Specifications	Pcs/Pack
107543	Double E27	1



Pedesa Double

IP 54 ☺


Code No	Specifications	Pcs/Pack
107533	1 Transparent Globe E27	1
107517	2 Transparent Globe E27	1
107530	3 Transparent Globe E27	1



Uruse

IP 54 ☺

Code No	Specifications	Pcs/Pack
107510	Tekli E27	1




Temi

IP 54 ☺

Code No	Specifications	Pcs/Pack
107519	Tekli E27	1



**Pelsan** **New** **LED Grass Luminaires**



**Alcatra**

IP 65 ☉ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108856	18W	1

**Dominik**

IP 65 ☉ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108866	2x18W	1

**Tahiti**

IP 65 ☉ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108868	18W	1

**Mikanos**

IP 65 ☉ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108869	2x18W	1



**Bali**

IP 65 ☉ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108870	18W	1

**Malta**

IP 65 ☉ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108871	2x18W	1

**Maldiv**

IP 65 ☉ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108872	18W	1

**Santorini**

IP 65 ☉ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108873	2x18W	1





**New LED Grass Luminaires** 



**Pega**

IP 65 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
108878	18W 4000K	1

**Alinda**

IP 65 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
108859	18W 4000K	1

**Luzon**

IP 65 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
109027	20W 4000K	1

**Milas**

IP 54 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
107580	E27 Duylu	1
107586	20W	1



**Hawaii**

IP 65 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
108874	20W	1

**Bahama**

IP 65 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
108875	2x20W	1

**Capri**

IP 65 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
108876	20W	1


**Phuket**

IP 65 ☺ ● 3000K ● 4000K ● 6500K

Code No	Specifications	Pcs/Pack
108877	2x20W	1



# Pelsan Grass Luminaires



## Antalya

IP 54 ☺

Code No	Specifications	Pcs/Pack
107588	E27 Base	1

## Perge


IP 54 ☺

Code No	Specifications	Pcs/Pack
107585	E27 Base	1

## Pedesa

IP 54 ☺

Code No	Specifications	Pcs/Pack
107564	E27 Base	1



## Arta

IP 54 ☺

Code No	Specifications	Pcs/Pack
107565	E27 Base	1

## Eva

IP 54 ☺

Code No	Specifications	Pcs/Pack
107560	E27 Base	1

## Noa

IP 54 ☺

Code No	Specifications	Pcs/Pack
107578	E27 Base	1

## Fia

IP 54 ☺

Code No	Specifications	Pcs/Pack
107557	E27 Base	1



## Outdoor Appliques

**Işılay 1** 



IP 54 ☺


Code No	Specifications	Pcs/Pack
204505	E27 Base	18


**Işılay 2** 



IP 54 ☺

Code No	Specifications	Pcs/Pack
204506	2xE27 Base	12


**Dora LED** 



IP 54 ☺

Code No	Specifications	Pcs/Pack
204529	3W 4000K	24

**Ruso**



IP 54 ☺

Code No	Specifications	Pcs/Pack
107393	E27 Base	1

**Arta**



IP 54 ☺

Code No	Specifications	Pcs/Pack
107410	E27 Base	1

**Eva**



IP 54 ☺

Code No	Specifications	Pcs/Pack
107411	E27 Base	1

**Uruse**



IP 54 ☺

Code No	Specifications	Pcs/Pack
107395	E27 Base	1

**Perge**



IP 54 ☺

Code No	Specifications	Pcs/Pack
107391	E27 Base	1

**Antalya**



IP 54 ☺

Code No	Specifications	Pcs/Pack
107409	E27 Base	1



# Pelsan Grass & Wall Top & Recessed Luminaires

### Garden Spot Erbaled

Aluminium Injection

6500K  
4500K  
Amber  
Green

IP 65 ☉ 3000K 4000K 6500K

Code No	Specifications	Pcs/Pack
108005	20W 6500K	10
204261	Grounding Spike 21cm	1

### Wall Top Cubo

Aluminium Injection

IP 54 ☉

Code No	Specifications	Pcs/Pack
204423	E27	6

### Wall Top Eva

IP 54 ☉

Code No	Specifications	Pcs/Pack
107453	Eva Wall Top E27	1

### Wall Top Arta

IP 54 ☉

Code No	Specifications	Pcs/Pack
107447	Arta Wall Top E27	1

### LED Recessed Floor Luminaire 20 15 LED

IP65 ☉

Code No	Specifications	Pcs/Pack
204283	15W Ø20 4000K	8

### LED Recessed Floor Luminaire 15 9 LED

IP65 ☉

Code No	Specifications	Pcs/Pack
204282	9W Ø15 4000K	12

### Recessed Wall Applique Dialed

Aluminium Injection

IP54 ☉

Code No	Specifications	Pcs/Pack
204442	14 LED 4000K	24

### Recessed Wall Applique Leraled S

Aluminium Injection


IP54 ☉

Code No	Specifications	Pcs/Pack
204443	14 LED 4000K	40



# LED Lamps

## Win Twice Energy and Money Saving



● 15 times more environmentally friendly than other lamps

● Energy saving up to 90%

1 LED = 2 Spiral Lamps = 4 Halogen = 10 Incandescent

### LED Globe Lamps 9W




Code No	Specifications	Pcs/Pack
313411	9W 2700K E27 Ø60	100
313415	9W 6400K E27 Ø60	100

### LED Globe Lamps 7W




Code No	Specifications	Pcs/Pack
313406	7W 2700K E27 Ø60	100
313407	7W 6400K E27 Ø60	100

### LED Globe Lamps 5W




Code No	Specifications	Pcs/Pack
315105	5W 2700K E27 Ø45	100
315106	5W 6400K E27 Ø45	100

### Candle LED Lamp (E14-E27)




Code No	Specifications	Pcs/Pack
313395	4W 2700K E14	100
313397	4W 6500K E14	100
313396	4W 6500K E27	100

### Dimmable LED Lamp




Code No	Specifications	Pcs/Pack
313426	10W 6500K E27	50

### Chargeable LED Lamp




Code No	Specifications	Pcs/Pack
315107	9W 6500K E27	50

### 30W LED Lamps




Code No	Specifications	Pcs/Pack
313420	30W 6500K E27	20


### 40W LED Lamps




Code No	Specifications	Pcs/Pack
313421	40W 6500K E27	20



**Pelsan LED Lamps**



### Candle Filament Lamp

Code No	Specifications	Pcs/Pack
313437	4W Candle Filament Lamp E27 3000K	100
313439	4W Candle Filament Lamp E27 6500K	100
313445	4W Candle Filament Lamp E14 3000K	100
313446	4W Candle Filament Lamp E14 6500K	100

### Curved Candle Filament Lamp

Code No	Specifications	Pcs/Pack
313436	4W Curved Candle Filament Lamp E14 3000K	100
313435	4W Curved Candle Filament Lamp E14 6500K	100

### Filament Lamp (Ø60)

Code No	Specifications	Pcs/Pack
313438	4W Filament Lamp E27 3000K	100
313444	4W Filament Lamp E27 6500K	100

### Filament Lamp (Ø95)

Code No	Specifications	Pcs/Pack
313441	6W Filament E27 3000K	20

### Filament Lamp (Ø125)

Code No	Specifications	Pcs/Pack
313442	6W Filament E27 3000K	20


### Filament Lamp (Ø64)

Code No	Specifications	Pcs/Pack
313440	6W Filament E27 3000K	40



## LED Lamps

### LED Tube



130 lm/W 

Integrated Emergency Kit 

Integrated Sensor 

Plant Grow 



#### LED Tube Glass Body



Tek Taraftan  
Bağlantı

Code No	Specifications	Pcs/Pack
314663	9W 4000K 60cm	25
314664	9W 6500K 60cm	25
314666	18W 4000K 120cm	25
314665	18W 6500K 120cm	25
314669	22W 4000K 150cm	25
314668	22W 6500K 150cm	25

#### 130lm/W Pro Glass Body LED Tube



Tek Taraftan  
Bağlantı

Code No	Specifications	Pcs/Pack
314671	24W Pro 6500K 150cm	25

#### Corridor Function ABS Body LED Tube

**New Product**



Çift Taraftan  
Bağlantı

Code No	Specifications	Pcs/Pack
315114	18W Sensor 6500K 120cm	25

#### Corridor Function Glass Body LED Tube

**New Product**



Tek Taraftan  
Bağlantı

Code No	Specifications	Pcs/Pack
315115	18W Coridor Function 6500K 120cm	25

#### Emergency Kit (1.5 Hour) Glass Body LED Tube

**New Product**



Çift Taraftan  
Bağlantı

Code No	Specifications	Pcs/Pack
315116	18W Emergency 6500K 120cm	25

#### Plant Grow LED Tube

**New Product**



Tek Taraftan  
Bağlantı

Code No	Specifications	Pcs/Pack
315113	18 W Full Spectrum	25



# Pelsan Lamps

### Sodium Lamps

axbmm  
 50W : 160x38  
 70W : 160x38  
 100W : 204x46  
 150W : 204x46  
 250W : 270x46  
 400W : 360x66

Code No	Specifications	Pcs/Pack
313504	50 2000K E27	25
313505	70W 2000K E27	25
313506	100W 2000K E40	24
313507	150W 2000K E40	24
313508	250W 2000K E40	24
313509	400W 2000K E40	24
313510	1000W 2000K E40	20

### Metal Lamps

axbmm  
 150W : 204x46  
 250W : 247x46  
 400W : 267x46  
 1000W : 367x66

Code No	Specifications	Pcs/Pack
313523	150W 5500K E40	24
313513	250W 5500K E40	24
313514	400W 5500K E40	24
313512	1000W 5500K E40	20

### Metal Lamps

axbmm  
 70W G12 : 89x22,5  
 150W G12 : 99x22,5  
 70W Rx7s : 116x22,5  
 150W Rx7s : 137x23,5

Code No	Specifications	Pcs/Pack
313519	70W 5500K G12	100
313520	150W 5500K G12	100
313521	70W 3000K G12	100
313522	150W 3000K G12	100
313511	70W 5500K Rx7s	100
313515	150W 5500K Rx7s	100

### 24w LED Lamp

Aluminium Base  
 Ø65  
 182mm

Code No	Specifications	Pcs/Pack
313418	24W 6500K E27	25

### Power LED Lamp

Ø50  
 50mm

Code No	Specifications	Pcs/Pack
313384	3x1W 4000K GU10	200
313388	3x1W 3000K GU5,3	200
313387	3x1W 6500K GU5,3	200

### Power LED Lamp

Ø50  
 54mm

Code No	Specifications	Pcs/Pack
313383	3x1W 6500K GU10	100
315173	5W 6500K GU10	100

### Capsule Lamp (G4-G9)

15mm 15mm  
 46mm 46mm

313460 313459-313461

Code No	Specifications	Pcs/Pack
313459	3W Capsule 3000K G4 12V	100
313460	3W Capsule 3000K G9 220V	100
313461	3W Capsule 3000K G4 220V	100

### Par Lamp

Ø95  
 114mm


Code No	Specifications	Pcs/Pack
313408	12x1W PAR38 Lamp 4000K E27	20
313409	12x1W PAR38 Lamp 6500K E27	20






# LED Strip and Drivers

- 30.000 hours lifetime
- 3M adhesive bands
- 3 chip modules
- 12V DC rated



Driver	LED Strip
2,5 A	max 2,5m
5 A	max 5m
8 A	max 8m
12,5 A	max 12m
17 A	max 15m
21 A	max 18m
30 A	max 30m


### Indoor LED Strip Triple Chip IP20



10mm ..... 5000mm .....  
12V DC IP 20 ☺

Code No	Specifications	Pcs/Pack
204962	IP20 SMD LED 3000K 5 meter	1
203688	IP20 SMD LED 4000K 5 meter	1
203687	IP20 SMD LED 6500K 5 meter	1
203692	IP20 SMD LED Yellow 5 meter	1
203689	IP20 SMD LED Red 5 meter	1
203693	IP20 SMD LED Green 5 meter	1
203690	IP20 SMD LED Blue 5 meter	1
203691	IP20 SMD LED RGB 5 meter	1


### Outdoor LED Strip Triple Chip IP55



10mm ..... 5000mm .....  
12V DC IP 65 ☺

Code No	Specifications	Pcs/Pack
203695	IP55 SMD LED 4000K 5 meter	1
203694	IP55 SMD LED 6500K 5 meter	1
203699	IP55 SMD LED Yellow 5 meter	1
203696	IP55 SMD LED Red 5 meter	1
203700	IP55 SMD LED Green 5 meter	1
203697	IP55 SMD LED Blue 5 meter	1
203698	IP55 SMD LED RGB 5 meter	1

### Constant Voltage 12V IP20 LED Drivers




IP 20 ☺

Code No	Specifications	Pcs/Pack
313238	36W 12V 3A	100
313240	60W 12V 5A	120
313242	100W 12V 8,5A	80
313244	150W 12V 12,5A	60

Code No	Specifications	Pcs/Pack
313246	200W 12V 16,5A	36
313252	250W 12V 21A	36
313248	360W 12V 30A	36


### Constant Voltage 12V IP67 LED Drivers



IP 67 ☺

Code No	Specifications	Pcs/Pack
313249	60W 12V 5A	70
313250	100W 12V 8,5A	72

### 24V LED Strip ve Driver IP20 Triple Chip



IP 20 ☺

Code No	Specifications	Pcs/Pack
204801	20W SMD LED White 5 metre	1
314833	60W 24V 2,5A	120
314834	120W 24V 5A	80
314835	200W 24V 7,25A	36
314836	360W 24V 15A	36



## Pelsan Neon LED and LED Module

### Neon LED



#### Ultra Flexible!

Flexibility provides easy application solutions



#### Ultra Bright!

Thanks to special silicone makes light more homogeneous.



#### Dust and Waterproof!

Suitable for outdoor applications, IP65



#### Ease of use!

Can be used by cutting from the specified points in each meter.




Rated voltage 220V AC.

Up to 50 meters of illumination with a single point of supply.

## Ultra Flexible, Ultra Bright



### Neon LED



#### Box contents

- Plug cable
- Connection part
- End cap




IP 65

Code No	Specifications	Pcs/Pack
203722	Neon LED Amber 50m	1
203719	Neon LED Red 50m	1
203720	Neon LED Blue 50m	1
203723	Neon LED Green 50m	1
203717	Neon LED White 50m	1
203718	Neon LED Warm White 50m	1
203721	Neon LED RGB 50m	1

Code No	Specifications	Pcs/Pack
203726	Neon LED Plug Cable	1
203727	Neon LED Plug Cable for RGB	1
203725	Neon LED Aluminium Mounting Apparatus (5 cm) (10Pcs)	1
203724	Neon LED Birleřtirme Aparatu (10Pcs)	1
203728	Neon LED End Cap (10Pcs)	1
204839	Neon LED Connection Apparatus (10Pcs)	1

### 3 LED Module



- Easy installation with 3M tape
- 6 different color option
- Rated voltage 12V DC
- IP65
- 7M Module
- Metresi 8,40W (One Color / Meter)
- Metresi 5,40W (RGB/ Meter)

IP 65



Code No	Specifications	Pcs/Pack
203730	1,2W/ad. 12V White 100 Module	2000
203731	1,2W/ad. 12V Warm White 100 Module	2000
203733	1,2W/ad. 12V Red 100 Module	2000

Code No	Specifications	Pcs/Pack
203734	1,2W/ad. 12V Yellow 100 Module	2000
203732	1,2W/ad. 12V Amber 100 Module	2000
203729	0,72W/ad. 12V RGB 100 Module	2000



# Ballasts & Kits



### H.P. Metal Halide Ballasts

IP 40

Code No	Specifications	axbxcmm	Pcs/Pack
313048	Metal Halide 35W	155x42x33	24
313051	Metal Halide 70W	116x64x54	16
313052	Metal Halide 150W	122x78x66	8
313053	Metal Halide 250W	135x93x79	4
313055	Metal Halide 400W	135x93x79	4
313057	Metal Halide 1000W	197x126x138	2
313059	Metal Halide 2000W (380V)	225x126x138	1



### H.P. Sodium Ballasts

IP 40

Code No	Specifications	axbxcmm	Pcs/Pack
313037	Sodium Ballast 50W	116x64x54	16
313040	Sodium Ballast 70W	116x64x54	16
313038	Sodium Ballast 100W	116x64x54	16
313041	Sodium Ballast 150W	122x78x66	4
313042	Sodium Ballast 250W	135x93x72	4
313043	Sodium Ballast 400W	156x93x69	2
313047	Sodium Ballast 600W	178x126x138	2
313045	Sodium Ballast 1000W	197x126x138	2



### Metal Kits

IP 20

Code No	Specifications	axbxcmm	Pcs/Pack
200078	Metal Kit 35W Ballast + Igniter	185x115x88	4
200069	Metal Kit 70W Ballast + Igniter	150x64x54	4
200070	Metal Kit 150W Ballast + Igniter	166x77x65	4
200074	Metal Kit 250W Ballast + Igniter	205x93x79	4
200076	Metal Kit 400W Ballast + Igniter	232x93x79	4
105227	Olimpiad Kit 1000W	246x126x138	1



### Sera Kits

IP 20

Code No	Specifications	axbxcmm	Pcs/Pack
200066	Sera 400W SB Ballast Kit	232x93x79	4
200067	Sera 600W SB Ballast Kit	246x126x138	1



### Silver Fluorescent Ballast

IP 40

Code No	Specifications	axbxcxdmm	Pcs/Pack
312959	15W TLD	100x32,2x87x42	36
312969	20W TLD	100x32,2x87x42	36
312975	32W TLD	100x32,2x87x42	36
312971	36-40W TLD	100x32,2x87x42	36



### Electronic Ballast

IP 40

Code No	Specifications	axbxcxdmm	Pcs/Pack
313142	1x18W TLD	295x31x29x285	10
313144	2x18W TLD	295x31x29x285	10
313143	1x36W TLD	295x31x29x285	10
313145	2x36W TLD	295x31x29x285	10
313158	4x14W T5	332x34x32x322	10



### Igniter

IP 20

Code No	Specifications	Pcs/Pack
303902	Timer Series Igniters 50-400W	10
303880	Igniter 70-400W	10
303906	600-1000W (25 m )	10
303900	Igniter 600-1000W	10

### Starter

IP 20

Code No	Specifications	Pcs/Pack
303850	4-65W	25
303851	Seri 4-22W	25



# Pelsan Components

### LED Converter Kit



IP 20 ☺

Code No	Specifications	Pcs/Pack
316611	12-110V LED Converter Kit (3 Hour)	100


### LED Converter Kits (EU)



IP 20 ☺

Code No	Specifications	Pcs/Pack
	12-110V LED Converter Kit	100



### LED Tube Converter Kit



IP 20 ☺

Code No	Specifications	Pcs/Pack
313117	9-18W LED Tube Converter Kit	100



### Floresan Converter Kit

IP 20 ☺

Code No	Specifications	axbxcmm	Pcs/Pack
313089	18-36W 1 Hour Emerg. kit for mag. Ball.	170x43x31	10
313092	18-36W 3 Hour Emerg. kit for mag. Ball.	170x43x31	10
313122	18-36W 1 Hour Emerg. kit for Elect. Ball.	170x43x31	10
313123	18-36W 3 Hour Emerg. kit for Elect. Ball.	170x43x31	10



### IP20 Constant Current LED Drivers

IP 20 ☺

Code No	Specifications	Pcs/Pack
313180	20W 600 mA 16-42 V DC	100
313181	15W 700 mA 11-25 V DC	100
313179	25W 400 mA 25-63 V DC	100
313170	40W 600 mA 33-68 V DC	100


### Ufo Emergency Lighting Spot (2 Pcs)

IP 20 ☺

Code No	Specifications	Pcs/Pack
204463	3W 3000K (2Pcs)	20



### Pendant Lampholder




IP 20 ☺

Code No	Specifications	Pcs/Pack
304026	Porcelain Pendant Lampholder Set E27	50

### Porcelain Lampholder

IP 40 ☺

Code No	Specifications	Pcs/Pack
303712	E14 Porcelain Lampholder	480
303722	E14 Porcelain Lampholder with Lammel	400
303713	E27 Porcelain Lampholder	400
303723	E27 Porcelain Lampholder with Lammel	400
303725	E40 Porcelain Lampholder	100



## Group Sockets Pelsan

### Çeşme

#### Earthed Socket Series



Code No	Specifications	Pcs/Pack
203790	Two Gang	100
203787	Two Gang with 2m Cable	48
203788	Two Gang with 3m Cable	48
203789	Two Gang with 5m Cable	24
203794	Three Gang	100
203791	Three Gang with 2m Cable	48
203792	Three Gang with 3m Cable	48
203793	Three Gang with 5m Cable	24
203798	Four Gang	100
203795	Four Gang with 2m Cable	36
203796	Four Gang with 3m Cable	36
203797	Four Gang with 5m Cable	24
203802	Five Gang	100
203799	Five Gang with 2m Cable	36
203800	Five Gang with 3m Cable	36
203801	Five Gang with 5m Cable	24
203806	Six Gang	100
203803	Six Gang with 2m Cable	36
203804	Six Gang with 3m Cable	36
203805	Six Gang with 5m Cable	24

#### UPS Çeşme (With Switch)

Code No	Specifications	Pcs/Pack
204136	Three Gang UPS	100
204133	Three Gang UPS with 2m Cable	48
204134	Three Gang UPS with 3m Cable	48
204135	Three Gang UPS with 5m Cable	24
204140	Four Gang UPS	100
204137	Four Gang UPS with 2m Cable	36
204138	Four Gang UPS with 3m Cable	36
204139	Four Gang UPS with 5m Cable	24
204144	Six Gang UPS	100
204141	Six Gang UPS with 2m Cable	36
204142	Six Gang UPS with 3m Cable	36
204143	Six Gang UPS with 5m Cable	24

### Foça

#### Earthed Group Socket Series (With Switch)



Code No	Specifications	Pcs/Pack
204353	Two Gang with Switch	100
204350	Two Gang with 2m Cable and Switch	48
204351	Two Gang with 3m Cable and Switch	48
204352	Two Gang with 5m Cable and Switch	24
204357	Three Gang with Switch	100
204354	Three Gang with 2m Cable and Switch	48
204355	Three Gang with 3m Cable and Switch	48
204356	Three Gang with 5m Cable and Switch	24
204361	Four Gang with Switch	100
204358	Four Gang with 2m Cable and Switch	36
204359	Four Gang with 3m Cable and Switch	36
204360	Four Gang with 5m Cable and Switch	24
204365	Five Gang with Switch	100
204362	Five Gang with 2m Cable and Switch	36
204363	Five Gang with 3m Cable and Switch	36
204364	Five Gang with 5m Cable and Switch	24
204369	Six Gang with Switch	100
204366	Six Gang with 2m Cable and Switch	36
204367	Six Gang with 3m Cable and Switch	36
204368	Six Gang with 5m Cable and Switch	24

#### UPS Foça (With Switch)

Code No	Specifications	Pcs/Pack
204373	Five Gang UPS with Switch	100
204370	Five Gang UPS with 2m Cable and Switch	36
204371	Five Gang UPS with 3m Cable and Switch	36
204372	Five Gang UPS with 5m Cable and Switch	24





# Pelsan Group Sockets

## Belek Series Earthed and Child Protected!



- Child Protected
- Inflamable Body (Upto 850°C)
- Halogen Free Material
- Option With Switch
- Wall Mounted

### 3 Gang With USB and Switch Earthed and Child P!



Code No	Specifications	Pcs/Pack
204985	3 Gang With 2m Cable, USB and Switch	36
204986	3 Gang With 3m Cable, USB and Switch	36
204987	3 Gang With 5m Cable, USB and Switch	24

### 3 Gang Earthed and Child Protected



Code No	Specifications	Pcs/Pack
204975	Three Gang	100
204922	Three Gang with 2m Cable	48
204923	Three Gang with 3m Cable	48
204924	Three Gang with 5m C	

### 3 Gang With Switch Earthed and Child Protected



Code No	Specifications	Pcs/Pack
204977	Three Gang with Switch	100
204925	Three Gang with 2m Cable and Switch	48
204926	Three Gang with 3m Cable and Switch	48
204927	Three Gang with 5m Cable and Switch	24

### 4 Gang Earthed and Child Pro



Code No	Specifications	Pcs/Pack
204978	Four Gang	100
204929	Four Gang with 2m Cable	36
204930	Four Gang with 3m Cable	36
204931	Four Gang with	

### 4 Gang With Switch Earthed and Child Protected



Code No	Specifications	Pcs/Pack
204979	Four Gang with Switch	
204932	Four Gang with 2m Cable and Switch	36
204933	Four Gang with 3m Cable and Switch	36
204934	Four Gang with 5m Cable and Switch	24

### 6 Gang Earthed and Child Pro.



Code No	Specifications	Pcs/Pack
204980	Six Gang	
204935	Six Gang with 2	
204936	Six Gang with 3m Cable	36
204937	Six Gang with 5m Cable	24

### 6 Gang With Switch Earthed and Child Pro.



Code No	Specifications	Pcs/Pack
204981	Six Gang with Switch	100
204938	Six Gang with 2m Cable and Switch	36
204939	Six Gang with 3m Cable and Switch	36
204940	Six Gang with 5m Cable and Switch	24





## Group Sockets Pelsan

### Fişler



Code No	Specifications	Pcs/Pack
204395	Earthed plug 3 gang socket	100
204396	Earthed plug 4 gang socket	100
204397	Earthed plug 3 gang socket	100

### Prizler

Code No	Specifications	Pcs/Pack
202017	Recessed Mounted 2 gang socket	100
202023	Earthed Recessed Mounted 2 gang socket	60

### Plugs



Code No	Specifications	Pcs/Pack
204402	Unearthed Male Plug	1000
204401	Earthed Male Plug	500
204400	Earthed Female Plug	250
204399	Earthed L Type Plug	500

### Uzatma





Code No	Specifications	Pcs/Pack
204130	Topraklı Uzatma 3 mt 3x1.0 mm	24
204131	Topraklı Uzatma 5 mt 3x1.0 mm	50
204128	Topraklı Uzatma 10 mt 3x1.5 mm	25





## Pelsan Switches and Sockets

### Keira White Switch and Socket



Code No	Specifications	Pcs/Pack
<b>Switch Group</b>		
202558	Switch	120
204991	Light	120
204992	Door Switch	120
204993	Door Bell	120
202561	Two Gang Switch	120
204994	Vavien	120
204995	Permutator	120
204996	Two Gang Switch Vavien	120
204997	Jalousie Switch	120
204998	Water Heater Switch	120
204999	Triple Switch	120
<b>Socket Group</b>		
205000	Socket	120
202563	Earthed Socket	120
205001	Child Protected Earthed Socket	120
205002	UPS Earthed Socket	120
205153	UPS Child Protected Earthed Socket	120
205004	Covered Earthed Socket	120
205154	Child Protected Covered Earthed Socket	120
205006	UPS Covered Earthed Socket	120
<b>TV/Radio Group</b>		
205009	Tv Socket Transitive	120
205010	Tv Socket Ended	120
205011	Tv Socket Without Resistor	120
205012	Satellite Socket F Connector Transitive	120
205014	Satellite Socket F Connector Ended	120
205015	Tv-Radyo Socket Transitive	120
205016	Tv-Sat Socket Transitive	120
205007	Tv-Sat Socket Ended	120

Code No	Specifications	Pcs/Pack
<b>Communication Group</b>		
205008	Telephone Socket	120
205017	Numeris Telephone Socket (RJ11)	120
205018	Double Numeris (RJ11)	120
205022	Data-Numeris (RJ45CAT5-RJ11)	120
205020	Data Socket (RJ45CAT5)	120
205021	Double Data Socket (RJ45CAT5)	120
205022	Data Without Jack	120
205023	Data Socket (RJ45CAT6)	120
205024	Double Data Socket (RJ45CAT6)	120
205025	Data-Numeris (RJ45CAT6-RJ11)	80
205026	Audio Socket Double	80
205031	Music Broadcast Switch	80
<b>Dimmer Group</b>		
205027	Dimmer 600W	80
205028	Dimmer 1000W	80
205029	Dimmer vavien 600W	80
205030	Dimmer RC 300W	80
<b>Illuminated Switch Group</b>		
205032	Illuminated Switch	120
205033	Illuminated Light	120
205034	Illuminated Two Gang Switch	120
205035	Illuminated Vavien	120
205036	Illuminated Sticker Door Bell	120
205037	Illuminated Dimmer R1600W	80
205038	Illuminated Dimmer R11000W	80
205039	Illuminated Dimmer Vavien 600W	80
205040	Illuminated Dimmer RC300W White	80
<b>Frames</b>		
310129	Single Frame	200
202286	Double Frame Horizontal-Vertical	200
202298	Triple Frame Horizontal-Vertical	150
202310	Quadruple Frame Horizontal-Vertical	50
202319	Quintet Frame Horizontal-Vertical	50
202326	Six Frame Horizontal-Vertical	50









## Switches and Sockets Pelsan

### Keira Antibacterial Switch and Socket



Code No	Specifications	Pcs/Pack
<b>Switch Group</b>		
205157	Switch	120
205158	Light	120
205159	Door Switch	120
205160	Door Bell	120
205161	Two Gang Switch	120
205162	Vavien	120
205163	Permutator	120
205164	Two Gang Switch Vavien	120
205165	Jalousie Switch	120
205166	Water Heater Switch	120
205167	Triple Switch	120
<b>Socket Group</b>		
205168	Socket	120
205169	Earthed Socket	120
205170	Child Protected Earthed Socket	120
205171	UPS Earthed Socket	120
205172	UPS Child Protected Earthed Socket	120
205173	Covered Earthed Socket	120
205174	Child Protected Covered Earthed Socket	120
205175	UPS Covered Earthed Socket	120
<b>TV/Radio Group</b>		
205176	Tv Socket Transitive	120
205177	Tv Socket Ended	120
205178	Tv Socket Without Resistor	120
205179	Satellite Socket F Connector Transitive	120
205181	Satellite Socket F Connector Ended	120
205182	Tv-Radyo Socket Transitive	120
205183	Tv-Sat Socket Transitive	120
205184	Tv-Sat Socket Ended	120



Code No	Specifications	Pcs/Pack
<b>Communication Group</b>		
205186	Telephone Socket	120
205187	Numeris Telephone Socket (RJ11)	120
205188	Double Numeris (RJ11)	120
205189	Data-Numeris (RJ45CAT5-RJ11)	120
205190	Data Socket (RJ45CAT5)	120
205191	Double Data Socket (RJ45CAT5)	120
205192	Data Without Jack	120
205193	Data Socket (RJ45CAT6)	120
205194	Double Data Socket (RJ45CAT6)	120
205195	Data-Numeris (RJ45CAT6-RJ11)	80
205196	Audio Socket Double	80
205201	Music Broadcast Switch	80
<b>Dimmer Group</b>		
205197	Dimmer 600W	80
205198	Dimmer 1000W	80
205199	Dimmer vavien 600W	80
205200	Dimmer RC 300W	80
<b>Illuminated Switch Group</b>		
205202	Illuminated Switch	120
205203	Illuminated Light	120
205204	Illuminated Two Gang Switch	120
205205	Illuminated Vavien	120
205206	Illuminated Sticker Door Bell	120
205207	Illuminated Dimmer RI600W	80
205208	Illuminated Dimmer RI1000W	80
205209	Illuminated Dimmer Vavien 600W	80
205210	Illuminated Dimmer RC300W White	80
<b>Frames</b>		
310129	Single Frame	200
202291	Double Frame Horizontal-Vertical	200
202303	Triple Frame Horizontal-Vertical	150
202312	Quadruple Frame Horizontal-Vertical	50
202320	Quintet Frame Horizontal-Vertical	50
202327	Six Frame Horizontal-Vertical	50





## Pelsan Switches and Sockets

### Keira Gray Switch and Socket



Code No	Specifications	Pcs/Pack
<b>Switch Group</b>		
205041	Switch	120
205042	Light	120
205043	Door Switch	120
205044	Door Bell	120
205045	Two Gang Switch	120
205046	Vavien	120
205047	Permutator	120
205048	Two Gang Switch Vavien	120
205049	Jalousie Switch	120
205050	Water Heater Switch	120
205051	Triple Switch	120
<b>Socket Group</b>		
205052	Socket	120
205053	Earthed Socket	120
205054	Child Protected Earthed Socket	120
205055	UPS Earthed Socket	120
205155	UPS Child Protected Earthed Socket	120
205057	Covered Earthed Socket	120
205058	Child Protected Covered Earthed Socket	120
205059	UPS Covered Earthed Socket	120
<b>TV/Radio Group</b>		
205060	Tv Socket Transitive	120
205061	Tv Socket Ended	120
205062	Tv Socket Without Resistor	120
205063	Satellite Socket F Connector Transitive	120
205065	Satellite Socket F Connector Ended	120
205066	Tv-Radyo Socket Transitive	120
205067	Tv-Sat Socket Transitive	120
205068	Tv-Sat Socket Ended	120


Code No	Specifications	Pcs/Pack
<b>Communication Group</b>		
205070	Telephone Socket	120
205071	Numeris Telephone Socket (RJ11)	120
205072	Double Numeris (RJ11)	120
205073	Data-Numeris (RJ45CAT5-RJ11)	120
205074	Data Socket (RJ45CAT5)	120
205075	Double Data Socket (RJ45CAT5)	120
205076	Data Without Jack	120
205077	Data Socket (RJ45CAT6)	120
205078	Double Data Socket (RJ45CAT6)	120
205079	Data-Numeris (RJ45CAT6-RJ11)	80
205080	Audio Socket Double	80
205087	Music Broadcast Switch	80
<b>Dimmer Group</b>		
205081	Dimmer 600W	80
205082	Dimmer 1000W	80
205085	Dimmer vavien 600W	80
205086	Dimmer RC 300W	80
<b>Illuminated Switch Group</b>		
205088	Illuminated Switch	120
205089	Illuminated Light	120
205090	Illuminated Two Gang Switch	120
205091	Illuminated Vavien	120
205092	Illuminated Sticker Door Bell	120
205093	Illuminated Dimmer R1600W	80
205094	Illuminated Dimmer R11000W	80
205095	Illuminated Dimmer Vavien 600W	80
205096	Illuminated Dimmer RC300W White	80
<b>Frames</b>		
202285	Single Frame	200
202296	Double Frame Horizontal-Vertical	200
202308	Triple Frame Horizontal-Vertical	150
202317	Quadruple Frame Horizontal-Vertical	50
202325	Quintet Frame Horizontal-Vertical	50
202332	Six Frame Horizontal-Vertical	50





## Switches and Sockets

### Keira Cherry Switch and Socket



Code No	Specifications	Pcs/Pack
<b>Switch Group</b>		
205097	Switch	120
205098	Light	120
205099	Door Switch	120
205100	Door Bell	120
205101	Two Gang Switch	120
205102	Vavien	120
205103	Permutator	120
205104	Two Gang Switch Vavien	120
205105	Jalousie Switch	120
205106	Water Heater Switch	120
205107	Triple Switch	120
<b>Socket Group</b>		
205108	Socket	120
205109	Earthed Socket	120
205110	Child Protected Earthed Socket	120
205111	UPS Earthed Socket	120
205112	UPS Child Protected Earthed Socket	120
205113	Covered Earthed Socket	120
205156	Child Protected Covered Earthed Socket	120
205115	UPS Covered Earthed Socket	120
<b>TV/Radio Group</b>		
205116	Tv Socket Transitive	120
205118	Tv Socket Ended	120
205119	Tv Socket Without Resistor	120
205120	Satellite Socket F Connector Transitive	120
205122	Satellite Socket F Connector Ended	120
205123	Tv-Radyo Socket Transitive	120
205124	Tv-Sat Socket Transitive	120
205125	Tv-Sat Socket Ended	120



Code No	Specifications	Pcs/Pack
<b>Communication</b>		
205126	Telephone Socket	120
205127	Numeris Telephone Socket (RJ11)	120
205128	Double Numeris (RJ11)	120
205129	Data-Numeris (RJ45CAT5-RJ11)	120
205130	Data Socket (RJ45CAT5)	120
205131	Double Data Socket (RJ45CAT5)	120
205132	Data Without Jack	120
205133	Data Socket (RJ45CAT6)	120
205134	Double Data Socket (RJ45CAT6)	120
205135	Data-Numeris (RJ45CAT6-RJ11)	80
205136	Audio Socket Double	80
205141	Music Broadcast Switch	80
<b>Dimmer Group</b>		
205137	Dimmer 600W	80
205138	Dimmer 1000W	80
205139	Dimmer vavien 600W	80
205140	Dimmer RC 300W	80
<b>Illuminated Switch Group</b>		
205142	Illuminated Switch	120
205143	Illuminated Light	120
205144	Illuminated Two Gang Switch	120
205145	Illuminated Vavien	120
205146	Illuminated Sticker Door Bell	120
205147	Illuminated Dimmer RI600W	80
205148	Illuminated Dimmer RI1000W	80
205149	Illuminated Dimmer Vavien 600W	80
205150	Illuminated Dimmer RC300W White	80
<b>Frames</b>		
202283	Single Frame	200
202294	Double Frame Horizontal-Vertical	200
202306	Triple Frame Horizontal-Vertical	150
202315	Quadruple Frame Horizontal-Vertical	50
202323	Quintet Frame Horizontal-Vertical	50
202330	Six Frame Horizontal-Vertical	50





## Pelsan Switches and Sockets

### Keira White / Glass-Corion



Code No	Specifications	Pcs/Pack
<b>Switch Group</b>		
202558	Switch	120
204991	Light	120
204992	Door Switch	120
204993	Door Bell	120
202561	Two Gang Switch	120
204994	Vavien	120
204995	Permutator	120
204996	Two Gang Switch Vavien	120
204997	Jalousie Switch	120
204998	Water Heater Switch	120
204999	Triple Switch	120
<b>Socket Group</b>		
205000	Socket	120
202563	Earthed Socket	120
205001	Child Protected Earthed Socket	120
205002	UPS Earthed Socket	120
205153	UPS Child Protected Earthed Socket	120
205004	Covered Earthed Socket	120
205154	Child Protected Covered Earthed Socket	120
205006	UPS Covered Earthed Socket	120
<b>TV/Radio Group</b>		
205009	Tv Socket Transitive	120
205010	Tv Socket Ended	120
205011	Tv Socket Without Resistor	120
205012	Satellite Socket F Connector Transitive	120
205014	Satellite Socket F Connector Ended	120
205015	Tv-Radyo Socket Transitive	120
205016	Tv-Sat Socket Transitive	120
205007	Tv-Sat Socket Ended	120
<b>Dimmer Group</b>		
205027	Dimmer 600W	80
205028	Dimmer 1000W	80
205029	Dimmer vavien 600W	80
205030	Dimmer RC 300W	80



Code No	Specifications	Pcs/Pack
<b>Communication</b>		
205008	Telephone Socket	120
205017	Numeris Telephone Socket (RJ11)	120
205018	Double Numeris (RJ11)	120
205022	Data-Numeris (RJ45CAT5-RJ11)	120
205020	Data Socket (RJ45CAT5)	120
205021	Double Data Socket (RJ45CAT5)	120
205022	Data Without Jack	120
205023	Data Socket (RJ45CAT6)	120
205024	Double Data Socket (RJ45CAT6)	120
205025	Data-Numeris (RJ45CAT6-RJ11)	80
205026	Audio Socket Double	80
205031	Music Broadcast Switch	80
<b>Illuminated Switch Group</b>		
205032	Illuminated Switch	120
205033	Illuminated Light	120
205034	Illuminated Two Gang Switch	120
205035	Illuminated Vavien	120
205036	Illuminated Sticker Door Bell	120
205037	Illuminated Dimmer RI600W	80
205038	Illuminated Dimmer RH1000W	80
205039	Illuminated Dimmer Vavien 600W	80
205040	Illuminated Dimmer RC300W White	80
<b>Frames</b>		
310355	Single White Glass	400
310356	Double White Glass	200
310357	Triple White Glass	150
310358	Single Black	400
310359	Double Black Glass	200
310360	Triple Black Glass	150
310361	Single Grey Corion	400
310362	Double Grey Corion	200
310363	Triple Grey Corion	150
310364	Single Brown Corion	400
310365	Duble Brown Corion	200
310366	Triple Brown Corion	150





## Switches and Sockets

### Keira Gray / Glass-Corion



Code No	Specifications	Pcs/Pack
<b>Switch Group</b>		
205041	Switch	120
205042	Light	120
205043	Door Switch	120
205044	Door Bell	120
205045	Two Gang Switch	120
205046	Vavien	120
205047	Permutator	120
205048	Two Gang Switch Vavien	120
205049	Jalousie Switch	120
205050	Water Heater Switch	120
205051	Triple Switch	120
<b>Socket Group</b>		
205052	Socket	120
205053	Earthed Socket	120
205054	Child Protected Earthed Socket	120
205055	UPS Earthed Socket	120
205155	UPS Child Protected Earthed Socket	120
205057	Covered Earthed Socket	120
205058	Child Protected Covered Earthed Socket	120
205059	UPS Covered Earthed Socket	120
<b>TV/Radio Group</b>		
205060	Tv Socket Transitive	120
205061	Tv Socket Ended	120
205062	Tv Socket Without Resistor	120
205063	Satellite Socket F Connector Transitive	120
205065	Satellite Socket F Connector Ended	120
205066	Tv-Radyo Socket Transitive	120
205067	Tv-Sat Socket Transitive	120
205068	Tv-Sat Socket Ended	120
<b>Dimmer Grubu</b>		
205081	Dimmer 600W	80
205082	Dimmer 1000W	80
205085	Dimmer vavien 600W	80
205086	Dimmer RC 300W	80

Code No	Specifications	Pcs/Pack
<b>Communication</b>		
205070	Telephone Socket	120
205071	Numeris Telephone Socket (RJ11)	120
205072	Double Numeris (RJ11)	120
205073	Data-Numeris (RJ45CAT5-RJ11)	120
205074	Data Socket (RJ45CAT5)	120
205075	Double Data Socket (RJ45CAT5)	120
205076	Data Without Jack	120
205077	Data Socket (RJ45CAT6)	120
205078	Double Data Socket (RJ45CAT6)	120
205079	Data-Numeris (RJ45CAT6-RJ11)	80
205080	Audio Socket Double	80
205087	Music Broadcast Switch	80
<b>Illuminated Switch Group</b>		
205088	Illuminated Switch	120
205089	Illuminated Light	120
205090	Illuminated Two Gang Switch	120
205091	Illuminated Vavien	120
205092	Illuminated Sticker Door Bell	120
205093	Illuminated Dimmer R1600W	80
205094	Illuminated Dimmer R11000W	80
205095	Illuminated Dimmer Vavien 600W	80
205096	Illuminated Dimmer RC300W White	80
<b>Frames</b>		
310355	Single White Glass	400
310356	Double White Glass	200
310357	Triple White Glass	150
310358	Single Black	400
310359	Double Black Glass	200
310360	Triple Black Glass	150
310361	Single Grey Corion	400
310362	Double Grey Corion	200
310363	Triple Grey Corion	150
310364	Single Brown Corion	400
310365	Double Brown Corion	200
310366	Triple Brown Corion	150





# Pelsan Code Index

Code No	Page	Must	Code No	Page	Must	Code No	Page	Must	Code No	Page	Must	Code No	Page	Must	Code No	Page	Must
100215	37	7	102574	47	3	104301	54	8	105385	35	1	106340	17	3	106997	21	12
100223	37	7	102577	39	6	104308	54	7	105386	29	11	106347	17	3	107003	21	11
100236	37	7	102577	47	3	104311	54	7	105387	29	8	106358	17	4	107006	21	11
100246	37	7	102579	39	6	104320	54	5	105388	29	2	106362	17	4	107012	21	11
100260	37	7	102579	47	3	104323	54	5	105389	29	5	106366	17	4	107018	21	10
100277	37	7	102669	39	3	104327	54	4	105393	29	10	106427	23	5	107021	21	10
100357	37	7	102677	39	4	104327	92	4	105395	29	7	106428	23	5	107025	21	10
100364	37	7	102687	39	3	104329	54	4	105417	92	11	106430	23	7	107044	21	3
100371	37	3	102697	39	4	104351	29	12	105445	92	12	106431	23	7	107046	21	2
100372	37	3	102713	39	3	104353	29	6	105509	55	1	106432	23	7	107048	21	1
100374	37	3	102724	39	4	104356	29	9	105510	55	1	106433	23	8	107049	21	1
100566	14	3	102744	39	3	104357	34	4	105513	55	1	106434	23	8	107050	21	6
100583	14	3	102761	39	4	104359	34	4	105514	55	1	106442	23	10	107052	21	6
100602	14	3	102867	39	3	104364	34	2	105518	55	2	106443	23	10	107054	21	6
100706	13	4	102872	39	4	104367	34	1	105519	55	2	106498	49	5	107056	21	5
100714	13	4	102878	39	3	104369	34	3	105522	55	2	106499	49	5	107058	21	5
100722	13	4	102883	39	4	104372	90	12	105523	55	2	106500	49	5	107060	21	5
100743	13	3	102955	17	2	105078	88	1	105526	55	3	106501	49	5	107062	21	4
100752	13	3	102956	17	1	105080	88	3	105527	55	3	106502	49	5	107064	21	4
100765	13	3	103200	37	4	105084	88	2	105530	55	3	106504	52	4	107066	21	4
100778	47	1	103204	37	6	105090	31	2	105531	55	3	106505	52	4	107069	20	6
100790	47	1	103210	37	4	105091	31	3	105536	55	1	106518	52	4	107072	20	6
100891	14	7	103214	37	6	105092	31	1	105543	55	2	106526	58	4	107075	20	5
100896	14	7	103223	37	5	105093	31	4	105550	55	3	106531	58	4	107078	20	5
100908	14	7	103233	37	5	105094	31	6	105557	52	2	106537	58	4	107081	20	4
100963	14	7	103242	37	5	105095	31	5	105571	52	2	106543	58	4	107084	20	4
100993	13	4	103252	37	5	105098	31	2	105585	40	3	106568	52	3	107086	20	1
101003	13	4	103261	37	4	105101	31	1	105593	40	3	106574	52	3	107088	20	1
101016	13	4	103264	37	6	105104	31	3	105597	40	3	106578	48	1	107090	20	1
101045	14	4	103268	37	4	105106	31	2	105599	40	1	106578	49	4	107092	20	1
101057	14	4	103269	37	6	105106	34	5	105603	40	1	106579	48	1	107095	20	1
101076	14	4	103275	37	5	105109	31	1	105606	40	1	106579	49	4	107097	20	1
101148	14	1	103284	37	5	105112	31	3	105609	40	1	106580	48	1	107100	53	8
101176	14	1	103457	47	2	105115	31	2	105659	6	1	106580	49	4	107101	53	7
101217	14	1	103460	47	2	105115	34	5	105679	6	1	106581	48	1	107102	53	7
101262	47	1	103774	15	1	105118	31	1	105713	36	1	106581	49	4	107103	53	7
101282	47	1	103777	15	2	105121	31	3	105713	44	1	106582	48	1	107104	53	7
101324	13	3	103782	15	1	105122	31	2	105719	39	1	106582	49	4	107105	53	5
101364	13	3	103790	59	6	105123	31	3	105721	39	1	106583	48	2	107106	53	5
101373	13	3	103796	59	6	105124	31	1	105722	39	1	106584	48	2	107109	53	6
101467	14	8	103823	59	5	105127	31	2	105737	90	1	106585	48	2	107112	53	3
101480	14	8	103831	59	5	105127	34	5	105796	18	1	106615	49	3	107115	53	4
101498	14	8	103842	59	5	105130	31	3	105807	18	2	106616	49	3	107116	53	1
101586	14	3	103874	59	6	105133	31	1	105814	18	2	106617	49	3	107117	53	2
101597	14	3	103877	59	6	105137	54	1	105818	18	2	106618	49	3	107118	53	8
101612	14	3	103881	59	6	105145	92	5	105871	39	5	106619	49	3	107127	50	2
101701	14	7	103946	59	5	105161	54	2	105884	39	5	106627	48	3	107130	50	1
101843	14	2	103952	59	5	105166	54	2	105894	39	5	106634	46	2	107137	50	2
101881	14	2	103958	59	5	105173	54	2	105957	58	5	106638	15	1	107138	50	2
101922	14	2	103991	59	4	105187	54	3	105961	58	5	106697	8	7	107140	50	1
101970	14	4	103992	59	4	105190	54	3	105967	58	5	106703	8	8	107141	50	1
101981	14	4	103998	59	4	105196	54	3	105979	58	6	106707	8	7	107142	52	1
101994	14	4	104007	59	4	105210	92	3	105989	63	2	106713	8	5	107143	52	1
102121	14	5	104062	59	3	105227	77	3	106049	25	5	106716	8	6	107391	69	8
102297	14	6	104064	59	3	105229	54	6	106057	13	2	106719	8	5	107393	69	4
102300	14	6	104077	59	2	105229	92	2	106071	11	1	106725	8	3	107395	69	7
102381	36	1	104081	59	2	105232	54	6	106072	11	1	106728	8	4	107409	69	9
102381	36	1	104102	59	1	105232	92	2	106073	11	1	106731	8	3	107410	69	5
102392	36	1	104105	59	1	105256	54	1	106089	11	1	106928	21	9	107411	69	6
102392	36	1	104111	58	6	105331	37	8	106090	11	1	106934	21	9	107416	63	1
102403	36	1	104128	47	4	105332	37	8	106093	11	1	106937	21	9	107447	70	4
102403	36	1	104136	47	4	105335	37	8	106101	13	6	106943	21	8	107453	70	3
102417	36	1	104142	47	5	105339	37	8	106103	13	6	106950	21	8	107461	65	2
102417	36	1	104149	47	5	105342	37	8	106163	6	3	106951	21	8	107463	65	2
102513	36	2	104153	47	5	105344	37	8	106171	6	4	106969	21	7	107467	64	1
102513	44	2	104235	15	1	105348	37	8	106198	13	1	106977	21	7	107470	64	3
102521	36	2	104278	15	2	105353	37	8	106233	10	4	106985	21	7	107509	61	1
102521	44	2	104282	15	2	105381	35	1	106249	10	2	106991	21	12	107510	65	5
102574	39	6	104300	54	8	105383	35	1	106333	17	3	106994	21	12	107517	65	4



# Code Index

Code No	Page	Must	Code No	Page	Must	Code No	Page	Must	Code No	Page	Must	Code No	Page	Must	Code No	Page	Must
107519	65	6	107992	58	1	108276	30	2	108526	45	1	108953	7	6	109209	50	3
107522	62	2	107993	58	1	108277	30	1	108527	45	2	108958	9	2	109210	50	3
107530	65	4	107994	58	1	108278	30	3	108532	45	1	108959	9	2	109211	50	3
107531	65	1	107995	46	3	108279	30	2	108533	45	2	108960	9	2	109212	57	1
107532	65	1	107997	24	4	108285	13	2	108534	45	1	108962	9	2	109214	57	1
107533	65	4	107998	24	4	108286	13	1	108535	45	2	108963	9	2	109218	50	1
107543	65	3	107999	24	3	108297	49	2	108560	51	1	108964	16	1	109219	56	1
107557	68	7	<b>108000</b>	<b>24</b>	<b>3</b>	108298	49	2	108562	51	1	108965	16	1	109220	51	1
107560	68	5	108004	70	1	108302	7	4	108564	51	1	108966	16	1	109221	46	2
107564	68	3	108005	70	1	108303	7	1	108580	12	5	108967	16	1	109222	46	1
107565	68	4	108006	70	1	108307	10	1	108589	46	2	108968	21	3	109223	46	1
107578	68	6	108007	70	1	108310	24	6	108600	46	2	108969	21	1	109224	52	4
107580	67	4	108008	27	2	108312	24	6	108605	63	1	108970	30	3	109227	32	6
107585	68	2	108009	27	2	108325	23	3	108606	63	1	108972	15	2	109228	33	3
107586	67	4	108010	27	5	108327	23	9	108608	60	1	108989	49	6	109234	8	1
107588	68	1	108011	27	5	108328	23	6	108609	60	1	108990	49	6	109235	8	1
107591	62	3	108023	11	2	108344	24	8	108610	62	2	108991	49	6	109236	8	2
107601	62	1	108024	11	2	108358	30	4	108612	63	3	<b>109009</b>	61	1	109245	37	3
107619	62	1	108025	11	4	108359	30	6	108633	21	2	109027	67	3	109250	19	1
107648	90	3	108026	11	4	108360	30	5	108672	45	3	109028	17	4	109251	19	1
107661	63	2	108027	11	5	108361	30	2	108674	45	3	109051	30	1	109252	19	1
107758	54	8	108028	11	5	108362	30	2	108688	45	1	109065	39	2	<b>200066</b>	77	4
107758	92	9	108029	11	2	108363	30	3	108690	45	2	109066	39	2	200067	77	4
107759	93	4	108030	11	2	108364	30	3	108772	28	1	109068	27	1	200069	77	3
107879	21	3	108078	17	2	108365	30	3	108772	34	6	109069	27	1	200070	77	3
107891	23	1	108083	17	3	108366	30	3	108773	28	3	109086	7	8	200074	77	3
107892	23	1	108085	6	6	108367	30	1	108773	34	6	109101	38	2	200076	77	3
107893	23	1	108087	11	4	108368	30	1	108780	7	8	109107	24	2	200078	77	3
107900	26	5	108088	11	5	108369	30	1	108785	7	7	109108	24	2	200205	42	2
107901	26	6	108089	11	2	108370	30	1	108786	7	7	109109	24	2	200379	42	2
107902	26	7	108104	11	2	108372	45	3	108798	38	2	109110	24	2	200511	42	1
107904	26	8	108112	55	4	108373	45	3	108800	39	6	109113	24	2	200545	42	1
107906	58	2	108114	11	3	108378	14	5	108800	47	3	109114	24	2	200944	43	2
107907	27	3	108115	11	3	108390	43	1	108801	39	6	109117	24	1	<b>201013</b>	<b>43</b>	<b>2</b>
107910	27	3	108116	12	1	108392	7	3	108801	47	3	109118	24	1	201064	43	3
107912	17	1	108117	12	1	108407	38	2	108802	39	6	109119	24	1	201110	43	3
107918	23	2	108118	38	1	108408	9	1	108802	47	3	109120	24	1	201136	43	4
107919	23	2	108119	38	1	108416	35	2	108833	37	1	109123	24	1	201165	43	4
107920	23	2	108120	38	2	108417	6	1	108834	37	2	109124	24	1	<b>202283</b>	<b>85</b>	<b>7</b>
107921	23	4	108122	46	3	108418	12	5	108835	37	1	109128	12	2	202285	84	7
107922	23	4	108131	24	5	108420	6	2	108836	37	2	109130	19	3	202286	83	7
107923	23	4	108132	24	5	108423	7	1	108837	37	1	109139	18	1	202291	82	7
107924	23	5	108139	21	2	108425	7	2	108838	37	2	109140	18	2	202294	85	7
107925	23	8	108140	26	9	108454	26	1	108846	61	1	109141	19	4	202296	84	7
107926	23	10	108151	24	8	108456	26	1	108856	66	1	109145	40	1	202298	83	7
107932	36	3	108152	12	4	108458	49	1	108859	67	2	109147	40	1	202303	82	7
107932	44	3	108152	13	5	108459	49	1	108866	66	2	109148	40	1	202306	85	7
107933	36	3	108153	12	6	108464	31	4	108868	66	3	109149	19	2	202308	84	7
107933	44	3	108161	12	3	108465	31	6	108869	66	4	109150	39	2	202310	83	7
107938	36	3	108163	63	3	108466	31	5	108870	66	5	109151	39	2	202312	82	7
107938	44	3	108166	53	7	108467	30	4	108871	66	6	109153	39	2	202315	85	7
107939	36	3	108167	53	7	108468	30	6	108872	66	7	109158	20	2	202317	84	7
107939	44	3	108174	55	4	108469	30	5	108873	66	8	109159	20	3	202319	83	7
107945	28	1	108176	55	4	108470	6	2	108874	67	5	109163	20	2	202320	82	7
107946	28	5	108178	55	4	108471	6	2	108875	67	6	109164	20	3	202323	85	7
107948	28	3	108201	18	1	108478	7	1	108876	67	7	109165	20	2	202325	84	7
107949	28	7	108202	18	1	108479	7	2	108877	67	8	109166	20	3	202326	83	7
107951	29	1	108225	45	3	108480	7	2	108878	67	1	109169	57	1	202327	82	7
107952	29	1	108252	12	2	108494	56	2	108898	16	2	109171	57	1	202330	85	7
107954	29	4	108256	22	1	108498	61	2	108899	16	2	109173	57	1	202332	84	7
107956	29	4	108261	61	2	108499	61	2	108900	16	2	109175	57	1	202558	83	1
107960	28	2	108266	22	1	108500	64	2	108901	16	2	109181	57	2	202558	86	1
107961	28	6	108267	22	2	108501	64	4	108906	30	2	109183	57	2	202561	83	1
107963	28	4	108268	22	2	108508	35	2	108943	56	1	109185	57	2	202561	86	1
107964	28	8	108269	22	3	108509	35	2	108945	56	1	109187	57	2	202563	83	2
107968	11	1	108270	22	3	108512	10	3	108947	56	1	109194	57	3	202563	86	2
107969	11	1	108271	22	4	108519	39	1	108950	6	5	109196	57	3	<b>203125</b>	<b>94</b>	<b>8</b>
107981	27	4	108272	22	4	108524	45	1	108951	6	5	109198	57	3	203359	94	11
107982	27	4	108273	30	2	108525	45	2	108952	7	5	109204	58	3	203483	94	12



# Code Index

Code No	Page	Must	Code No	Page	Must	Code No	Page	Must	Code No	Page	Must	Code No	Page	Must	Code No	Page	Must
203575	92	4	203907	41	1	204362	79	2	204623	41	4	205002	83	2	205039	86	6
203687	75	1	203911	41	3	204363	79	2	204633	90	8	205002	86	2	205040	83	6
203688	75	1	203913	41	2	204364	79	2	204645	89	1	205004	83	2	205040	86	6
203689	75	1	203945	92	7	204365	79	2	204646	89	1	205004	86	2	205041	84	1
203690	75	1	203948	53	8	204366	79	2	204647	89	5	205006	83	2	205041	87	1
203691	75	1	203954	92	8	204367	79	2	204650	89	4	205006	86	2	205042	84	1
203692	75	1	203958	93	6	204368	79	2	204651	89	4	205007	83	3	205042	87	1
203693	75	1	203963	88	9	204369	79	2	204652	89	4	205007	86	3	205043	84	1
203694	75	2	<b>204035</b>	<b>94</b>	<b>9</b>	204370	79	4	204653	89	4	205008	83	4	205043	87	1
203695	75	2	204039	94	7	204371	79	4	204655	89	3	205008	86	4	205044	84	1
203696	75	2	204040	94	7	204372	79	4	204659	93	7	205009	83	3	205044	87	1
203697	75	2	204042	94	7	204373	79	4	204671	36	4	205009	86	3	205045	84	1
203698	75	2	204046	94	8	204395	81	1	204671	44	4	205010	83	3	205045	87	1
203699	75	2	204094	88	6	204396	81	1	204672	36	4	205010	86	3	205046	84	1
203700	75	2	204117	88	4	204397	81	1	204672	44	4	205011	83	3	205046	87	1
203717	76	1	204126	88	5	204399	81	2	204673	36	4	205011	86	3	205047	84	1
203718	76	1	204128	81	3	204400	81	2	204673	44	4	205012	83	3	205047	87	1
203719	76	1	204130	81	3	204401	81	2	204723	92	10	205012	86	3	205048	84	1
203720	76	1	204131	81	3	204402	81	2	204801	75	6	205014	83	3	205048	87	1
203721	76	1	204133	79	3	204423	70	2	204839	76	1	205014	86	3	205049	84	1
203722	76	1	204134	79	3	204425	90	7	204922	80	2	205015	83	3	205049	87	1
203723	76	1	204135	79	3	204429	91	3	204923	80	2	205015	86	3	205050	84	1
203724	76	1	204136	79	3	204442	70	7	204924	80	2	205016	83	3	205050	87	1
203725	76	1	204137	79	3	204443	70	8	204925	80	3	205016	86	3	205051	84	1
203726	76	1	204138	79	3	204445	89	8	204926	80	3	205017	83	4	205051	87	1
203727	76	1	204139	79	3	204446	89	7	204927	80	3	205017	86	4	205052	84	2
203728	76	1	204140	79	3	204448	89	9	204929	80	4	205018	83	4	205052	87	2
203729	76	2	204141	79	3	204455	91	12	204930	80	4	205018	86	4	205053	84	2
203730	76	2	204142	79	3	204463	41	6	204931	80	4	205020	83	4	205053	87	2
203731	76	2	204143	79	3	204463	78	6	204932	80	5	205020	86	4	205054	84	2
203732	76	2	204144	79	3	204463	89	6	204933	80	5	205021	83	4	205054	87	2
203733	76	2	204149	92	6	204465	89	6	204934	80	5	205021	86	4	205055	84	2
203734	76	2	204158	94	11	204467	90	9	204935	80	6	205022	83	4	205055	87	2
203783	93	3	204160	94	11	204472	91	8	204936	80	6	205022	83	4	205057	84	2
203787	79	1	204162	94	10	204473	91	8	204937	80	6	205022	86	4	205057	87	2
203788	79	1	204164	94	10	204474	91	9	204938	80	7	205022	86	4	205058	84	2
203789	79	1	204165	54	6	204485	80	1	204939	80	7	205023	83	4	205058	87	2
203790	79	1	204165	92	2	204487	29	3	204940	80	7	205023	86	4	205059	84	2
203791	79	1	204171	26	2	204505	69	1	204962	75	1	205024	83	4	205059	87	2
203792	79	1	204174	26	4	204506	69	2	204975	80	2	205024	86	4	205060	84	3
203793	79	1	204175	26	4	204507	91	1	204977	80	3	205025	83	4	205060	87	3
203794	79	1	204183	94	3	204508	91	2	204978	80	4	205025	86	4	205061	84	3
203795	79	1	204207	94	1	204510	90	7	204979	80	5	205026	83	4	205061	87	3
203796	79	1	204211	94	2	204515	90	8	204980	80	6	205026	86	4	205062	84	3
203797	79	1	204240	94	12	204516	90	9	204981	80	7	205027	83	5	205062	87	3
203798	79	1	204242	94	12	204521	91	4	204986	80	1	205027	86	5	205063	84	3
203799	79	1	204246	90	12	204522	91	7	204987	80	1	205028	83	5	205063	87	3
203800	79	1	204261	70	1	204524	91	5	204991	83	1	205028	86	5	205065	84	3
203801	79	1	204264	90	1	204525	89	12	204991	86	1	205029	83	5	205065	87	3
203802	79	1	204265	90	2	204526	89	10	204992	83	1	205029	86	5	205066	84	3
203803	79	1	204266	90	6	204527	89	10	204992	86	1	205030	83	5	205066	87	3
203804	79	1	204273	90	4	204528	89	10	204993	83	1	205030	86	5	205067	84	3
203805	79	1	204275	90	5	204529	25	6	204993	86	1	205031	83	4	205067	87	3
203806	79	1	204282	70	6	204529	69	3	204994	83	1	205031	86	4	205068	84	3
203812	91	6	204283	70	5	204529	91	10	204994	86	1	205032	83	6	205068	87	3
203813	91	11	204291	93	2	204530	89	11	204995	83	1	205032	86	6	205070	84	4
203814	91	11	204319	93	5	204531	89	11	204995	86	1	205033	83	6	205070	87	4
203816	91	11	204350	79	2	204540	88	12	204996	83	1	205033	86	6	205071	84	4
203825	93	1	204351	79	2	204544	25	2	204996	86	1	205034	83	6	205071	87	4
203861	90	11	204352	79	2	204547	25	3	204997	83	1	205034	86	6	205072	84	4
203862	90	10	204353	79	2	204551	25	1	204997	86	1	205035	83	6	205072	87	4
203884	92	1	204354	79	2	204557	88	10	204998	83	1	205035	86	6	205073	84	4
203885	42	4	204355	79	2	204558	88	11	204998	86	1	205036	83	6	205073	87	4
203887	42	8	204356	79	2	204561	88	7	204999	83	1	205036	86	6	205074	84	4
203888	42	6	204357	79	2	204562	88	8	204999	86	1	205037	83	6	205074	87	4
203889	42	7	204358	79	2	204569	25	4	<b>205000</b>	<b>83</b>	<b>2</b>	205037	86	6	205075	84	4
203890	42	5	204359	79	2	204618	89	2	205000	86	2	205038	83	6	205075	87	4
203891	42	3	204360	79	2	204619	41	4	205001	83	2	205038	86	6	205076	84	4
203905	41	5	204361	79	2	204620	41	4	205001	86	2	205039	83	6	205076	87	4





# Code Index



Code No	Page	Must	Code No	Page	Must	Code No	Page	Must	Code No	Page	Must	Code No	Page	Must	Code No	Page	Must
205077	84	4	205133	85	4	205203	82	6	310866	53	2	313384	74	5	314668	73	1
205077	87	4	205134	85	4	205204	82	6	311067	47	4	313387	74	5	314669	73	1
205078	84	4	205135	85	4	205205	82	6	311068	47	5	313388	74	5	314671	73	2
205078	87	4	205136	85	4	205206	82	6	<b>311144</b>	47	4	313388	93	11	314717	32	2
205079	84	4	205137	85	5	205207	82	6	311145	47	5	313395	71	4	314720	32	1
205079	87	4	205138	85	5	205208	82	6	311151	59	7	313396	71	4	314722	33	5
205080	84	4	205139	85	5	205209	82	6	311155	59	8	313397	71	4	314725	32	4
205080	87	4	205140	85	5	205210	82	6	311156	59	7	313406	71	2	314726	32	5
205081	84	5	205141	85	4	205224	16	5	311157	59	7	313407	71	2	314729	33	2
205081	87	5	205142	85	6	<b>301125</b>	<b>59</b>	<b>8</b>	311158	59	8	313408	74	8	314730	33	4
205082	84	5	205143	85	6	<b>303712</b>	<b>78</b>	<b>8</b>	311160	59	7	313408	93	10	314732	32	3
205082	87	5	205144	85	6	303713	78	8	311186	40	3	313409	74	8	314733	33	1
205085	84	5	205145	85	6	303722	78	8	311266	11	7	313409	93	10	314735	32	7
205085	87	5	205146	85	6	303723	78	8	311267	11	7	313415	71	1	314736	33	6
205086	84	5	205147	85	6	303725	78	8	311268	11	7	313418	74	4	314737	33	6
205086	87	5	205148	85	6	303835	27	6	311269	11	7	313418	93	12	314738	32	8
205087	84	4	205149	85	6	303839	27	7	312787	86	7	313420	71	7	314833	75	6
205087	87	4	205150	85	6	303840	27	7	<b>312787</b>	<b>87</b>	<b>7</b>	313421	71	8	314834	75	6
205088	84	6	205153	83	2	303841	27	7	312959	77	5	313426	71	5	314835	75	6
205088	87	6	205153	86	2	303842	27	7	312969	77	5	313435	72	2	314836	75	6
205089	84	6	205154	83	2	303843	27	7	312971	77	5	313436	72	2	<b>315105</b>	<b>71</b>	<b>3</b>
205089	87	6	205154	86	2	303844	27	7	312975	77	5	313437	72	1	315106	71	3
205090	84	6	205155	84	2	303845	27	6	<b>313037</b>	<b>77</b>	<b>2</b>	313438	72	3	315107	71	6
205090	87	6	205155	87	2	303846	27	6	313038	77	2	313439	72	1	315113	73	6
205091	84	6	205156	85	2	303847	27	6	313040	77	2	313440	72	6	315114	73	3
205091	87	6	205157	82	1	303848	27	6	313041	77	2	313441	72	4	315115	73	4
205092	84	6	205158	82	1	303849	27	6	313042	77	2	313442	72	5	315116	73	5
205092	87	6	205159	82	1	303850	77	8	313043	77	2	313444	72	3	315173	74	6
205093	84	6	205160	82	1	303851	77	8	313045	77	2	313445	72	1	315382	11	6
205093	87	6	205161	82	1	303880	77	7	313047	77	2	313446	72	1	315895	43	1
205094	84	6	205162	82	1	303900	77	7	313048	77	1	313459	74	7	315898	11	6
205094	87	6	205163	82	1	303902	77	7	313051	77	1	313460	74	7	<b>316066</b>	<b>27</b>	<b>6</b>
205095	84	6	205164	82	1	303906	77	7	313052	77	1	313461	74	7	316067	27	6
205095	87	6	205165	82	1	<b>304026</b>	<b>78</b>	<b>7</b>	313053	77	1	313480	94	4	316068	27	7
205096	84	6	205166	82	1	304906	16	5	313055	77	1	313481	94	4	316069	27	7
205096	87	6	205167	82	1	304906	17	5	313057	77	1	313490	94	4	316484	11	8
205097	85	1	205168	82	2	304915	16	5	313059	77	1	313500	94	4	316582	11	8
205098	85	1	205169	82	2	304915	17	5	313089	78	4	313503	94	4	316611	11	9
205099	85	1	205170	82	2	<b>306960</b>	<b>36</b>	<b>4</b>	313092	78	4	313504	74	1	316611	23	11
205100	85	1	205171	82	2	306960	44	4	313114	24	7	313505	74	1	316611	78	1
205101	85	1	205172	82	2	<b>310129</b>	<b>82</b>	<b>7</b>	313117	39	3	313506	74	1	316738	18	1
205102	85	1	205173	82	2	310129	83	7	313117	78	3	313507	74	1	316957	16	5
205103	85	1	205174	82	2	310355	86	7	313118	6	7	313508	74	1	316957	17	5
205104	85	1	205175	82	2	310355	87	7	313122	78	4	313509	74	1	<b>317028</b>	<b>18</b>	<b>1</b>
205105	85	1	205176	82	3	310357	86	7	313123	78	4	313510	74	1	317148	19	1
205106	85	1	205177	82	3	310357	87	7	313142	77	6	313511	74	3	317383	19	1
205107	85	1	205178	82	3	310358	86	7	313143	77	6	313511	93	9			
205108	85	2	205179	82	3	310358	87	7	313144	77	6	313512	74	2			
205109	85	2	205181	82	3	310359	86	7	313145	77	6	313513	74	2			
205110	85	2	205182	82	3	310359	87	7	313158	77	6	313514	74	2			
205111	85	2	205183	82	3	310360	86	7	313170	78	5	313515	74	3			
205112	85	2	205184	82	3	310360	87	7	313179	78	5	313519	74	3			
205113	85	2	205186	82	4	310361	86	7	313180	78	5	313519	93	8			
205115	85	2	205187	82	4	310361	87	7	313181	78	5	313520	74	3			
205116	85	3	205188	82	4	310362	86	7	313211	23	12	313521	74	3			
205118	85	3	205189	82	4	310362	87	7	313212	23	12	313521	93	8			
205119	85	3	205190	82	4	310363	86	7	313213	23	12	313522	74	3			
205120	85	3	205191	82	4	310363	87	7	313238	75	3	313522	93	8			
205122	85	3	205192	82	4	310364	86	7	313240	75	3	313523	74	2			
205123	85	3	205193	82	4	310364	87	7	313242	75	3	313524	11	9			
205124	85	3	205194	82	4	310365	86	7	313244	75	3	313526	11	9			
205125	85	3	205195	82	4	310365	87	7	313246	75	4	313527	6	7			
205126	85	4	205196	82	4	310366	86	7	313248	75	4	313699	91	12			
205127	85	4	205197	82	5	310366	87	7	313249	75	5	313701	91	12			
205128	85	4	205198	82	5	310724	59	8	313250	75	5	313768	62	1			
205129	85	4	205199	82	5	310863	53	6	313252	75	4	<b>314663</b>	<b>73</b>	<b>1</b>			
205130	85	4	205200	82	5	310864	53	3	313339	94	6	314664	73	1			
205131	85	4	205201	82	4	310865	53	1	313367	94	5	314665	73	1			
205132	85	4	205202	82	6	310865	53	4	313383	74	6	314666	73	1			



# ENEC Certified



## LED Floodlights

## Recessed Mounted LED Office Luminaires

## LED Road & Street Luminaires



## Ignitor

## Electronic Ballasts

## Surface Mounted LED Office Luminaires



# Atex Certified

*Ex-Proof Luminaires can be safely used in potentially explosive environments where hazardous gas and dust are present.*

**(1) EU- Internal Production Control Certificate**

**(2) Equipment or Protective Systems Intended for use in Potentially Explosive Atmospheres**

Directive 2014/34/EU

(3) EU - Internal Production Control Certificate Number: **IEP 16 ATEX 0468**

(4) Product: **Led lighting fixtures, Pelsan xy series**

(5) Firm Name: **PELSAN AYDINLATMA SANAYI ve TICARET A.Ş.**

(6) Firm Address: **İmes Sanayi Sitesi A Blok 101 Sokak No:38 Dudulla Ümraniye - İSTANBUL, TURKEY**

(7) This product any of acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) The IEP Ulaştırarak Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Şti., notified body number 2284 in accordance with Article 17 of the Directive 2014/34/EU of European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres, given in Annex II/III to the Directive. The examination and test results are recorded in confidential Report Nr: IEP.Rp.Ex.10-1037 date 18.11.2016.

(9) Compliance with Essential Health and safety requirements has been assured by compliance with:

**EN 60079-0 : 2012, EN 60079-15 : 2010, EN 60079-31 : 2009**

(10) If the sign "X" is placed after the certificate number, it indicates that the product is subject to Specified Conditions of Safe Use specified in the schedule to this certificate.

(11) This EU-Internal Production Control Certificate relates only to the design and construction of the specified product in accordance to the directive 2014/34/EU. Further requirements of the directive apply to the manufacturing process and supply of this product. These are not covered by this certificate. Validity date 10 year. If standard or product change, this certificate is invalid.

(12) The marking of the equipment or protective system shall include the following:

Date of Issue: **22.12.2016**

**Responsible Person:**  
Nurettin Terzioğlu  
Head of Certification Body

IEP Ulaştırarak Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Şti. 57461 Sok. No:38 K2 Bornova -İZMİR / TÜRKİYE  
Tel: +90 232 431 17 45 - 46 Fax: +90 232 431 17 30 E-mail: info@iep.com.tr Fr: 45  
This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, schedule included. You can check accuracy of this document by www.iep.com.tr

Page | 1 / 2

**(13) Schedule**

(14) Certificate Nr: **IEP 16 ATEX 0468**

(15) Description of Equipment Protective System:

The Led lighting fixtures, Pelsan xy series designed as a floodlights, high bay and canopy are mounting type of electrical device. Led lighting fixtures, Pelsan xy series made from according to Aluminum. Led lighting fixtures, Pelsan xy series is equipped with cable gland d or e type. To must be used of ground cable 4 mm<sup>2</sup> (min) and HD 21.13.S1/HD.22.4.S4.Led lighting fixtures have been evaluated in the contents of IP 66.Led lighting fixtures use as zone 2 and 22 that be used danger area determined in the EN 60079-10-1 and EN 60079-10-2 standard.

Technical Parameters: Led lighting fixtures, Pelsan xy series	
Type	Power (W)
Pirofiz	50, 75, 100, 125, 150
Sia	50, 75, 100, 125, 150
Nairo	50, 75, 100, 125, 150
Operating Voltage 230 V AC, 50 / 60 Hz	
Operating Temperature (-20 ~ +50) °C	

**Led Lighting Fixtures Product Code System**

```

Pelsan X Y
  |  |
  |  |--- Power (50, 75, 100, 125, 150)
  |  |
  |  |--- Model; Pirofiz, Sia, Nairo (Accessory)
  |  |
  |  |--- Mark
    
```

(16) This certificate is in the contents of standards that mentioned in item [9]. It has been accepted that Led lighting fixtures is manufactured according to the producer instructions and the standards mentioned above.

(17) Information's of mounting instruction manual of 4 pages approved and date 08.02.2016.

(18) List of Documentation:

Drawing Nr :	Drawing Name :	Date :
PLS-01	Frame	25.01.2016
PLS-02	Body Aluminum	25.01.2016
PLS-03	Plastic Driver Cover	25.01.2016
PLS-04	Screw Cross Section	25.01.2016
PLS-05	Exploded Drawing	25.01.2016
PLS-06	Assembly	25.01.2016
PLS-07	Plastic Reflector	25.01.2016
PLS-08	Roof Connection	25.01.2016

Part inside of Led lighting fixtures, Pelsan xy series indicated in the part list and equipment list, table 1 dated 08.02.2016.

**Responsible Person:**  
Nurettin Terzioğlu  
Head of Certification Body

Date of Issue: **23.12.2016**

IEP Ulaştırarak Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Şti. 57461 Sok. No:38 K2 Bornova -İZMİR / TÜRKİYE  
Tel: +90 232 431 17 45 - 46 Fax: +90 232 431 17 30 E-mail: info@iep.com.tr Fr: 45  
This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, schedule included. You can check accuracy of this document by www.iep.com.tr

Page | 2 / 2

*Nairo, Pirofiz, Sia Exproof Certified*

**(1) Type Examination Certificate**

**(2) Equipment or Protective Systems Intended for use in Potentially Explosive Atmospheres**

Directive 2014/34/EU

(3) Type Examination Certificate Number: **IEP 18 ATEX 0597**

(4) Equipment: **Largo Type , Exproof Luminaires**

(5) Firm Name: **PELSAN AYDINLATMA SANAYI ve TICARET A.Ş.**

(6) Firm Address: **İmes Sanayi Sitesi A Blok 101 Sok. No:38 Y.Dudulla - İSTANBUL / TURKEY**

(7) This equipment or protective system and any of acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) The IEP Ulaştırarak Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Şti., certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of category 3 equipment, which is intended for use in potentially explosive atmospheres, given in Annex II to the Council Directive 2014/34/EU. The examination and test results are recorded in confidential Report Nr: IEP.Rp.Ex.10-1281 date 28.05.2018.

(9) Compliance with Essential Health and safety requirements has been assured by compliance with:

**EN 60079-0:2013, EN 60079-15:2010, EN 60079-31:2014**

(10) If the sign "X" is placed after the certificate number, it indicates that the product is subject to Specified Conditions of Safe Use specified in the schedule to this certificate.

(11) This Type Examination Certificate relates only to the design and specification for construction of the equipment or protective system. It does not cover process for actual manufacture or supply of the equipment or protective system, for which further requirements of the directive are applicable.

(12) The marking of the equipment or protective system shall include the following:

Date of Issue: **31.05.2018**

**Responsible Person:**  
Nurettin Terzioğlu  
Head of Certification Body

IEP Ulaştırarak Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Şti. 57461 Sok. No:38 K2 Bornova -İZMİR / TÜRKİYE  
Tel: +90 232 431 17 45 - 46 Fax: +90 232 431 17 30 E-mail: info@iep.com.tr Fr: 45  
This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, schedule included. You can check accuracy of this document by www.iep.com.tr

Page | 1 / 2

**(13) Schedule**

(14) Certificate Nr: **IEP 18 ATEX 0597**

(15) Description of Equipment:

Largo Type , Exproof Luminaires are designed to be used against harsh weather conditions. Largo Type , Exproof Luminaires can be used in zone 2 and zone 22 electric devices and can be used in IIC gas group and IIC dust group. There are related explanations in the product manual. Installation must conform to the appropriate manual. Led driver protection IP 67. Luminaires have been evaluated in the contents of IP 65. Largo type Luminaires can be used at Zone 2 and Zone 22, defined at the EN 60079-10-1 and 60079-10-2 standards.

Types	Power (W)	Length (cm)	Frequency (Hz)	Supply Voltage (V AC)	IP Protection Class
Largo Fluorescent	2x18W	60	50 / 60	220 - 240	IP 65
Largo Fluorescent	2x36W	120			
Largo LED	25W	60			
Largo LED	45W	120			

(17) Essential Health and Safety Requirements:

17.1 This certificate is in the contents of standards that mentioned in item [9]. It has been accepted that Largo Type, Exproof Luminaires are manufactured according to the producer instructions and the standards mentioned above.

17.2 Information of mounting instruction manual of Largo Type , Exproof Luminaires have been approved 1 page and date 2018.

(18) List of Documentation :

- Largo Type , Exproof Luminaires user manual (1 page, dated 2018)
- IP Test Report / Reports No: 1805100850 - 1805100852 / 25.05.2018
- Drawings:

Drawing Nr:	Drawing Name:	Date:
018-007-00	Assembly Drawing	13.03.2018
018-007-01	Glass	13.03.2018
018-007-02	Body	13.03.2018
018-007-03	Cover	13.03.2018

For the validity of analysis type certificate, the parts that are used Largo Type , Exproof Luminaires, are determined in confirmed in the list of equipment page 1, dated 2018.

**Responsible Person:**  
Nurettin Terzioğlu  
Head of Certification Body

Date of Issue: **31.05.2018**

IEP Ulaştırarak Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Şti. 57461 Sok. No:38 K2 Bornova -İZMİR / TÜRKİYE  
Tel: +90 232 431 17 45 - 46 Fax: +90 232 431 17 30 E-mail: info@iep.com.tr Fr: 45  
This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, schedule included. You can check accuracy of this document by www.iep.com.tr

Page | 1 / 2

*Largo LED, Largo T8 Exproof Certified*







[www.pelsan.com.tr](http://www.pelsan.com.tr)  
[export@pelsan.com.tr](mailto:export@pelsan.com.tr)

**HEAD OFFICE**

İmes Sanayi Sitesi A Blok 101 Sokak No: 38 Y. Dudullu / İstanbul / TURKEY  
**Phone:** (+90 850) 460 75 76 **Fax:** (+90 216) 364 60 15

**FACTORY**

Çerkeşli OSB İmes 5 Cad. 400 Ada 6 Parsel No:12 Dilovası / İzmit / TURKEY  
**Phone:** (+90 850) 460 75 76 **Fax:** (+90 216) 364 60 15

Pelsan Aydınlatma reserves the right to make changes to pricies and products.



/PelsanAydinlatma



pelsan-aydinlatma



pelsan aydinlatma



/pelsanaydinlatma



/PelsanLight