

MALZEME	AÇIKLAMA	STANDART FİYAT 2020	Paket içeriği
DS500E-120	Single pole SPD 120/208V - Type I - limp = 50kA - remote sig	319,00	2,00
DS502E-120	Single phase SPD 120/208V - Type I - limp = 50kA -CM prote	637,00	2,00
DS502E-120/G	Single phase SPD 120/208V - Type I - limp = 50kA -CM/DM	605,00	2,00
DS503E-120	3-phase SPD 120/208V - Type I - limp = 50kA -CM protectio	955,00	1,00
DS504E-120	3-phase+Neutral SPD 120/208V - Type I - limp = 50kA -CM p	1273,00	1,00
DS504E-120/G	3-phase+Neutral SPD 120/208V - Type I - limp = 50kA -CM+	1241,00	1,00
DS250VG-120	Single pole SPD 120/208V - Type I - limp = 25kA - remote sig	175,00	10,00
DS250E-120	Single pole SPD 120/208V - Type I - limp = 25kA - remote sig	191,00	10,00
DS252VG-120/G	Single Phase SPD 120/208V - Type 1 - limp=25kA - Remote s	319,00	2,00
DS252E-120/G	Single Phase SPD 120/208V - Type 1 - limp=25kA - Remote s	335,00	2,00
DS252VG-120	Single Phase SPD 120/208V - Type 1 - limp=25kA - Remote s	350,00	2,00
DS252E-120	Single Phase SPD 120/208V - Type 1 - limp=25kA - Remote s	382,00	2,00
DS253VG-120	3-Phase SPD 120/208V - Type 1 - limp=25kA - Remote signa	525,00	1,00
DS253E-120	3-Phase SPD 120/208V - Type 1 - limp=25kA - Remote signa	573,00	1,00
DS253VG-120/G	2-phase+Neutral SPD 120/208V - Type I - limp=25kA - Remo	494,00	1,00
DS253E-120/G	2-phase+Neutral SPD 120/208V - Type I - limp=25kA - Remo	525,00	1,00
DS254VG-120/G	3-Phase + Neutral SPD 120/208V - Type 1 - limp=25kA - Re	669,00	1,00
DS254E-120/G	3-Phase + Neutral SPD 120/208V - Type 1 - limp=25kA - Re	716,00	1,00
DS254VG-120	3-Phase + Neutral SPD 120/208V - Type 1 - limp=25kA - Re	700,00	1,00
DS254E-120	3-Phase + Neutral SPD 120/208V - Type 1 - limp=25kA - Re	764,00	1,00
DS131R-120	Single pole SPD 120/208V - Type I - limp = 12,5kA - Plug-in	128,00	8,00
DS131RS-120	Single pole SPD 120/208V - Type I - limp =12,5kA - remote s	131,00	8,00
DS131VG-120	Single pole SPD 120/208V - Type I - limp = 12,5kA - Plug-in	134,00	8,00
DS131VGS-120	Single pole SPD 120/208V - Type I - limp = 12,5kA - Plug-in	137,00	8,00
DS132R-120/G	Single Phase SPD 120/208V - Type 1 - limp=12,5kA - - Plug-	255,00	4,00
DS132RS-120/G	Single Phase SPD 120/208V - Type 1 - limp=12,5kA - Plug-in	261,00	4,00
DS132R-120	Single Phase SPD 120/208V - Type 1 - limp=12,5kA - Plug-in	255,00	4,00
DS132RS-120	Single Phase SPD 120/208V - Type 1 - limp=25kA - Remote s	261,00	4,00
DS132VG-120	Single Phase SPD 120/208V - Type 1 - limp=12,5kA - Plug-in	268,00	4,00
DS132VG-120/G	Single Phase SPD 120/208V - Type 1 - limp=12,5kA - Plug-in	268,00	4,00
DS132VGS-120	Single Phase SPD 120/208V - Type 1 - limp=12,5kA - Plug-in	274,00	4,00
DS132VGS-120/G	Single Phase SPD 120/208V - Type 1 - limp=12,5kA - Plug-in	274,00	4,00
DS133R-120	3-Phase SPD 120/208V - Type 1 - limp=12,5kA - CM protec	382,00	3,00
DS133RS-120	3-Phase SPD 120/208V - Type 1 - limp=12,5kA - Remote sig	392,00	3,00
DS133VG-120	3-Phase SPD 120/208V - Type 1 - limp=12,5kA - Plug-in mod	401,00	3,00
DS133VGS-120	3-Phase SPD 120/208V - Type 1 - limp=12,5kA - Plug-in mod	411,00	3,00
DS134R-120/G	3-Phase + Neutral SPD 120/208V - Type 1 - limp=12,5kA - P	510,00	2,00
DS134RS-120/G	3-Phase + Neutral SPD 120/208V - Type 1 - limp=12,5kA - P	522,00	2,00
DS134R-120	3-Phase + Neutral SPD 120/208V - Type 1 - limp=12,5kA - P	510,00	2,00
DS134RS-120	3-Phase + Neutral SPD 120/208V - Type 1 - limp=12,5kA - P	522,00	2,00
DS134VG-120	3-Phase + Neutral SPD 120/208V - Type 1 - limp=12,5kA - P	535,00	2,00
DS134VGS-120	3-Phase + Neutral SPD 120/208V - Type 1 - limp=12,5kA - P	548,00	2,00
DS134VG-120/G	3-Phase + Neutral SPD 120/208V - Type 1 - limp=12,5kA - P	535,00	2,00
DS134VGS-120/G	3-Phase + Neutral SPD 120/208V - Type 1 - limp=12,5kA - P	548,00	2,00
DS100EG-600	N/PE SPD - Type 1 - limp=50kA	144,00	10,00
DS1000G-600	N/PE SPD - Type 1 - limp=100kA	284,00	10,00
DS71R-120	Single pole SPD - Type 2 - I _{max} =70kA - Plug-in module	34,00	8,00
DS71RS-120	Single pole SPD - Type 2 - I _{max} =70kA - Plug-in module - Ren	40,00	8,00
DS72R-120	Single phase SPD - Type 2 - I _{max} =70kA - Plug-in module - C	67,00	4,00
DS72RS-120	Single phase SPD - Type 2 - I _{max} =70kA - Plug-in module - C	70,00	4,00
DS72R-120/G	Single phase SPD - Type 2 - I _{max} =70kA - Plug-in module - C	83,00	4,00
DS72RS-120/G	Single phase SPD - Type 2 - I _{max} =70kA - Plug-in module - C	86,00	4,00
DS73R-120	3-phase SPD - Type 2 - I _{max} =70kA - Plug-in module - CM pr	101,00	3,00
DS73RS-120	3-phase SPD - Type 2 - I _{max} =70kA - Plug-in module - CM pr	120,00	3,00

DS73RS-120/G	2-phase+neutral SPD - Type 2 - I _{max} =70kA - Plug-in module	117,00	3,00
DS74R-120	3-phase+neutral SPD - Type 2 - I _{max} =70kA - Plug-in module	125,00	2,00
DS74RS-120	3-phase+neutral SPD - Type 2 - I _{max} =70kA - Plug-in module	128,00	2,00
DS74R-120/G	3-phase+neutral SPD - Type 2 - I _{max} =70kA - Plug-in module	125,00	2,00
DS74RS-120/G	3-phase+neutral SPD - Type 2 - I _{max} =70kA - Plug-in module	132,00	2,00
DS41-120	Single pole SPD - Type 2 - I _{max} =40kA - Plug-in module	23,00	8,00
DS41S-120	Single pole SPD - Type 2 - I _{max} =40kA - Plug-in module - Ref	26,00	8,00
DS41VG-120	Single pole SPD - Type 2 - I _{max} =40kA - Plug-in module - VG	29,00	8,00
DS41VGS-120	Single pole SPD - Type 2 - I _{max} =40kA - Plug-in module - Ref	32,00	8,00
DS42-120	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	45,00	4,00
DS42S-120	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	51,00	4,00
DS42-120/G	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	42,00	4,00
DS42S-120/G	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	48,00	4,00
DS42VG-120	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	58,00	4,00
DS42VG-120/G	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	55,00	4,00
DS42VGS-120	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	64,00	4,00
DS42VGS-120/G	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	61,00	4,00
DS43-120	3-phase SPD - Type 2 - I _{max} =40kA - Plug-in module - CM pr	67,00	3,00
DS43S-120	3-phase SPD - Type 2 - I _{max} =40kA - Plug-in module - CM pr	75,00	3,00
DS43S-120/G	2-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	80,00	3,00
DS43VG-120	3-phase SPD - Type 2 - I _{max} =40kA - Plug-in module - CM pr	86,00	3,00
DS43VGS-120	3-phase SPD - Type 2 - I _{max} =40kA - Plug-in module - CM pr	93,00	3,00
DS44-120	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	90,00	2,00
DS44S-120	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	96,00	2,00
DS44-120/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	93,00	2,00
DS44S-120/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	101,00	2,00
DS44VG-120	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	115,00	2,00
DS44VG-120/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	112,00	2,00
DS44VGS-120	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	121,00	2,00
DS44VGS-120/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	118,00	2,00
DS41HFS-120	Single pole SPD - Type 2 - I _{max} =40kA - Plug-in module - Ref	58,00	8,00
DS42HFS-120	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	115,00	4,00
DS43HFS-120	3-phase SPD - Type 2 - I _{max} =40kA - Plug-in module - CM pr	172,00	3,00
DS44HFS-120	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	230,00	2,00
DS240-120	Compact Single phase SPD - Type 2 - I _{max} =40kA - Plug-in m	55,00	8,00
DS240S-120	Compact Single phase SPD - Type 2 - I _{max} =40kA - Plug-in m	58,00	8,00
DS240-120/G	Compact Single phase SPD - Type 2 - I _{max} =40kA - Plug-in m	55,00	8,00
DS240S-120/G	CompactSingle phase SPD - Type 2 - I _{max} =40kA - Plug-in m	58,00	8,00
DS440-120	Compact 3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-	115,00	4,00
DS440S-120	Compact 3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-	121,00	4,00
DS440-120/G	Compact 3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-	115,00	4,00
DS440S-120/G	Compact 3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-	121,00	4,00
DS215-120	Compact Single phase SPD - Type 2 - I _{max} =15kA - Plug-in m	39,00	8,00
DS215S-120	Compact Single phase SPD - Type 2 - I _{max} =15kA - Plug-in m	42,00	8,00
DS215-120/G	Compact Single phase SPD - Type 2 - I _{max} =15kA - Plug-in m	45,00	8,00
DS215S-120/G	CompactSingle phase SPD - Type 2 - I _{max} =15kA - Plug-in m	48,00	8,00
DS415-120	Compact 3-phase+neutral SPD - Type 2 - I _{max} =15kA - Plug-	90,00	4,00
DS415S-120	Compact 3-phase+neutral SPD - Type 2 - I _{max} =15kA - Plug-	96,00	4,00
DS415-120/G	Compact 3-phase+neutral SPD - Type 2 - I _{max} =15kA - Plug-	90,00	4,00
DS415S-120/G	Compact 3-phase+neutral SPD - Type 2 - I _{max} =15kA - Plug-	96,00	4,00
DS11-120	Single pole SPD - Type 2 - I _{max} =10kA - Plug-in module	21,00	8,00
DS11S-120	Single pole SPD - Type 2 - I _{max} =10kA - Plug-in module - Ref	24,00	8,00
DS12-120	Single phase SPD - Type 2 - I _{max} =10kA - Plug-in module - C	42,00	4,00
DS12S-120	Single phase SPD - Type 2 - I _{max} =10kA - Plug-in module - C	48,00	4,00
DS12-120/G	Single phase SPD - Type 2 - I _{max} =10kA - Plug-in module - C	48,00	4,00
DS12S-120/G	Single phase SPD - Type 2 - I _{max} =10kA - Plug-in module - C	51,00	4,00
DS13-120	3-phase SPD - Type 2 - I _{max} =10kA - Plug-in module - CM pr	63,00	3,00

DS13S-120	3-phase SPD - Type 2 - I _{max} =10kA - Plug-in module - CM protection	67,00	3,00
DS14-120	3-phase+neutral SPD - Type 2 - I _{max} =10kA - Plug-in module - CM protection - 1+2 configuration	83,00	2,00
DS14S-120	3-phase+neutral SPD - Type 2 - I _{max} =10kA - Plug-in module - CM protection - 1+2 configuration	90,00	2,00
DS14-120/G	3-phase+neutral SPD - Type 2 - I _{max} =10kA - Plug-in module - CM/DM protection - 1+1 configuration	74,00	2,00
DS14S-120/G	3-phase+neutral SPD - Type 2 - I _{max} =10kA - Plug-in module - CM/DM protection - 1+1 configuration	77,00	2,00
DS98-120	Compact Single phase SPD - Type 2 - I _{max} =10kA - Monobloc - CM protection - 1+1 configuration	39,00	8,00
DS98L-120	Compact Single phase SPD - Type 2 - I _{max} =10kA - Monobloc - CM/DM protection - 1+1 configuration	39,00	8,00
DS-HF-120	Single phase SPD + RFI Filter - Type 2 - I _{max} =10kA - Monobloc - CM/DM protection - 1+1 configuration	287,00	2,00
DS40G-600	N/PE SPD - Type 2 = I _{max} =40kA	32,00	8,00
DS70G-600	N/PE SPD - Type 2 = I _{max} =70kA	63,00	8,00
DS500E-230	Single pole SPD 230/400V - Type I - I _{imp} = 50kA - remote signalling	255,00	2,00
DS500E-400	Single pole SPD 230/400V - Type I - I _{imp} = 50kA - remote signalling	255,00	2,00
DS502E-230	Single phase SPD 230/400V - Type I - I _{imp} = 50kA - CIVI protection remote signalling - 1+0 configuration	510,00	2,00
DS502E-400	Single phase SPD 230/400V - Type I - I _{imp} = 50kA - CIVI protection remote signalling - 1+0 configuration	510,00	2,00
DS502E-230/G	Single phase SPD 230/400V - Type I - I _{imp} = 50kA - CM/DM protection	541,00	2,00
DS503E-230	3-phase SPD 120/208V - Type I - I _{imp} = 50kA - CM protection	764,00	1,00
DS503E-400	3-phase SPD 120/208V - Type I - I _{imp} = 50kA - CM protection	764,00	1,00
DS504E-230	3-phase+Neutral SPD 230/400V - Type I - I _{imp} = 50kA - CM protection	1146,00	1,00
DS504E-400	3-phase+Neutral SPD 230/400V - Type I - I _{imp} = 50kA - CM protection	1146,00	1,00
DS504E-230/G	3-phase+Neutral SPD 230/400V - Type I - I _{imp} = 50kA - CM/DM protection	1178,00	1,00
DS250VG-300	Single pole SPD 230/400V - Type I - I _{imp} = 25kA - remote signalling	175,00	10,00
DS250VG-400	Single pole SPD 230/400V - Type I - I _{imp} = 25kA - remote signalling	175,00	10,00
DS250E-300	Single Pole SPD 230/400V - Type I - I _{imp} = 25kA - remote signalling	191,00	10,00
DS250E-400	Single Pole SPD 230/400V - Type I - I _{imp} = 25kA - remote signalling	191,00	10,00
DS252VG-300/G	Single phase SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	350,00	2,00
DS252E-300/G	Single phase SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	319,00	2,00
DS252VG-300	Single phase SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	350,00	2,00
DS252VG-400	Single phase SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	350,00	2,00
DS252E-300	Single phase SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	382,00	2,00
DS252E-400	Single phase SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	382,00	2,00
DS253VG-300	3-phase SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	537,00	1,00
DS253VG-400	3-phase SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	525,00	1,00
DS253E-300	3-phase SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	573,00	1,00
DS253E-400	3-phase SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	573,00	1,00
X DUT250VG-300/G	Compact 3-phase+neutral SPD - 230/400V - Tipo 1 - Monobloc	480,00	1,00
DUT125-400		335,00	
DUM125-400		159,00	
X DS254VG-300/G	3-phase+neutral SPD - 230/400V - Tipo 1 - I _{imp} = 25kA - remote signalling	600,00	1,00
DS254E-300/G	3-phase+neutral SPD - 230/400V - Tipo 1 - I _{imp} = 25kA - remote signalling	700,00	1,00
DS254E-300	3-phase+neutral SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	764,00	1,00
DS254E-400	3-phase+neutral SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	764,00	1,00
DS254VG-300	3-phase+neutral SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	700,00	1,00
DS254VG-400	3-phase+neutral SPD 230/400V - Type 1 - I _{imp} = 25kA - remote signalling	700,00	1,00
DS254VG-400/G		603,00	1,00
DS131R-230	Single pole SPD 230/400V - Type I - I _{imp} = 12,5kA - Plug-in	45,00	8,00
DS131RS-230	Single pole SPD 230/400V - Type I - I _{imp} = 12,5kA - Plug-in	51,00	8,00
DS131R-280	Single pole SPD 230/400V - Type I - I _{imp} = 12,5kA - Plug-in	45,00	8,00
DS131RS-280	Single pole SPD 230/400V - Type I - I _{imp} = 12,5kA - Plug-in	51,00	8,00
DS131R-320	Single pole SPD 230/400V - Type I - I _{imp} = 12,5kA - Plug-in	45,00	8,00
DS131RS-320	Single pole SPD 230/400V - Type I - I _{imp} = 12,5kA - Plug-in	51,00	8,00
DS131R-400	Single pole SPD 230/400V - Type I - I _{imp} = 12,5kA - Plug-in	45,00	8,00
DS131RS-400	Single pole SPD 230/400V - Type I - I _{imp} = 12,5kA - Plug-in	51,00	8,00
DS131VG-230	Single pole SPD 230/400V - Type I - I _{imp} = 12,5kA - Plug-in	56,00	8,00
DS131VGS-230	Single pole SPD 230/400V - Type I - I _{imp} = 12,5kA - Plug-in	59,00	8,00
DS132R-230/G	Single Phase SPD 230/400V - Type 1 - I _{imp} =12,5kA - - Plug-in	72,00	4,00
DS132RS-230/G	Single Phase SPD 230/400V - Type 1 - I _{imp} =12,5kA - Plug-in	77,00	4,00
DS132R-280/G	Single Phase SPD 230/400V - Type 1 - I _{imp} =12,5kA - - Plug-in	72,00	4,00

X

	DS132RS-280/G	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	64,00	4,00
	DS132R-320/G	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	72,00	4,00
	DS132RS-320/G	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	77,00	4,00
	DS132R-280	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	90,00	4,00
	DS132RS-280	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	96,00	4,00
	DS132R-320	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	90,00	4,00
	DS132RS-320	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	96,00	4,00
	DS132R-230	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	90,00	4,00
	DS132RS-230	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	96,00	4,00
	DS132VG-230	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	112,00	4,00
	DS132VG-230/G	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	96,00	4,00
	DS132VGS-230	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	118,00	4,00
X	DS132VGS-230/G	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - remote	122,00	4,00
	DS132R-400	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	90,00	4,00
	DS132RS-400	Single Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in	96,00	4,00
	DS133R-230	3-Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in mod	134,00	3,00
	DS133RS-230	3-Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in mod	140,00	3,00
	DS133R-280	3-Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in mod	134,00	3,00
	DS133RS-280	3-Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in mod	140,00	3,00
	DS133R-320	3-Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in mod	134,00	3,00
	DS133RS-320	3-Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in mod	140,00	3,00
	DS133R-400	3-Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in mod	134,00	3,00
	DS133RS-400	3-Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in mod	140,00	3,00
	DS133VG-230	3-Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in mod	169,00	3,00
	DS133VGS-230	3-Phase SPD 230/400V - Type 1 - Iimp=12,5kA - Plug-in mod	175,00	3,00
	DS134R-230/G	3-Phase + Neutral SPD 230/400V - Type 1 - Iimp=12,5kA - P	144,00	2,00
	DS134RS-230/G	3-Phase + Neutral SPD 230/400V - Type 1 - Iimp=12,5kA - P	146,00	2,00
	DS134VG-230	3-Phase+neutral SPD 230/400V - Type 1 - Iimp=12,5kA - Plu	223,00	2,00
	DS134VGS-230	3-Phase+neutral SPD 230/400V - Type 1 - Iimp=12,5kA - Plu	153,00	2,00
	DS134VG-230/G	3-Phase + Neutral SPD 230/400V - Type 1 - Iimp=12,5kA - P	223,00	2,00
X	DS134VGS-230/G	3-Phase + Neutral SPD 230/400V - Type 1 - Iimp=12,5kA - P	188,00	2,00
	DS134R-230	3-Phase+neutral SPD 230/400V - Type 1 - Iimp=12,5kA - Plu	160,00	2,00
	DS134RS-230	3-Phase+neutral SPD 230/400V - Type 1 - Iimp=12,5kA - Plu	166,00	2,00
	DS134R-280	3-Phase+neutral SPD 230/400V - Type 1 - Iimp=12,5kA - Plu	160,00	2,00
	DS134RS-280	3-Phase+neutral SPD 230/400V - Type 1 - Iimp=12,5kA - Plu	166,00	2,00
	DS134R-280/G	3-Phase + Neutral SPD 230/400V - Type 1 - Iimp=12,5kA - P	166,00	2,00
X	DS134RS-280/G	3-Phase + Neutral SPD 230/400V - Type 1 - Iimp=12,5kA - P	158,00	2,00
	DS134R-320	3-Phase+neutral SPD 230/400V - Type 1 - Iimp=12,5kA - Plu	160,00	2,00
	DS134RS-320	3-Phase+neutral SPD 230/400V - Type 1 - Iimp=12,5kA - Plu	166,00	2,00
	DS134R-320/G	3-Phase + Neutral SPD 230/400V - Type 1 - Iimp=12,5kA - P	169,00	2,00
	DS134RS-320/G	3-Phase + Neutral SPD 230/400V - Type 1 - Iimp=12,5kA - P	175,00	2,00
	DS134R-400	3-Phase+neutral SPD 230/400V - Type 1 - Iimp=12,5kA - Plu	160,00	2,00
	DS134RS-400	3-Phase+neutral SPD 230/400V - Type 1 - Iimp=12,5kA - Plu	166,00	2,00
	DS134RS-400/G		219,00	2,00
	DS100EG-600	N/PE SPD - Type 1 - Iimp=50kA	144,00	10,00
	DS1000G-600	N/PE SPD - Type 1 - Iimp=100kA	284,00	10,00
	DS71R-230	Single pole SPD - Type 2 - I _{max} =70kA - Plug-in module	34,00	8,00
	DS71R-400	Single pole SPD - Type 2 - I _{max} =70kA - Plug-in module	34,00	8,00
	DS71RS-230	Single pole SPD - Type 2 - I _{max} =70kA - Plug-in module - Ren	35,00	8,00
	DS71RS-400	Single pole SPD - Type 2 - I _{max} =70kA - Plug-in module - Ren	40,00	8,00
	DS72R-230	Single phase SPD - Type 2 - I _{max} =70kA - Plug-in module - C	67,00	4,00
	DS72R-400	Single phase SPD - Type 2 - I _{max} =70kA - Plug-in module - C	67,00	4,00
	DS72RS-230	Single phase SPD - Type 2 - I _{max} =70kA - Plug-in module - C	74,00	4,00
	DS72RS-400	Single phase SPD - Type 2 - I _{max} =70kA - Plug-in module - C	74,00	4,00
	DS72R-230/G	Single phase SPD - Type 2 - I _{max} =70kA - Plug-in module - C	83,00	4,00
	DS72RS-230/G	Single phase SPD - Type 2 - I _{max} =70kA - Plug-in module - C	86,00	4,00
	DS73R-230	3-phase SPD - Type 2 - I _{max} =70kA - Plug-in module - CM pr	101,00	3,00

DS73R-400	3-phase SPD - Type 2 - I _{max} =70kA - Plug-in module - CM pr	101,00	3,00
DS73RS-230	3-phase SPD - Type 2 - I _{max} =70kA - Plug-in module - CM pr	107,00	3,00
DS73RS-400	3-phase SPD - Type 2 - I _{max} =70kA - Plug-in module - CM pr	107,00	3,00
DS74R-230	3-phase+neutral SPD - Type 2 - I _{max} =70kA - Plug-in module	134,00	2,00
DS74R-400	3-phase+neutral SPD - Type 2 - I _{max} =70kA - Plug-in module	134,00	2,00
DS74RS-230	3-phase+neutral SPD - Type 2 - I _{max} =70kA - Plug-in module	140,00	2,00
DS74RS-400	3-phase+neutral SPD - Type 2 - I _{max} =70kA - Plug-in module	140,00	2,00
DS74R-230/G	3-phase+neutral SPD - Type 2 - I _{max} =70kA - Plug-in module	128,00	2,00
DS74RS-230/G	3-phase+neutral SPD - Type 2 - I _{max} =70kA - Plug-in module	132,00	2,00
DS74R-280/G		113,00	2,00
DS74RS-280/G		118,00	2,00
DS41-230	Single pole SPD - Type 2 - I _{max} =40kA - Plug-in module	23,00	8,00
DS41-400	Single pole SPD - Type 2 - I _{max} =40kA - Plug-in module	26,00	8,00
DS41S-230	Single pole SPD - Type 2 - I _{max} =40kA - Plug-in module - Ref	24,00	8,00
DS41S-400	Single pole SPD - Type 2 - I _{max} =40kA - Plug-in module - Ref	26,00	8,00
DS41VG-230	Single pole SPD - Type 2 - I _{max} =40kA - Plug-in module - VG	29,00	8,00
DS41VGS-230	Single pole SPD - Type 2 - I _{max} =40kA - Plug-in module - Ref	32,00	8,00
DS42-230	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	45,00	4,00
DS42-400	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	45,00	4,00
DS42S-230	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	51,00	4,00
DS42S-400	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	51,00	4,00
DS42-230/G	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	42,00	4,00
DS42S-230/G	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	48,00	4,00
DS42VG-230	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	64,00	4,00
DS42VG-230/G	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	79,00	4,00
DS42VGS-230	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	70,00	4,00
DS42VGS-230/G	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	88,00	4,00
DS43-230	3-phase SPD - Type 2 - I _{max} =40kA - Plug-in module - CM pr	67,00	3,00
DS43-400	3-phase SPD - Type 2 - I _{max} =40kA - Plug-in module - CM pr	67,00	3,00
DS43S-230	3-phase SPD - Type 2 - I _{max} =40kA - Plug-in module - CM pr	77,00	3,00
DS43S-400	3-phase SPD - Type 2 - I _{max} =40kA - Plug-in module - CM pr	77,00	3,00
DS43VG-230	3-phase SPD - Type 2 - I _{max} =40kA - Plug-in module - CM pr	86,00	3,00
DS43VGS-230	3-phase SPD - Type 2 - I _{max} =40kA - Plug-in module - CM pr	93,00	3,00
DS44-230	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	90,00	2,00
DS44-400	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	90,00	2,00
DS44S-230	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	96,00	2,00
DS44S-400	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	96,00	2,00
DS44S-400/G		95,00	2,00
DS44-230/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	102,00	2,00
DS44S-230/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	109,00	2,00
DS44VG-230	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	115,00	2,00
DS44VG-230/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	156,00	2,00
DS44VGS-230	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	163,00	2,00
DS44VGS-230/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	175,00	2,00
DS41HFS-230	Single pole SPD - Type 2 - I _{max} =40kA - Plug-in module - Ref	58,00	8,00
DS42HFS-230	Single phase SPD - Type 2 - I _{max} =40kA - Plug-in module - C	115,00	4,00
DS43HFS-230	3-phase SPD - Type 2 - I _{max} =40kA - Plug-in module - CM pr	172,00	3,00
DS44HFS-230	3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-in module	230,00	2,00
DS240-230	Compact Single phase SPD - Type 2 - I _{max} =40kA - Plug-in m	64,00	8,00
DS240S-230	Compact Single phase SPD - Type 2 - I _{max} =40kA - Plug-in m	64,00	8,00
DS240-400	Compact Single phase SPD - Type 2 - I _{max} =40kA - Plug-in m	39,00	8,00
DS240S-400	Compact Single phase SPD - Type 2 - I _{max} =40kA - Plug-in m	42,00	8,00
DS240-230/G	Compact Single phase SPD - Type 2 - I _{max} =40kA - Plug-in m	38,00	8,00
DS240S-230/G	CompactSingle phase SPD - Type 2 - I _{max} =40kA - Plug-in m	41,00	8,00
DS440-230	Compact 3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-	70,00	4,00
DS440-400	Compact 3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-	70,00	4,00
DS440S-230	Compact 3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-	74,00	4,00

DS440S-400	Compact 3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-	74,00	4,00
DS440-230/G	Compact 3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-	58,00	4,00
DS440S-230/G	Compact 3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-	63,00	4,00
DS215-400	Compact Single phase SPD - Type 2 - I _{max} =15kA - Plug-in m	45,00	8,00
DS215S-400	Compact Single phase SPD - Type 2 - I _{max} =15kA - Plug-in m	48,00	8,00
DS215-230	Compact Single phase SPD - Type 2 - I _{max} =15kA - Plug-in m	45,00	8,00
DS215S-230	Compact Single phase SPD - Type 2 - I _{max} =15kA - Plug-in m	48,00	8,00
DS215-230/G	Compact Single phase SPD - Type 2 - I _{max} =15kA - Plug-in m	47,00	8,00
DS215S-230/G	CompactSingle phase SPD - Type 2 - I _{max} =15kA - Plug-in m	51,00	8,00
DS215-280/G		47,00	8,00
DS215S-280/G		51,00	8,00
DS415-230	Compact 3-phase+neutral SPD - Type 2 - I _{max} =15kA - Plug-	67,00	4,00
DS415S-230	Compact 3-phase+neutral SPD - Type 2 - I _{max} =15kA - Plug-	70,00	4,00
DS415-400	Compact 3-phase+neutral SPD - Type 2 - I _{max} =15kA - Plug-	67,00	4,00
DS415S-400	Compact 3-phase+neutral SPD - Type 2 - I _{max} =15kA - Plug-	70,00	4,00
DS415-230/G	Compact 3-phase+neutral SPD - Type 2 - I _{max} =15kA - Plug-	93,00	4,00
DS415S-230/G	Compact 3-phase+neutral SPD - Type 2 - I _{max} =15kA - Plug-	104,00	4,00
DS11-230	Single pole SPD - Type 2 - I _{max} =10kA - Plug-in module	21,00	8,00
DS11-400	Single pole SPD - Type 2 - I _{max} =10kA - Plug-in module	21,00	8,00
DS11S-230	Single pole SPD - Type 2 - I _{max} =10kA - Plug-in module - Ref	25,00	8,00
DS11S-400	Single pole SPD - Type 2 - I _{max} =10kA - Plug-in module - Ref	25,00	8,00
DS12-230	Single phase SPD - Type 2 - I _{max} =10kA - Plug-in module - C	42,00	4,00
DS12-400	Single phase SPD - Type 2 - I _{max} =10kA - Plug-in module - C	42,00	4,00
DS12S-230	Single phase SPD - Type 2 - I _{max} =10kA - Plug-in module - C	48,00	4,00
DS12S-400	Single phase SPD - Type 2 - I _{max} =10kA - Plug-in module - C	48,00	4,00
DS12-230/G	Single phase SPD - Type 2 - I _{max} =10kA - Plug-in module - C	48,00	4,00
DS12S-230/G	Single phase SPD - Type 2 - I _{max} =10kA - Plug-in module - C	51,00	4,00
DS13-230	3-phase SPD - Type 2 - I _{max} =10kA - Plug-in module - CM pr	63,00	3,00
DS13-400	3-phase SPD - Type 2 - I _{max} =10kA - Plug-in module - CM pr	63,00	3,00
DS13S-230	3-phase SPD - Type 2 - I _{max} =10kA - Plug-in module - CM pr	69,00	3,00
DS13S-400	3-phase SPD - Type 2 - I _{max} =10kA - Plug-in module - CM pr	69,00	3,00
DS14-230	3-phase+neutral SPD - Type 2 - I _{max} =10kA - Plug-in module	83,00	2,00
DS14-400	3-phase+neutral SPD - Type 2 - I _{max} =10kA - Plug-in module	83,00	2,00
DS14S-230	3-phase+neutral SPD - Type 2 - I _{max} =10kA - Plug-in module	90,00	2,00
DS14S-400	3-phase+neutral SPD - Type 2 - I _{max} =10kA - Plug-in module	90,00	2,00
DS14-230/G	3-phase+neutral SPD - Type 2 - I _{max} =10kA - Plug-in module	73,00	2,00
DS14S-230/G	3-phase+neutral SPD - Type 2 - I _{max} =10kA - Plug-in module	77,00	2,00
DS98-400	Compact Single phase SPD - Type 2 - I _{max} =10kA - Monoblo	32,00	8,00
DS98L-400	Compact Single phase SPD - Type 2 - I _{max} =10kA - Monoblo	32,00	8,00
DS98-230/G	Compact Single phase SPD - Type 2 - I _{max} =10kA - Monoblo	32,00	8,00
DSL1P1-230L	Single Phase SPD - Type 2 - I _{max} =10kA - monobloc - CM/DN	24,00	8,00
DSL1P1-230L/Y	Single Phase SPD - Type 2 - I _{max} =10kA - monobloc - CM/DN	26,00	8,00
DS-HF	Single phase SPD + RFI Filter - Type 2 - I _{max} =10kA - Monobl	239,00	2,00
DS40G-600	N/PE SPD - Type 2 = I _{max} =40kA	32,00	8,00
DS70G-600	N/PE SPD - Type 2 = I _{max} =70kA	63,00	8,00
DS250VG-690	Single pole SPD 230/400V - Type I - I _{limp} = 25kA - remote si	253,00	1,00
DS253VG-690	3-phase SPD 230/400V - Type I - I _{limp} = 25kA - remote sign	764,00	1,00
DS150E-480	Single pole SPD Type 1 - I _{limp} = 15kA - remote signalling - U	175,00	10,00
DS152E-480	Single phase SPD Type 1 - I _{limp} = 15kA - remote signalling -	350,00	2,00
DS153E-480	3-phase SPD Type 1 - I _{limp} = 15kA - remote signalling - Uc=5	525,00	1,00
DS154E-480	3-phase+neutral SPD Type 1 - I _{limp} = 15kA - remote signallir	700,00	1,00
DS100EG-600	N/PE SPD - Type 1 - I _{limp} =50kA	144,00	10,00
DS1000G-600	N/PE SPD - Type 1 - I _{limp} =100kA	284,00	10,00
DS41-60	Single pole SPD - Type 2 - I _{max} =40kA - Uc=75Vac	42,00	8,00
DS41S-60	Single pole SPD - Type 2 - I _{max} =40kA - remote signalling - U	45,00	8,00
DS41-280	Single pole SPD - Type 2 - I _{max} =40kA - Uc=280Vac	23,00	8,00
DS41S-280	Single pole SPD - Type 2 - I _{max} =40kA - remote signalling - U	26,00	8,00

X
X

X
X
X
X
X
X

DS42-280	Single Phase SPD - Type 2 - I _{max} =40kA - CM protection - co	45,00	4,00
DS42S-280	Single Phase SPD - Type 2 - I _{max} =40kA - CM protection - re	51,00	4,00
DS42-280/G	Single Phase SPD - Type 2 - I _{max} =40kA - CM/DM protection	46,00	4,00
DS42S-280/G	Single Phase SPD - Type 2 - I _{max} =40kA - CM/DM protection	54,00	4,00
DS43-280	3-Phase SPD - Type 2 - I _{max} =40kA - CM protection - configu	67,00	3,00
DS43S-280	3-phase SPD - Type 2 - I _{max} =40kA - CM protection - remote	74,00	3,00
DS44-280	3-Phase+neutral SPD - Type 2 - I _{max} =40kA - CM protection	90,00	2,00
DS44S-280	3-phase+neutral SPD - Type 2 - I _{max} =40kA - CM protection	96,00	2,00
DS44-280/G	3-Phase+neutral SPD - Type 2 - I _{max} =40kA - CM/DM protec	71,00	2,00
DS44S-280/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - CM/DM protec	75,00	2,00
DS240-280/G	Compact Single phase SPD - Type 2 - I _{max} =40kA - Plug-in m	42,00	8,00
DS240S-280/G	CompactSingle phase SPD - Type 2 - I _{max} =40kA - Plug-in m	46,00	8,00
DS440-280/G	Compact 3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-	65,00	4,00
DS440S-280/G	Compact 3-phase+neutral SPD - Type 2 - I _{max} =40kA - Plug-	69,00	4,00
DS41-320	Single pole SPD - Type 2 - I _{max} =40kA - U _c =320Vac	29,00	8,00
DS41S-320	Single pole SPD - Type 2 - I _{max} =40kA -remote signalling - U	32,00	8,00
DS42-320	Single Phase SPD - Type 2 - I _{max} =40kA - CM protection - co	58,00	4,00
DS42S-320	Single Phase SPD - Type 2 - I _{max} =40kA - CM protection - re	61,00	4,00
DS42-320/G	Single Phase SPD - Type 2 - I _{max} =40kA - CM/DM protection	58,00	4,00
DS42S-320/G	Single Phase SPD - Type 2 - I _{max} =40kA - CM/DM protection	61,00	4,00
DS43-320	3-Phase SPD - Type 2 - I _{max} =40kA - CM protection - configu	86,00	3,00
DS43S-320	3-phase SPD - Type 2 - I _{max} =40kA - CM protection - remote	90,00	3,00
DS44-320	3-Phase+neutral SPD - Type 2 - I _{max} =40kA - CM protection	115,00	2,00
DS44S-320	3-phase+neutral SPD - Type 2 - I _{max} =40kA - CM protection	121,00	2,00
DS44-320/G	3-Phase+neutral SPD - Type 2 - I _{max} =40kA - CM/DM protec	115,00	2,00
DS44S-320/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - CM/DM protec	121,00	2,00
DS41-385	Single pole SPD - Type 2 - I _{max} =40kA - U _c =385Vac	31,00	8,00
DS41S-385	Single pole SPD - Type 2 - I _{max} =40kA -remote signalling - U	34,00	8,00
DS42-385	Single Phase SPD - Type 2 - I _{max} =40kA - CM protection - co	61,00	4,00
DS42S-385	Single Phase SPD - Type 2 - I _{max} =40kA - CM protection - re	64,00	4,00
DS42-385/G	Single Phase SPD - Type 2 - I _{max} =40kA - CM/DM protection	61,00	4,00
DS42S-385/G	Single Phase SPD - Type 2 - I _{max} =40kA - CM/DM protection	64,00	4,00
DS43-385	3-Phase SPD - Type 2 - I _{max} =40kA - CM protection - configu	91,00	3,00
DS43S-385	3-phase SPD - Type 2 - I _{max} =40kA - CM protection - remote	94,00	3,00
DS44-385	3-Phase+neutral SPD - Type 2 - I _{max} =40kA - CM protection	121,00	2,00
DS44S-385	3-phase+neutral SPD - Type 2 - I _{max} =40kA - CM protection	128,00	2,00
DS44-385/G	3-Phase+neutral SPD - Type 2 - I _{max} =40kA - CM/DM protec	121,00	2,00
DS44S-385/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - CM/DM protec	128,00	2,00
DS41-480	Single pole SPD - Type 2 - I _{max} =40kA - U _c =530Vac	31,00	8,00
DS41S-480	Single pole SPD - Type 2 - I _{max} =40kA -remote signalling - U	34,00	8,00
DS42-480	Single Phase SPD - Type 2 - I _{max} =40kA - CM protection - co	61,00	4,00
DS42S-480	Single Phase SPD - Type 2 - I _{max} =40kA - CM protection - re	67,00	4,00
DS42-480/G	Single Phase SPD - Type 2 - I _{max} =40kA - CM/DM protection	61,00	4,00
DS42S-480/G	Single Phase SPD - Type 2 - I _{max} =40kA - CM/DM protection	67,00	4,00
DS43-480	3-Phase SPD - Type 2 - I _{max} =40kA - CM protection - configu	91,00	3,00
DS43S-480	3-phase SPD - Type 2 - I _{max} =40kA - CM protection - remote	98,00	3,00
DS44-480	3-Phase+neutral SPD - Type 2 - I _{max} =40kA - CM protection	96,00	2,00
DS44S-480	3-phase+neutral SPD - Type 2 - I _{max} =40kA - CM protection	102,00	2,00
DS44-480/G	3-Phase+neutral SPD - Type 2 - I _{max} =40kA - CM/DM protec	102,00	2,00
DS44S-480/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - CM/DM protec	109,00	2,00
DS41-600	Single pole SPD - Type 2 - I _{max} =40kA - U _c =660Vac	32,00	8,00
DS41S-600	Single pole SPD - Type 2 - I _{max} =40kA -remote signalling - U	35,00	8,00
DS42-600	Single Phase SPD - Type 2 - I _{max} =40kA - CM protection - co	64,00	4,00
DS42S-600	Single Phase SPD - Type 2 - I _{max} =40kA - CM protection - re	70,00	4,00
DS43-600	3-Phase SPD - Type 2 - I _{max} =40kA - CM protection - configu	96,00	3,00
DS43S-600	3-phase SPD - Type 2 - I _{max} =40kA - CM protection - remote	102,00	3,00
DS44-600	3-Phase+neutral SPD - Type 2 - I _{max} =40kA - CM protection	99,00	2,00

DS44S-600	3-phase+neutral SPD - Type 2 - I _{max} =40kA - CM protection	105,00	2,00
DS41-690	Single pole SPD - Type 2 - I _{max} =40kA - U _c =760Vac	32,00	8,00
DS41S-690	Single pole SPD - Type 2 - I _{max} =40kA -remote signalling - U	35,00	8,00
DS43-690	3-Phase SPD - Type 2 - I _{max} =40kA - CM protection - configu	77,00	3,00
DS43S-690	3-phase SPD - Type 2 - I _{max} =40kA - CM protection - remote	102,00	3,00
DS44-690	3-phase SPD - Type 2 - I _{max} =40kA - CM protection - remote	99,00	2,00
DS44S-690	3-phase+neutral SPD - Type 2 - I _{max} =40kA - CM protection	105,00	2,00
DS44-690/G	3-Phase+neutral SPD - Type 2 - I _{max} =40kA - CM/DM protec	105,00	2,00
DS44S-690/G	3-phase+neutral SPD - Type 2 - I _{max} =40kA - CM/DM protec	112,00	2,00
DS44S-400/Y	3-phase SPD - Type 2 - I _{max} =40kA - Remote signalling - U _c =	121,00	2,00
DS44S-690/Y	3-phase SPD - Type 2 - I _{max} =40kA - Remote signalling - U _c =	185,00	2,00
DS41-1000	Single pole SPD - Type 2 - I _{max} =40kA - U _c =1060Vac	96,00	4,00
DS41S-1000	Single pole SPD - Type 2 - I _{max} =40kA -remote signalling - U	102,00	4,00
DS98-24	Single Phase SPD Type 2-3 - I _{max} =3kA - IL 16A - U _c = 28Vac	37,00	8,00
DSH63	Coordination inductance II=63 A - 15μH	255,00	2,00
DSH35	Coordination inductance II=35 A -15μH	96,00	4,00
DSH2x35	Double Coordination inductance II=2 x 35 A - 2x15μH	160,00	4,00
DSH2x16	Double Coordination inductance II=2 x 16 A - 2x15μH	160,00	4,00
DUC	Filtro DIN rail	144,00	8,00
BusBar U2P18	Bus Bar 2 poles DS40	4,00	10,00
BusBar U3P18	Bus Bar 3 poles DS40	4,00	10,00
BusBar U4P18	Bus Bar 4 poles DS40	7,00	10,00
BusBar P2P18	Bus Bar Overmoulded 2 poles DS40	5,00	10,00
BusBar P3P18	Bus Bar 3 Overmoulded poles DS40	8,00	10,00
BusBar P4P18	Bus Bar Overmoulded 4 poles DS40	10,00	10,00
BusBar U2P35	Bus Bar 2 poles DS150	7,00	10,00
BusBar U3P35	Bus Bar 3 poles DS150	10,00	10,00
BusBar U4P35	Bus Bar 4 poles DS150	12,00	10,00
BusBar U1+1P N/R 35	Bus Bar "1+1" DS150	23,00	10,00
BusBar U3+1P N/R 35	Bus Bar "3+1" DS150	35,00	10,00
BusBar U2P89	Bus Bar Overmoulded 2 poles DS500	13,00	10,00
BusBar U3P89	Bus Bar Overmoulded 3poles DS500	20,00	10,00
DSDT16	Terminal for Y connection for DS range SPD	16,00	10,00
DSM10-120	Spare module DS10-120	26,00	4,00
DSM10-230	Spare module DS10-230	26,00	4,00
DSM10-400	Spare module DS10-400	26,00	4,00
DSM215-120	Spare module DS215-120	48,00	4,00
DSM215-120/G	Spare module DS215-120/G	48,00	4,00
DSM215-230	Spare module DS215-230	48,00	4,00
DSM215-230/G	Spare module DS215-230/G	48,00	4,00
DSM215-400	Spare module DS215-400	48,00	4,00
DSM415-120	Spare module DS415-120	48,00	4,00
DSM415-120/G	Spare module DS415-120/G (Fase-Neutro)	48,00	4,00
DSM415-120/G/NPE	Spare module DS415-120/G (Neutro-Tierra)	55,00	4,00
DSM415-230	Spare module DS415-230	48,00	4,00
DSM415-230/G	Spare module DS415-230/G (Fase-Neutro)	48,00	4,00
DSM415-230/G/NPE	Spare module DS415-230/G (Neutro-Tierra)	55,00	4,00
DSM415-400	Spare module DS415-400	48,00	4,00
DSM240-120	Spare module DS240-120	51,00	4,00
DSM240-120/G	Spare module DS240-120/G	51,00	4,00
DSM240-230	Spare module DS240-230	51,00	4,00
DSM240-230/G	Spare module DS240-230/G	51,00	4,00
DSM240-400	Spare module DS240-400	51,00	4,00
DSM440-120	Spare module DS440-120	51,00	4,00
DSM440-120/G	Spare module DS440-120/G (Phase-Neutral)	51,00	4,00
DSM440-120/G/NPE	Spare module DS440-120/G (Neutral-Ground)	55,00	4,00
DSM440-230	Spare module DS440-230	51,00	4,00

DSM440-230/G	Spare module DS440-230/G (Phase-Neutral)	51,00	4,00
DSM440-230/G/NPE	Spare module DS440-230/G (Neutral-Ground)	55,00	4,00
DSM440-400	Spare module DS440-400	51,00	4,00
DSM40G-600	Spare module DS40G-600	29,00	4,00
DSM70G-600	Spare module DS70G-600	61,00	4,00
DSM40-60	Spare module DS40-60	39,00	4,00
DSM40-120	Spare module DS40-120	26,00	4,00
DSM40-230	Spare module DS40-230	26,00	4,00
DSM40-280	Spare module DS40-280	26,00	4,00
DSM40-320	Spare module DS40-320	26,00	4,00
DSM40-385	Spare module DS40-385	26,00	4,00
DSM40-400	Spare module DS40-400	26,00	4,00
DSM40-600	Spare module DS40-600	39,00	4,00
DSM40-690	Spare module DS40-690	39,00	4,00
DSM40-1000	Spare module DS40-1000	39,00	4,00
DSM40VG-120	Spare module DS40VG-120	42,00	4,00
DSM40VG-230	Spare module DS40VG-230	42,00	4,00
DSM40HF-120	Spare module DS40HF-120	45,00	4,00
DSM40HF-230	Spare module DS40HF-230	45,00	4,00
DSM70R-120	Spare module DS70R-120	58,00	4,00
DSM70R-230	Spare module DS70R-230	29,00	4,00
DSM70R-400	Spare module DS70R-400	58,00	4,00
DSM130R-120	Spare module DS130R-120	96,00	4,00
DSM130R-230	Spare module DS130R-230	96,00	4,00
DSM130R-280	Spare module DS130R-280	96,00	4,00
DSM130R-320	Spare module DS130R-320	96,00	4,00
DSM130R-400	Spare module DS130R-400	96,00	4,00
DSM130VG-120	Spare module DS130VG-120	109,00	4,00
DSM130VG-230	Spare module DS130VG-230	109,00	4,00
DS252C-48DC/G	DC SPD - Type 1 - 48Vdc network - 2 polarities - Common/d	210,00	10,00
DS250E-48DC	DC SPD - Type 1 - 48Vdc network - 1 polarity - Iimp = 25kA	207,00	10,00
DS60VGPV-600G/51	DC SPD- Type 1 - Ucpv= 720Vdc - Iscpv = 15000A - Iimp= 12	230,00	2,00
DS60VGPV-1000G/51	DC SPD- Type 1 - Ucpv= 1200Vdc - Iscpv = 15000A - Iimp= 1	255,00	2,00
DS50PV-500		33,00	4,00
DS50PV-600		43,00	4,00
DS50PV-1000		56,00	3,00
DS50PVS-1000		63,00	3,00
DS50PV-1000G/10KT1		83,00	3,00
DS50PVS-1000G/10KT1		125,00	3,00
DS50VGPVS-1000G/10KT1		185,00	3,00
DS50PV-1000/30		58,00	3,00
DS50PVS-1000/30		63,00	3,00
DS50VGPVS-1000G/12KT1	DC SPD- Type 1 - Ucpv= 1200Vdc - Iscpv = 15000A - Iimp= 6	128,00	4,00
DS50PVS-1000G/12KT1	DC SPD- Type 1 - Ucpv= 1200Vdc - Iscpv = 15000A - Iimp= 6	125,00	4,00
DS60VGPV-1500G/51	DC SPD- Type 1 - Ucpv= 1500Vdc - Iscpv = 1000A - Iimp= 12	312,00	2,00
DS50PVS-1500/12KT1	DC SPD- Type 1 - Ucpv= 1500Vdc - Iscpv = 15000A - Iimp= 6	121,00	3,00
DS50PV-500/51	DC SPD- Type 2 - Plug-in module - Ucpv= 600Vdc - Iscpv = 1	51,00	4,00
DS50PVS-500/51	DC SPD- Type 2 - Plug-in module - Ucpv= 600Vdc - Iscpv = 1	58,00	4,00
DS50PV-600/51	DC SPD - Type 2 - plug-in module - Ucpv= 720Vdc - Iscpv =	61,00	4,00
DS50PVS-600/51	DC SPD - Type 2 - plug-in module - Ucpv= 720Vdc - Iscpv =	67,00	4,00
DS50VGPV-600G/51	DC SPD - Type 2 - plug-in module - Ucpv= 720Vdc - Iscpv =	80,00	3,00
DS50VGPVS-600G/51	DC SPD - Type 2 - plug-in module - Ucpv= 720Vdc - Iscpv =	86,00	3,00
DS50VGPV-1000G/10KT1		175,00	
DS50PV-800G/51	DC SPD - Type 2 - plug-in module - Ucpv= 960Vdc - Iscpv =	77,00	3,00
DS50PVS-800G/51	DC SPD - Type 2 - plug-in module - Ucpv= 960Vdc - Iscpv =	83,00	3,00
DS50PV-1000G/51	DC SPD - Type 2 - plug-in module - Ucpv= 1200Vdc - Iscpv =	76,00	3,00
DS50PVS-1000/51		70,00	3,00

x

x

DSM240-220DC	Spare module DS240-220DC	39,00	4,00
DSM240-280DC	Spare module DS240-280DC	39,00	4,00
DSM240-350DC	Spare module DS240-350DC	39,00	4,00
DSM40VG-450DC	Spare module DS42VGS-450DC	64,00	4,00
DSM50PV-500/51	Spare module DS50PV-500/51	32,00	4,00
DSM50PV-600/51	Spare module DS50PV-600/51	32,00	4,00
DSM50PV-800G/51	Spare module DS50PV-800G/51	32,00	4,00
DSM50PV-800GPE/51	Spare module DS50PV-800G/51 -GDT module	51,00	4,00
DSM50PV-1000G/51	Spare module DS50PV-1000G/51	32,00	4,00
DSM50PV-1000GPE/51	Spare module DS50PV-1000G/51 -GDT module	51,00	4,00
DSM50VGPV-600G/51	Spare module DS50VGPV-600G/51 - VG TECHNOLOGY	39,00	4,00
DSM50VGPV-600GPE/51	Spare module DS50VGPV-600G/51 -GDT module -VG TECH	51,00	4,00
DSM50VGPV-1000G/51	Spare module DS50VGPV-1000G/51 - VG TECHNOLOGY	45,00	4,00
DSM50VGPV-1000GPE/51	Spare module DS50VGPV-1000G/51 - GDT module -VG TEC	51,00	4,00
DSM50VGPV-1500G/51	Spare module DS50VGPV-1500G/51 - VG TECHNOLOGY	64,00	4,00
DSM50VGPV-1500GPE/51	Spare module DS50VGPV-1500G/51 - GDT module -VG TEC	64,00	4,00
DSM50VGPV-1000G/12KT1	Spare module DS50VGPV-1000G/12KT1 (yellow label)	51,00	4,00
DSM50VGPV-1000GPE/12K	Spare module DS50VGPV-1000G/12KT1 (green label)	39,00	4,00
DSM50PV-1000G/12KT1	Spare module DS50PV-1000G/12KT1 (yellow label)	45,00	4,00
DSM50PV-1000GPE/12KT1	Spare module DS50PV-1000G/12KT1 (green label)	39,00	4,00
DSM50PV-1500/51	Spare module DS50PV-1500/51	51,00	4,00
DSM50PV-1500/12KT1	Spare module DS50PV-1500/12KT1	58,00	4,00
MSB10-120	Single Phase SPD compact Type 2 - 120Vac network -Wire c	32,00	4,00
MSB10V-120	Single Phase SPD compact Type 2 - 120Vac network -Screw	32,00	4,00
MSB-130HF	Single Phase SPD Type 2 - 120Vac network -Wire connectio	239,00	10,00
MSB10-400	Single Phase SPD compact Type 2 - 230Vac network -Wire c	32,00	4,00
MSB10-400/UL	Single Phase SPD compact Type 2 - 230Vac network -Wire c	42,00	4,00
MSB10V-400	Single Phase SPD compact Type 2 - 230Vac network -Screw	35,00	4,00
MSB10C-400	Single Phase SPD compact Type 2 - 230Vac network -Screw	35,00	4,00
MSB10-31-230	3-phase+neutral SPD Compact - Type 2 - 230Vac network-V	48,00	4,00
MSB10-480	Single Phase SPD compact Type 2 - 347/600Vac network -W	32,00	4,00
MSB6-24/LD	Compact Single Phase SPD Type 2 - 24Vac/30Vdc network	26,00	25,00
MSB6-400	Compact Single Phase SPD Type 2 - 230Vac network -wire c	29,00	25,00
MSB6-400/LD	Compact Single Phase SPD Type 2 - 230Vac network -wire c	31,00	25,00
MSB-230	Single Phase SPD Type 2 - 230Vac network -Wire connectio	147,00	10,00
MSB-230HF	Single Phase SPD Type 2 - 230Vac network -Wire connectio	210,00	10,00
MDS300-120T	SPD box - Basic version - modular - Split phase 120/240V -	2514,00	1,00
MDS300-120Y	SPD box - Basic version - modular - Wye 120/208V - Nema	2514,00	1,00
MDS300-240D	SPD box - Basic version - modular -Delta 240V - Nema 4x	2514,00	1,00
MDS300-240Y	SPD box - Basic version - modular - Wye 240/415V - Nema	2514,00	1,00
MDS300-277Y	SPD box - Basic version - modular - Wye 277/480V - Nema	2514,00	1,00
MDS300-347Y	SPD box - Basic version - modular - Wye 347/600V - Nema	2514,00	1,00
MDS300-480D	SPD box - Basic version - modular -Delta 480V - Nema 4x	2514,00	1,00
MDS300S-120T	SPD box - Standard version = Basic + fuses 60A+ LED+ remo	3182,00	1,00
MDS300S-120Y	SPD box - Standard version = Basic + fuses 60A+ LED+ remo	3182,00	1,00
MDS300S-240D	SPD box - Standard version = Basic + fuses 60A+ LED+ remo	3182,00	1,00
MDS300S-240Y	SPD box - Standard version = Basic + fuses 60A+ LED+ remo	3182,00	1,00
MDS300S-277Y	SPD box - Standard version = Basic + fuses 60A+ LED+ remo	3182,00	1,00
MDS300S-347Y	SPD box - Standard version = Basic + fuses 60A+ LED+ remo	3182,00	1,00
MDS300S-480D	SPD box - Standard version = Basic + fuses 60A+ LED+ remo	3182,00	1,00
MDS300E-120T	SPD box - Enhanced version = Standard+ external switch+ d	4614,00	1,00
MDS300E-120Y	SPD box - Enhanced version = Standard+ external switch+ d	4614,00	1,00
MDS300E-240D	SPD box - Enhanced version = Standard+ external switch+ d	4614,00	1,00
MDS300E-240Y	SPD box - Enhanced version = Standard+ external switch+ d	4614,00	1,00
MDS300E-277Y	SPD box - Enhanced version = Standard+ external switch+	4614,00	1,00
MDS300E-347Y	SPD box - Enhanced version = Standard+ external switch+	4614,00	1,00
MDS300E-480D	SPD box - Enhanced version = Standard+ external switch+	4614,00	1,00

MDS600-120T	SPD box - Basic version - modular - Split phase 120/240V -	2387,00	1,00
MDS600-120Y	SPD box - Basic version - modular - Wye 120/208V - Nema	2387,00	1,00
MDS600-240D	SPD box - Basic version - modular -Delta 240V - Nema 4x	2387,00	1,00
MDS600-240Y	SPD box - Basic version - modular - Wye 240/415V - Nema	2387,00	1,00
MDS600-277Y	SPD box - Basic version - modular - Wye 277/480V - Nema	2387,00	1,00
MDS600-347Y	SPD box - Basic version - modular - Wye 347/600V - Nema	2769,00	1,00
MDS600-480D	SPD box - Basic version - modular -Delta 480V - Nema 4x	2769,00	1,00
MDS600S-120T	SPD box - Standard version = Basic + fuses 60A+ LED+	2864,00	1,00
MDS600S-120Y	SPD box - Standard version = Basic + fuses 60A+ LED+	2864,00	1,00
MDS600S-240D	SPD box - Standard version = Basic + fuses 60A+ LED+	2864,00	1,00
MDS600S-240Y	SPD box - Standard version = Basic + fuses 60A+ LED+ rem	2864,00	1,00
MDS600S-277Y	SPD box - Standard version = Basic + fuses 60A+ LED+ rem	2864,00	1,00
MDS600S-347Y	SPD box - Standard version = Basic + fuses 60A+ LED+ rem	3246,00	1,00
MDS600S-480D	SPD box - Standard version = Basic + fuses 60A+ LED+ rem	3246,00	1,00
MDS600E-120T	SPD box - Enhanced version = Standard+ external switch+	4296,00	1,00
MDS600E-120Y	SPD box - Enhanced version = Standard+ external switch+	4296,00	1,00
MDS600E-240D	SPD box - Enhanced version = Standard+ external switch+	4296,00	1,00
MDS600E-240Y	SPD box - Enhanced version = Standard+ external switch+	4296,00	1,00
MDS600E-277Y	SPD box - Enhanced version = Standard+ external switch+	4296,00	1,00
MDS600E-347Y	SPD box - Enhanced version = Standard+ external switch+	4678,00	1,00
MDS600E-480D	SPD box - Enhanced version = Standard+ external switch+	4678,00	1,00
MDS750-120T	SPD box - Basic version - modular - Split phase 120/240V -	2069,00	1,00
MDS750-120Y	SPD box - Basic version - modular - Wye 120/208V - Nema	2069,00	1,00
MDS750-240D	SPD box - Basic version - modular -Delta 240V - Nema 4x	2069,00	1,00
MDS750-240Y	SPD box - Basic version - modular - Wye 240/415V - Nema	2069,00	1,00
MDS750-277Y	SPD box - Basic version - modular - Wye 277/480V - Nema	2069,00	1,00
MDS750-347Y	SPD box - Basic version - modular - Wye 347/600V - Nema	2450,00	1,00
MDS750-480D	SPD box - Basic version - modular -Delta 480V - Nema 4x	2450,00	1,00
MDS750S-120T	SPD box - Standard version = Basic + fuses 60A+ LED+ rem	2705,00	1,00
MDS750S-120Y	SPD box - Standard version = Basic + fuses 60A+ LED+ rem	2705,00	1,00
MDS750S-240D	SPD box - Standard version = Basic + fuses 60A+ LED+ rem	2705,00	1,00
MDS750S-240Y	SPD box - Standard version = Basic + fuses 60A+ LED+ rem	2705,00	1,00
MDS750S-277Y	SPD box - Standard version = Basic + fuses 60A+ LED+ rem	2705,00	1,00
MDS750S-347Y	SPD box - Standard version = Basic + fuses 60A+ LED+ rem	3087,00	1,00
MDS750S-480D	SPD box - Standard version = Basic + fuses 60A+ LED+ rem	3087,00	1,00
MDS750E-120T	SPD box - Enhanced version = Standard+ external switch+	3660,00	1,00
MDS750E-120Y	SPD box - Enhanced version = Standard+ external switch+ d	3660,00	1,00
MDS750E-240D	SPD box - Enhanced version = Standard+ external switch+ d	3660,00	1,00
MDS750E-240Y	SPD box - Enhanced version = Standard+ external switch+ d	3660,00	1,00
MDS750E-277Y	SPD box - Enhanced version = Standard+ external switch+ d	3660,00	1,00
MDS750E-347Y	SPD box - Enhanced version = Standard+ external switch+ d	4041,00	1,00
MDS750E-480D	SPD box - Enhanced version = Standard+ external switch+ d	4041,00	1,00
DSM70US-150	Spare module for MDS box (consult us)	96,00	1,00
DSM70US-210	Spare module for MDS box (consult us)	96,00	1,00
DSM70US-275	Spare module for MDS box (consult us)	96,00	1,00
DSM70US-320	Spare module for MDS box (consult us)	96,00	1,00
DSM70US-420	Spare module for MDS box (consult us)	96,00	1,00
DSM70US-460	Spare module for MDS box (consult us)	96,00	1,00
MS200-120T	SPD box- Split phase 120/240V - Nema 4/12	1591,00	1,00
MS200-120Y	SPD box- Wye 120/208V - Nema 4/12	1591,00	1,00
MS200-240Y	SPD box- Wye 240/415V - Nema 4/12	1591,00	1,00
MS200-240DCT	SPD box- Hi-Leg Delta - 120/120/240V - Nema 4/12	1591,00	1,00
MS200-240D	SPD box- Delta - 240V - Nema 4/12	1591,00	1,00
MS200-277Y	SPD box- Wye 277/480V - Nema 4/12	1591,00	1,00
MS200-347Y	SPD box- Wye 347/600V - Nema 4/12	1591,00	1,00
MS200-480D	SPD box- Delta - 480V - Nema 4/12	1591,00	1,00
MS160-120T	SPD box- Split phase 120/240V - Nema 4/12	1591,00	1,00

MS160-120Y	SPD box- Wye 120/208V - Nema 4/12	1591,00	1,00
MS160-240Y	SPD box- Wye 240/415V - Nema 4/12	1591,00	1,00
MS160-240DCT	SPD box- Hi-Leg Delta - 120/120/240V - Nema 4/12	1591,00	1,00
MS160-240D	SPD box- Delta - 240V - Nema 4/12	1591,00	1,00
MS160-277Y	SPD box- Wye 277/480V - Nema 4/12	1591,00	1,00
MS160-347Y	SPD box- Wye 347/600V - Nema 4/12	1591,00	1,00
MS160-480D	SPD box- Delta - 480V - Nema 4/12	1591,00	1,00
MS100-120T	SPD box- Split phase 120/240V - Nema 4/12	1591,00	1,00
MS100-120Y	SPD box- Wye 120/208V - Nema 4/12	1591,00	1,00
MS100-240Y	SPD box- Wye 240/415V - Nema 4/12	1591,00	1,00
MS100-240DCT	SPD box- Hi-Leg Delta - 120/120/240V - Nema 4/12	1591,00	1,00
MS100-240D	SPD box- Delta - 240V - Nema 4/12	1591,00	1,00
MS100-277Y	SPD box- Wye 277/480V - Nema 4/12	1591,00	1,00
MS100-347Y	SPD box- Wye 347/600V - Nema 4/12	1591,00	1,00
MS100-480D	SPD box- Delta - 480V - Nema 4/12	1591,00	1,00
MS80-120T	SPD box- Split phase 120/240V - Nema 4/12	1591,00	1,00
MS80-120Y	SPD box- Wye 120/208V - Nema 4/12	1591,00	1,00
MS80-240Y	SPD box- Wye 240/415V - Nema 4/12	1591,00	1,00
MS80-240DCT	SPD box- Hi-Leg Delta - 120/120/240V - Nema 4/12	1591,00	1,00
MS80-240D	SPD box- Delta - 240V - Nema 4/12	1591,00	1,00
MS80-277Y	SPD box- Wye 277/480V - Nema 4/12	1591,00	1,00
MS80-347Y	SPD box- Wye 347/600V - Nema 4/12	1591,00	1,00
MS80-480D	SPD box- Delta - 480V - Nema 4/12	1591,00	1,00
M200-120T	SPD box- Split phase 120/240V - Nema 4/12	1114,00	1,00
M200-120Y	SPD box- Wye 120/208V - Nema 4/12	1114,00	1,00
M200-240Y	SPD box- Wye 240/415V - Nema 4/12	1114,00	1,00
M200-240DCT	SPD box- Hi-Leg Delta - 120/120/240V - Nema 4/12	1114,00	1,00
M200-240D	SPD box- Delta - 240V - Nema 4/12	1114,00	1,00
M200-277Y	SPD box- Wye 277/480V - Nema 4/12	1114,00	1,00
M200-347Y	SPD box- Wye 347/600V - Nema 4/12	1114,00	1,00
M200-480D	SPD box- Delta - 480V - Nema 4/12	1114,00	1,00
M160-120T	SPD box- Split phase 120/240V - Nema 4/12	1114,00	1,00
M160-120Y	SPD box- Wye 120/208V - Nema 4/12	1114,00	1,00
M160-240Y	SPD box- Wye 240/415V - Nema 4/12	1114,00	1,00
M160-240DCT	SPD box- Hi-Leg Delta - 120/120/240V - Nema 4/12	1114,00	1,00
M160-240D	SPD box- Delta - 240V - Nema 4/12	1114,00	1,00
M160-277Y	SPD box- Wye 277/480V - Nema 4/12	1114,00	1,00
M160-347Y	SPD box- Wye 347/600V - Nema 4/12	1114,00	1,00
M160-480D	SPD box- Delta - 480V - Nema 4/12	1114,00	1,00
M100-120T	SPD box- Split phase 120/240V - Nema 4/12	1114,00	1,00
M100-120Y	SPD box- Wye 120/208V - Nema 4/12	1114,00	1,00
M100-240Y	SPD box- Wye 240/415V - Nema 4/12	1114,00	1,00
M100-240DCT	SPD box- Hi-Leg Delta - 120/120/240V - Nema 4/12	1114,00	1,00
M100-240D	SPD box- Delta - 240V - Nema 4/12	1114,00	1,00
M100-277Y	SPD box- Wye 277/480V - Nema 4/12	1114,00	1,00
M100-347Y	SPD box- Wye 347/600V - Nema 4/12	1114,00	1,00
M100-480D	SPD box- Delta - 480V - Nema 4/12	1114,00	1,00
M80-120T	SPD box- Split phase 120/240V - Nema 4/12	1114,00	1,00
M80-120Y	SPD box- Wye 120/208V - Nema 4/12	1114,00	1,00
M80-240Y	SPD box- Wye 240/415V - Nema 4/12	1114,00	1,00
M80-240DCT	SPD box- Hi-Leg Delta - 120/120/240V - Nema 4/12	1114,00	1,00
M80-240D	SPD box- Delta - 240V - Nema 4/12	1114,00	1,00
M80-277Y	SPD box- Wye 277/480V - Nema 4/12	1114,00	1,00
M80-347Y	SPD box- Wye 347/600V - Nema 4/12	1114,00	1,00
M80-480D	SPD box- Delta - 480V - Nema 4/12	1114,00	1,00
M50-120S-A	Compact SPD box - 120Vac single phase - Nema 6 - lateral v	325,00	5,00
M50-120T-A	Compact SPD box- Split phase 120/240V - Nema 6 - lateral	325,00	5,00

M50-120T-A1	Compact SPD box- Split phase 120/240V - Nema 6 - lateral	223,00	5,00
M50-120Y-A	Compact SPD box - Wye 120/208V - Nema 6 - lateral wire o	325,00	5,00
M50-230S-A	Compact SPD box - 230Vac single phase - Nema 6 - Lateral	325,00	5,00
M50-240D-A	Compact SPD box - Delta 240V - Caja Nema 6 - Lateral wire	325,00	5,00
M50-240T-A	Compact SPD box- Split phase 240/480V - Nema 6 - lateral	325,00	5,00
M50-277Y-A	Compact SPD box - Wye 277/480V - Nema 6 - lateral wire o	325,00	5,00
M50-347Y-A	Compact SPD box - Wye 347/600V - Nema 6 - lateral wire o	325,00	5,00
M50-480D-A	Compact SPD box - Delta 480V - Caja Nema 6 - Lateral wire	325,00	5,00
M50-600D-A	Compact SPD box - Delta 600V - Caja Nema 6 - Lateral wire	325,00	5,00
M50-120S-B	Compact SPD box - 120Vac single phase - Nema 6 - wire ou	325,00	5,00
M50-120S-B1	Compact SPD box - 120Vac single phase - Nema 6 - wire ou	223,00	5,00
M50-120T-B	Compact SPD box- Split phase 120/240V - Nema 6 - wire ou	325,00	5,00
M50-120T-B1	Compact SPD box- Split phase 120/240V - Nema 6 - wire ou	223,00	5,00
M50-120Y-B	Compact SPD box - Wye 120/208V - Nema 6 - wire output c	325,00	5,00
M50-120Y-B1	Compact SPD box - Wye 120/208V - Nema 6 - wire output c	223,00	5,00
M50-230S-B	Compact SPD box - 230Vac single phase - Nema 6 - wire ou	325,00	5,00
M50-240D-B	Compact SPD box - Delta 240V - Caja Nema 6 - wire output	325,00	5,00
M50-240T-B	Compact SPD box- Split phase 240/480V - Nema 6 - wire ou	325,00	5,00
M50-277Y-B	Compact SPD box - Wye 277/480V - Nema 6 - wire output c	325,00	5,00
M50-277Y-B1	Compact SPD box - Wye 277/480V - Nema 6 - wire output c	223,00	5,00
M50-347Y-B	Compact SPD box - Wye 347/600V - Nema 6 - wire output c	325,00	5,00
M50-480D-B	Compact SPD box - Delta 480V - Caja Nema 6 - wire output	325,00	5,00
M50-600D-B	Compact SPD box - Delta 600V - Caja Nema 6 - wire output	325,00	5,00
M50F-120T-A	Compact SPD box + EMI/RFI filter- Split phase 120/240V - N	350,00	5,00
M50F-120Y-A	Compact SPD box + EMI/RFI filter - Wye 120/208V - Nema 6	350,00	5,00
M50F-230S-A	Compact SPD box + EMI/RFI filter - 230Vac single phase - N	350,00	5,00
M50F-240T-A	Compact SPD box + EMI/RFI filter- Split phase 240/480V - N	350,00	5,00
M50F-240D-A	Compact SPD box + EMI/RFI filter - Delta 240V - Caja Nema	350,00	5,00
M50F-277Y-A	Compact SPD box + EMI/RFI filter - Wye 277/480V - Nema 6	350,00	5,00
M50F-347Y-A	Compact SPD box + EMI/RFI filter - Wye 347/600V - Nema 6	350,00	5,00
M50F-480D-A	Compact SPD box + EMI/RFI filter - Delta 480V - Caja Nema	350,00	5,00
M50F-600D-A	Compact SPD box + EMI/RFI filter - Delta 600V - Caja Nema	350,00	5,00
M50F-120T-B	Compact SPD box + EMI/RFI filter- Split phase 120/240V - N	350,00	5,00
M50F-120Y-B	Compact SPD box + EMI/RFI filter - Wye 120/208V - Nema 6	350,00	5,00
M50F-120Y-B1	Compact SPD box + EMI/RFI filter - Wye 120/208V - Nema 6	255,00	5,00
M50F-230S-B	Compact SPD box + EMI/RFI filter - 230Vac single phase - N	350,00	5,00
M50F-240T-B	Compact SPD box + EMI/RFI filter- Split phase 240/480V - N	350,00	5,00
M50F-240D-B	Compact SPD box + EMI/RFI filter - Delta 240V - Caja Nema	350,00	5,00
M50F-277Y-B	Compact SPD box + EMI/RFI filter - Wye 277/480V - Nema 6	350,00	5,00
M50F-347Y-B	Compact SPD box + EMI/RFI filter - Wye 347/600V - Nema 6	350,00	5,00
M50F-480D-B	Compact SPD box + EMI/RFI filter - Delta 480V - Caja Nema	350,00	5,00
M50F-600D-B	Compact SPD box + EMI/RFI filter - Delta 600V - Caja Nema	350,00	5,00
MLP1-120L-P	Compact SPD for Class 1 lighting- 120Vac - Screw terminals	0,00	48,00
MLP1-120L-W	Compact SPD for Class 1 lighting- 120Vac - wire connection	0,00	48,00
MLP1-120L-P/DL	Compact SPD for Class 1 lighting- 120Vac - Screw terminals	0,00	48,00
MLP1-120L-P/RS	Compact SPD for Class 1 lighting- 120Vac - Screw terminals	0,00	48,00
MLP1-120L-W/DL	Compact SPD for Class 1 lighting- 120Vac - Wire connectio	0,00	48,00
MLP1-120L-W/RS	Compact SPD for Class 1 lighting- 120Vac - Wire connectio	0,00	48,00
MLP1-120S-P	Compact SPD for Class 1 lighting- 120Vac - Screw terminals	0,00	48,00
MLP1-120S-W	Compact SPD for Class 1 lighting- 120Vac -Wire connectio	0,00	48,00
MLP1-120S-P/RS	Compact SPD for Class 1 lighting- 120Vac - Screw terminals	0,00	48,00
MLP1-120S-P/DL	Compact SPD for Class 1 lighting- 120Vac - Screw terminals	0,00	48,00
MLP1-230L-P	Compact SPD for Class 1 lighting- 230Vac - Screw terminals	0,00	48,00
MLP1-230L-W	Compact SPD for Class 1 lighting- 230Vac - wire connection	0,00	48,00
MLP1-230L-P/DL	Compact SPD for Class 1 lighting- 230Vac - Screw terminals	0,00	48,00
MLP1-230L-P/RS	Compact SPD for Class 1 lighting- 230Vac - Screw terminals	0,00	48,00
MLP1-230L-W/DL	Compact SPD for Class 1 lighting- 230Vac - Wire connectio	0,00	48,00

MLP1-230L-W/RS	Compact SPD for Class 1 lighting- 230Vac - Wire connection	0,00	48,00
MLP1-230-W	Compact SPD for Class 1 lighting- 230Vac -Wire connection	0,00	48,00
MLP1-230S-P	Compact SPD for Class 1 lighting- 230Vac - Screw terminals	0,00	48,00
MLP1-230S-W	Compact SPD for Class 1 lighting- 230Vac -Wire connection	0,00	48,00
MLP1-230S-P/RS	Compact SPD for Class 1 lighting- 230Vac - Screw terminals	0,00	48,00
MLP1-230S-P/DL	Compact SPD for Class 1 lighting- 230Vac - Screw terminals	0,00	48,00
MLP1-230L-W/2L	Compact SPD for 2 Class 1 lighting- 230Vac - wire connectio	0,00	48,00
MLP1-230L-P/2L	Compact SPD for 2 Class 1 lighting- 230Vac - Screw termina	0,00	48,00
MLP2-230L-W	Compact SPD for Class 2 lighting- 230Vac - wire connection	0,00	48,00
MLP2-230L-P	Compact SPD for Class 2 lighting- 230Vac - Screw terminals	0,00	48,00
MLPC1-230L-R	Ultra Compact SPD for Class 1 lighting- 230Vac - Spring terr	0,00	48,00
MLPC1-230L-V	Ultra Compact SPD for Class 1 lighting- 230Vac - Screw terr	22,00	48,00
MLPC1-230L-R50	Ultra Compact SPD for Class 1 lighting- 230Vac - Spring terr	0,00	48,00
MLPC1-230L-V50	Ultra Compact SPD for Class 1 lighting- 230Vac - Screw terr	0,00	48,00
MLPCA1-230L	Ultra Compact single phase SPD for Class 1 lighting - Wire c	0,00	216,00
MLPCA1-230L-2L	Ultra Compact 2-phases+neutral SPD for Class 1 lighting - W	0,00	216,00
MLPC2-230L-R	Ultra Compact SPD for Class 2 lighting- 230Vac - Spring terr	0,00	48,00
MLPC2-230L-R/ESP2		0,00	48,00
MLPC2-230L-V/ESP2	Ultra Compact SPD for Class 2 lighting- 230Vac - Screw terr	0,00	48,00
ESP230	Protection against electro-static charges for Class 2 luminai	0,00	100,00
MLPC1-440LY-R	Compact single phase SPD for Class 1 lighting - IT network 2	0,00	48,00
MLPX1-230L-W	Compact SPD for Class 1 lighting - 230Vac network - Wire co	0,00	216,00
MLPX1-230L-W/IP20	Compact SPD for Class 1 lighting - 230Vac network - Wire co	0,00	216,00
MLPX1VG-230L-W	Compact SPD for Class 1 lighting - 230Vac network - Wire co	0,00	216,00
MLPX2-230L-W	Compact SPD for Class 2 lighting - 230Vac network - Wire co	0,00	216,00
MLPX2-230L-W/IP20	Compact SPD for Class 2 lighting - 230Vac network - Wire co	0,00	216,00
MLPVM2-230L-5A	Compact SPD Transient/Temporary/Permanent for Class 2	0,00	48,00
MLP1-230L-P/20K	Compact SPD for Class 1 lighting- 230Vac - Screw terminals	0,00	48,00
DSL1P1-230L	Compact single phase SPD low profile for DIN rail - 230Vac -	24,00	96,00
DSL1P1-230L/Y	Compact single phase SPD low profile for DIN rail - 230Vac -	26,00	96,00
DSL1P1-120L	Compact single phase SPD low profile for DIN rail - 120Vac -	24,00	96,00
DSL1P1-120L/Y	Compact single phase SPD low profile for DIN rail - 120Vac -	26,00	96,00
DSL1P2-230L	Compact single phase SPD low profile for DIN rail - 230Vac -	24,00	96,00
DLPM1-230L	Compact single phase SPD low profile for DIN rail - 230Vac -	32,00	96,00
DLPM1-230L/Y		34,00	96,00
DS98L-230G/2L	Compact 2-phases+neutral SPD for DIN rail - 230Vac - In-lin	39,00	8,00
DS98L-120	Compact single phase SPD for DIN rail - 120Vac - In-line dis	32,00	8,00
DS98L-230	Compact single phase SPD for DIN rail - 230Vac - In-line dis	32,00	8,00
DS98L-400	Compact single phase SPD for DIN rail - 230Vac - In-line dis	32,00	8,00
DS98S-120	Compact single phase SPD for Din rail 120Vac - Type 2 - Mo	37,00	8,00
DS98S-230	Compact single phase SPD for Din rail 230Vac - Type 2 - Mo	37,00	8,00
DS98S-400	Compact single phase SPD for Din rail 230Vac - Type 2 - Mo	37,00	8,00
B180-T	1-pair telecom/ADSL SPD	20,00	8,00
B280-T	2-pairs telecom/ADSL SPD	67,00	4,00
B480-T	2-pairs telecom/ADSL SPD	93,00	4,00
B180-48D3	1-pair 48V digital line SPD	20,00	8,00
B280-48D3	2-pairs 48V digital line SPD	67,00	4,00
B480-48D3	4-pairs 48V digital line SPD	93,00	4,00
B180-24D3	1-pair 4-20mA SPD	20,00	8,00
B280-24D3	2-pairs 4-20mA SPD	67,00	4,00
B480-24D3	4-pairs 4-20mA SPD	93,00	4,00
B180-12D3	1-pair RS232 RS485 SPD	20,00	8,00
B280-12D3	2-pairs RS232 RS485 SPD	67,00	4,00
B480-12D3	4-pairs RS232 RS485 SPD	93,00	4,00
B180-06D3	1-pair RS422 RS485 SPD	20,00	8,00
B280-06D3	2-pairs RS422 RS485 SPD	67,00	4,00
B480-06D3	4-pairs RS422 RS485 SPD	93,00	4,00

B280-06DBC	2-pairs MIC/T2 10BaseT SPD	105,00	4,00
B480-06DBC	4-pairs MIC/T2 10BaseT SPD	144,00	4,00
DLA-170	1-pair telecom/ADSL SPD - Plug-in module	39,00	8,00
DLA170-T		39,00	8,00
DLA-06D3	1-pair RS422 RS485 SPD- Plug-in module	36,00	8,00
DLA-12D3	1-pair RS232 RS485 SPD- Plug-in module	37,00	8,00
DLA-24D3	1-pair 4-20mA SPD- Plug-in module	86,00	8,00
DLA-48D3	1-pair 48V digital line SPD- Plug-in module	39,00	8,00
DLA-12DBC		42,00	8,00
DLA-06DBC	1-pair MIC/T2 10BaseT SPD - Plug-in module	42,00	8,00
DLA-24DBC		90,00	8,00
DLA-48DBC	1 pair Fipway, WorldFIP,Fieldbus SPD - Plug-in module	42,00	8,00
DLAS-06D3	1-pair RS422 RS485 SPD- Plug-in module - Disconnection in	58,00	8,00
DLAS-12D3	1-pair RS232 RS485 SPD- Plug-in module- Disconnection inc	58,00	8,00
DLAS-24D3	1-pair 4-20mA SPD- Plug-in module- Disconnection indicato	58,00	8,00
DLAS-48D3	1-pair 48V digital line SPD- Plug-in module- Disconnection in	58,00	8,00
DLATS-170		80,00	8,00
DLATS-06D3		80,00	8,00
DLATS-12D3		80,00	8,00
DLATS-24D3		80,00	8,00
DLATS-48D3		80,00	8,00
DLAH-170	1-pair telecom/ADSL SPD - Plug-in module - IL= 2,4A	45,00	8,00
DLAH-06D3	1-pair RS422 RS485 SPD- Plug-in module - IL= 2,4A	45,00	8,00
DLAH-12D3	1-pair RS232 RS485 SPD- Plug-in module - IL= 2,4A	45,00	8,00
DLAH-24D3	1-pair 4-20mA SPD- Plug-in module - IL= 2,4A	45,00	8,00
DLAH-48D3	1-pair 48V digital line SPD- Plug-in module - IL= 2,4A	45,00	8,00
DLAH-06DBC	1-pair MIC/T2 10BaseT SPD - Plug-in module - IL= 2,4A	48,00	8,00
DLAH-48DBC	1 pair Fipway, WorldFIP,Fieldbus SPD - Plug-in module - IL=	48,00	8,00
DLAW-170	1-pair telecom/ADSL SPD - Plug-in module -w/o continuity	45,00	8,00
DLAW-06D3	1-pair RS422 RS485 SPD- Plug-in module -w/o continuity	45,00	8,00
DLAW-12D3	1-pair RS232 RS485 SPD- Plug-in module -w/o continuity	45,00	8,00
DLAW-24D3	1-pair 4-20mA SPD- Plug-in module -w/o continuity	45,00	8,00
DLAW-48D3	1-pair 48V digital line SPD- Plug-in module -w/o continuity	45,00	8,00
DLAW-06DBC	1-pair MIC/T2 10BaseT SPD - Plug-in module -w/o continuit	48,00	8,00
DLAHW-24D3	1-pair 4-20mA SPD- Plug-in module -w/o continuity - IL=2,4	48,00	8,00
DLA-06-IS	1-pair RS422 RS485 SPD- Plug-in module - Direct or indirect	74,00	8,00
DLA-12-IS	1-pair RS232 RS485 SPD- Plug-in module - Direct or indirect	74,00	8,00
DLA2-170	2-pairs telecom/ADSL SPD - Plug-in module	86,00	8,00
DLA2-06D3	2-pairs RS422 RS485 SPD- Plug-in module	86,00	8,00
DLA2-12D3	2-pairs RS232 RS485 SPD- Plug-in module	86,00	8,00
DLA2-24D3	2-pairs 4-20mA SPD- Plug-in module	86,00	8,00
DLA2-48D3	2-pairs 48V digital line SPD- Plug-in module	86,00	8,00
DLA2-06DBC	2-pairs MIC/T2 10BaseT SPD - Plug-in module	90,00	8,00
DLU-170	1-pair telecom/ADSL SPD - Monobloc	39,00	8,00
DLU-179		34,00	8,00
DLU-48DBC	1 pair Fipway, WorldFIP,Fieldbus SPD - monobloc	45,00	8,00
DLU-06DBC	1-pair MIC/T2 10BaseT SPD - monobloc	35,00	8,00
DLU-06D3	1-pair RS422 RS485 SPD- monoloc	39,00	8,00
DLU-12D3	1-pair RS232 RS485 SPD- monobloc	34,00	8,00
DLU-12DBC		35,00	8,00
DLU-24D3	1-pair 4-20mA SPD- monobloc	34,00	8,00
DLU-48D3	1-pair 48V digital line SPD- monobloc	34,00	8,00
DLUH-170	1-pair telecom/ADSL SPD - monobloc - IL= 2,4A	45,00	8,00
DLUH-06DBC	1-pair MIC/T2 10BaseT SPD - monobloc - IL= 2,4A	51,00	8,00
DLUH-48DBC	1 pair Fipway, WorldFIP,Fieldbus SPD - monobloc - IL= 2,4A	51,00	8,00
DLUH-06D3	1-pair RS422 RS485 SPD- monobloc - IL= 2,4A	45,00	8,00
DLUH-12D3	1-pair RS232 RS485 SPD- monobloc - IL= 2,4A	45,00	8,00

DLUH-24D3	1-pair 4-20mA SPD- monobloc - IL= 2,4A	45,00	8,00
DLUH-48D3	1-pair 48V digital line SPD- monobloc - IL= 2,4A	45,00	8,00
DLU2-170	2-pairs telecom/ADSL SPD - Monobloc	41,00	8,00
DLU2-48DBC	2- pairs Fipway, WorldFIP,Fieldbus SPD - monobloc	43,00	8,00
DLU2-06DBC	2-pairs MIC/T2 10BaseT SPD - monobloc	43,00	8,00
DLU2-06D3	2-pairs RS422 RS485 SPD- monoloc	41,00	8,00
DLU2-12D3	2-pairs RS232 RS485 SPD- monobloc	41,00	8,00
DLU2-24D3	2-pairs 4-20mA SPD- monobloc	41,00	8,00
DLU2-48D3	2-pairs 48V digital line SPD- monobloc	41,00	8,00
DLU2-12DBC		43,00	8,00
DLUH2-170	2-pairs telecom/ADSL SPD - monobloc - IL= 2,4A	48,00	8,00
DLUH2-06DBC	2-pairs MIC/T2 10BaseT SPD - monobloc - IL= 2,4A	51,00	8,00
DLUH2-48DBC	2-pairs Fipway, WorldFIP,Fieldbus SPD - monobloc - IL= 2,4A	51,00	8,00
DLUH2-06D3	2-pairs RS422 RS485 SPD- monobloc - IL= 2,4A	48,00	8,00
DLUH2-12D3	2-pairs RS232 RS485 SPD- monobloc - IL= 2,4A	48,00	8,00
DLUH2-24D3	2-pairs 4-20mA SPD- monobloc - IL= 2,4A	48,00	8,00
DLUH2-48D3	2-pairs 48V digital line SPD- monobloc - IL= 2,4A	48,00	8,00
DLC-170	Ultra-compact -1-pair telecom/ADSL SPD - Monobloc	30,00	10,00
DLC-06D3	Ultra compact 1-pair RS422 RS485 SPD- monoloc	32,00	10,00
DLC-06DBC	Ultra compact 1-pair MIC/T2 10BaseT SPD - monobloc	32,00	10,00
DLC-12D3	Ultra compact 1-pair RS232 RS485 SPD- monobloc	30,00	10,00
DLC-12DBC		32,00	10,00
DLC-24D3	Ultra compact 1-pair 4-20mA SPD- monobloc	30,00	10,00
DLC-24DBC		32,00	10,00
DLC-48D3	Ultra compact 1-pair 48V digital line SPD- monobloc	30,00	10,00
DLC-48DBC	Ultra compact 1-pair Fipway, WorldFIP,Fieldbus SPD - monobloc	32,00	10,00
DLC-170 (10+3)	Ultra-compact -1-pair telecom/ADSL SPD - Monobloc (10 + 3 covers)	303,00	1,00
DLC-06D3 (10+3)	Ultra compact 1-pair RS422 RS485 SPD- monoloc (10 + 3 covers)	303,00	1,00
DLC-06DBC (10+3)	Ultra compact 1-pair MIC/T2 10BaseT SPD - monobloc (10 + 3 covers)	312,00	1,00
DLC-12D3 (10+3)	Ultra compact 1-pair RS232 RS485 SPD- monobloc (10 + 3 covers)	312,00	1,00
DLC-24D3 (10+3)	Ultra compact 1-pair 4-20mA SPD- monobloc (10 + 3 covers)	303,00	1,00
DLC-24DBC (10+3)		312,00	1,00
DLC-48D3 (10+3)	Ultra compact 1-pair 48V digital line SPD- monobloc (10 + 3 covers)	303,00	1,00
DLC-48DBC (10+3)	Ultra compact 1-pair Fipway, WorldFIP,Fieldbus SPD - monobloc (10 + 3 covers)	312,00	1,00
E280-K20	2-pairs telecom/ADSL SPD - K20 standard Plug-in module	77,00	10,00
E280-TM	2-pairs telecom/ADSL SPD - Plug-in module	64,00	10,00
E280-06D3M	2-pairs RS422 RS485 SPD- Plug-in module	83,00	10,00
E280-06DBC	2-pairs MIC/T2 10BaseT SPD - Plug-in module	90,00	10,00
E280-12D3M	2-pairs RS232 RS485 SPD- Plug-in module	83,00	10,00
E280-24D3M	2-pairs 4-20mA SPD- Plug-in module	83,00	10,00
E280-48D3M	2-pairs 48V digital line SPD- Plug-in module	83,00	10,00
BN16-V	Support for E280 - 16 pairs - Screw terminals- Metallic box	350,00	1,00
BN32-V	Support for E280 - 32 pairs - Screw terminals- Metallic box	510,00	1,00
FP10-QC	Support for E280 - 10 pairs - Quick connect	271,00	1,00
FP25-QC	Support for E280 - 25 pairs - Quick connect	446,00	1,00
FPSU04-V	Support for E280 - 4 pairs - Screw terminals	96,00	1,00
FPSU08-V	Support for E280 - 8 pairs - Screw terminals	144,00	1,00
FPSU16-V	Support for E280 - 16 pairs - Screw terminals	207,00	1,00
MMP	Support for E280 - 4 pairs - CAD connector	175,00	1,00
MJ8-ISDN	SPD ISDN RJ45	48,00	10,00
MJ8-170	SPD RTC ADSL ADSL2 SDSL SHDSL VDSL2 RJ45	51,00	10,00
MJ8-12V		67,00	4,00
MJ6-1T	DPS RTC ADSL ADSL2 SDSL RJ11	45,00	4,00
S180-T2	Spare circuit for B180-T	20,00	4,00
S280-T	Spare circuit for B280-T	48,00	4,00
S480-T	Spare circuit for B480-T	102,00	4,00
S180-06D3	Spare circuit for B180-06D3	20,00	4,00

S280-06D3	Spare circuit for B280-06D3	64,00	4,00
S480-06D3	Spare circuit for B480-06D3	102,00	4,00
S180-12D3	Spare circuit for B180-12D3	20,00	4,00
S280-12D3	Spare circuit for B280-12D3	64,00	4,00
S480-12D3	Spare circuit for B480-12D3	102,00	4,00
S180-24D3	Spare circuit for B180-24D3	20,00	4,00
S280-24D3	Spare circuit for B280-24D3	64,00	4,00
S480-24D3	Spare circuit for B480-24D3	102,00	4,00
S180-48D3	Spare circuit for B180-48D3	20,00	4,00
S280-48D3	Spare circuit for B280-48D3	64,00	4,00
S480-48D3	Spare circuit for B480-48D3	102,00	4,00
DLAM-170	Spare module for DLA-170	32,00	4,00
DLAM-06D3	Spare module for DLA-06D3	32,00	4,00
DLAM-12D3	Spare module for DLA-12D3	32,00	4,00
DLAM-24D3	Spare module for DLA-24D3	32,00	4,00
DLAM-48D3	Spare module for DLA-48D3	32,00	4,00
DLAM-06DBC	Spare module for DLA-06DBC	32,00	4,00
DLASM-06D3	Spare module for DLAS-06D3	39,00	4,00
DLASM-12D3	Spare module for DLAS-12D3	39,00	4,00
DLASM-24D3	Spare module for DLAS-24D3	39,00	4,00
DLASM-48D3	Spare module for DLAS-48D3	39,00	4,00
DLAWM-170	Spare module for DLAW-170	35,00	4,00
DLAWM-06D3	Spare module for DLAW-06D3	35,00	4,00
DLAWM-12D3	Spare module for DLAW-12D3	35,00	4,00
DLAWM-24D3	Spare module for DLAW-24D3	35,00	4,00
DLAWM-48D3	Spare module for DLAW-48D3	35,00	4,00
DLAHM-170	Spare module for DLAH-170	35,00	4,00
DLAHM-06D3	Spare module for DLAH-06D3	35,00	4,00
DLAHM-12D3	Spare module for DLAH-12D3	35,00	4,00
DLAHM-24D3	Spare module for DLAH-24D3	35,00	4,00
DLAHM-48D3	Spare module for DLAH-48D3	35,00	4,00
DLAM-06-IS	Spare module for DLA-06-IS	64,00	4,00
DLAM-12-IS	Spare module for DLA-12-IS	64,00	4,00
DLA2M-170	Spare module for DLA2-170	80,00	4,00
DLA2M-06D3	Spare module for DLA2-06D3	80,00	4,00
DLA2M-12D3	Spare module for DLA2-12D3	80,00	4,00
DLA2M-24D3	Spare module for DLA2-24D3	80,00	4,00
DLA2M-48D3	Spare module for DLA2-48D3	80,00	4,00
DLA2M-06DBC	Spare module for DLA2-06DBC	80,00	4,00
MJ8-POE-A	SPD PoE Mode A	47,00	4,00
MJ8-POE-B	SPD PoE Mode B	47,00	4,00
CGMJ8-POE-A-C5E	Outdoor PoE SPD - Mode A IP66 - 100Mbps	102,00	1,00
CGMJ8-POE-B-C5E	Outdoor PoE SPD - Mode B IP66 - 100Mbps	102,00	1,00
CMJ8-POE-A-C5E	Outdoor PoE SPD - Mode A IP65 - 100Mbps	102,00	1,00
CMJ8-POE-B-C5E	Outdoor PoE SPD - Mode B IP65 - 100Mbps	102,00	1,00
CRMJ8-POE-C6	Outdoor PoE SPD Cat6 IP66 10Gbps	115,00	1,00
DIN-POE-A	PoE Mode A SPD - Possible integration to 19" rack SMDINRA	105,00	10,00
DIN-POE-B	PoE Mode B SPD - Possible integration to 19" rack SMDINRA	105,00	10,00
MJ8-CAT5E	Cat5e SPD	51,00	10,00
MJ8-CAT6S	Cat6 SPD In=2000A	80,00	10,00
MJ8-6C		77,00	10,00
DIN-E-C6	Cat6 SPD In=500A	110,00	10,00
DIN-B	ISDN SPD In=300A	128,00	10,00
DIN-G	Telecom/ADSL2 SPD In=400A	112,00	10,00
DIN-T	RS232-RS485 SPD - In=300A	128,00	10,00
SPDINRACK	19" rack support for DIN SPD serie	147,00	1,00
DD25-24V	SPD SubD 25pins - RS232,RS485,4-20mA	144,00	6,00

X

X

X

DD25-6V	SPD SubD 25pins - RS422,RS423,RS485	144,00	6,00
DD9-24V	SPD SubD 9pins - RS232,RS485,4-20mA	86,00	6,00
DD9-6V	SPD SubD 9pins - RS422,RS423,RS485	86,00	6,00
DD15-24V	SPD SubD 15pins - RS232,RS485,4-20mA	96,00	6,00
DD15-6V	SPD SubD 15pins - RS422,RS423,RS485	96,00	6,00
CNP06 F/MF	SPD for video transmission - F connector Male/Female	32,00	10,00
CNP06 F/FF	SPD for video transmission - F connector Female/Female	32,00	10,00
CNP06 B/MF	SPD for video transmission - BNC connector Male/Female	32,00	10,00
CNP06 B/FF	SPD for video transmission - BNC connector Female/Female	32,00	10,00
CNP06 B/FM		32,00	10,00
CXC06-B/MF	SPD for video transmission - BNC connector Male/Female	90,00	10,00
CXC06-B/FM	SPD for video transmission - BNC connector Female/Male	88,00	10,00
CXC06-B/FF	SPD for video transmission - BNC connector Female/Female	90,00	10,00
DIN-BNC		137,00	10,00
DIN-BNC-HD	SPD for video transmission - BNC connector Female/Female	93,00	10,00
PCH24-C6	Rack 19" - 24 ports- Cat. 6 - Connector 110/RJ45	955,00	1,00
PCH12-C6	Rack 19" - 12 ports- Cat. 6 - Connector 110/RJ45	541,00	1,00
PCH48-C6	Rack 19" - 48 ports- Cat. 6 - Connector 110/RJ45	1623,00	1,00
MOD24-C6	Spare module Cat.6 for PCH serie	112,00	1,00
PL12-CAT6	Rack 19" - 12 ports- Cat. 6 - Connector RJ45/RJ45 - In=2kA	732,00	1,00
PL24-CAT6	Rack 19" - 24 ports- Cat. 6 - Connector RJ45/RJ45 - In=2kA	1019,00	1,00
PCH12-POE-A	Rack 19" - 12 ports - PoE A - Connector 110/RJ45	716,00	1,00
PCH24-POE-A	Rack 19" - 24 ports - PoE A - Connector 110/RJ45	1305,00	1,00
PCH48-POE-A	Rack 19" - 48 ports - PoE A - Connector 110/RJ45	1750,00	1,00
PCH12-POE-B	Rack 19" - 12 ports - PoE B - Connector 110/RJ45	573,00	1,00
PCH24-POE-B	Rack 19" - 24 ports - PoE B - Connector 110/RJ45	1528,00	1,00
PCH48-POE-B	Rack 19" - 48 ports - PoE B - Connector 110/RJ45	2864,00	1,00
MOD-POE-A	Spare module for PCH...-POE-A	160,00	1,00
MOD-POE-B	Spare module for PCH...-POE-B	160,00	1,00
PCH12-RJ45-G	Rack 19" - 12 ports - Telecom/ ADSL lines- Connector 110/R	923,00	1,00
RAK16-PoE-A	Rack 19" - 16 ports - PoE A - RJ45/RJ45	1369,00	1,00
RAK16-PoE-B	Rack 19" - 16 ports - PoE B - RJ45/RJ45	1400,00	1,00
RAK16-PoE-A-SO	Rack 19" - 16 ports - PoE A - RJ45/RJ45 - Stand-off	1273,00	1,00
RAK32-POE-A-SO	Rack 19" - 32 ports - PoE A - RJ45/RJ45 - Stand-off	1528,00	1,00
RAK16- PoE-B-SO	Rack 19" - 16 ports - PoE B - RJ45/RJ45 - Stand-off	955,00	1,00
RAK32-POE-B-SO	Rack 19" - 32 ports - PoE B - RJ45/RJ45 - Stand-off	1528,00	1,00
RAK16-E-C6-SO	Rack 19" - 16 ports - Cat. 6 - RJ45/RJ45 - Stand-off	1432,00	1,00
RAK32-E-C6-SO	Rack 19" - 32 ports - Cat. 6 - RJ45/RJ45 - Stand-off	1655,00	1,00
RAK16-E-C6	Rack 19" - 16 ports - Cat. 6 - RJ45/RJ45	1114,00	1,00
RAK32-E-C6	Rack 19" - 32 ports - Cat. 6 - RJ45/RJ45	1750,00	1,00
RAK16-BNC	19" rack - 16 ports - Video transmission - BNC Connector	1496,00	1,00
RAK-E-C6	Spare module for RAK-E-C6	121,00	10,00
RAK-POE-A	Spare module for RAK-POE-A	121,00	10,00
RAK-POE-B	Spare module for RAK-POE-B	121,00	10,00
DIN-E-C6	Spare module for RAK-E-C6-SO	110,00	10,00
DIN-POE-A	Spare module for RAK-POE-A -SO	121,00	10,00
DIN-POE-B	Spare module for RAK-POE-B-SO	121,00	10,00
TSP15M-P-24D3	SPD in parallel for 4-20mA network - Conduit mounting	191,00	10,00
TSP15M-P-48D3	SPD in parallel for ISDN-T0, 48V network - Conduit mounting	191,00	10,00
TSP15M-S-24D3	SPD in serie for 4-20mA network - Conduit mounting	223,00	10,00
TSP15M-S-48D3	SPD in serie ISDN-T0, 48V network - Conduit mounting	223,00	10,00
PRC900-716/MF	SPD RF 870-960MHz - Connector 7/16 Male-Female	96,00	10,00
PRC900-716/FF	SPD RF 870-960MHz - Connector 7/16 Female-Female	96,00	10,00
PRC900-716W/MF	SPD RF 870-960MHz - Connector 7/16 Male-Female - Bulkhead	102,00	10,00
PRC900-716W/FF	SPD RF 870-960MHz - Connector 7/16 Female-Female - Bulkhead	102,00	10,00
PRC900-T/MF	SPD RF 870-960MHz - Connector TNC Male-Female	96,00	10,00
PRC900-T/FF	SPD RF 870-960MHz - Connector TNC Female-Female	96,00	10,00

PRC900-N/FF	SPD RF 870-960MHz - Connector N Female-Female	96,00	10,00
PRC900-N/MF	SPD RF 870-960MHz - Connector N Male-Female	96,00	10,00
PRC1800-716/MF	SPD RF 1700-1950MHz - Connector 7/16 Male-Female	96,00	10,00
PRC1800-716/FF	SPD RF 1700-1950MHz - Connector 7/16 Female-Female	96,00	10,00
PRC1800-716W/MF	SPD RF 1700-1950MHz - Connector 7/16 Male-Female - Bul	102,00	10,00
PRC1800-716W/FF	SPD RF 1700-1950MHz - Connector 7/16 Female-Female - B	102,00	10,00
PRC1800-T/MF	SPD RF 1700-1950MHz - Connector TNC Male-Female	96,00	10,00
PRC1800-T/FF	SPD RF 1700-1950MHz - Connector TNC Female-Female	96,00	10,00
PRC2100-N/MF	SPD RF 1800-2400MHz - Connector N - Male-Female	96,00	10,00
PRC2100-NW/FF	SPD RF 1800-2400MHz - Connector N - Female-Female - Pa	96,00	10,00
PRC822S-716W/FF	SPD RF 800-2200MHz - Connector 7/16 Female-Female - B	102,00	10,00
PRC822S-N/FF	SPD RF 800-2200MHz - Connector N Female-Female - Bulk	80,00	10,00
PRC822S-N/MF	SPD RF 800-2200MHz - Connector N Male-Female - bulkhe	80,00	10,00
PRC827-N/FF	SPD RF 690-2700MHz - N connector Female/Female	112,00	10,00
PRC827-N/MF	SPD RF 690-2700MHz - N connector Male/Female	112,00	10,00
PRC5800-N/FF	SPD RF 4500-6000MHz - Connector N Female-Female	96,00	10,00
PRC5800-N/MF	SPD RF 4500-6000MHz - Connector N Male -Female	96,00	10,00
PRC450-716/MF	SPD RF 420-480MHz - 7/16 Connector Male/Female	96,00	10,00
P8AX09-B/MF	SPD RF DC-4GHz - Max. Power. 25W - Connector BNC Male	70,00	10,00
P8AX09-B/FF	SPD RF DC-4GHz - Max. Power. 25W - Connector BNC Fema	70,00	10,00
P8AX09-B/FF/75	SPD RF DC-4GHz - Max. Power. 25W - Connector BNC Fema	80,00	10,00
P8AX09-B/MF/75	SPD RF DC-4GHz - Max. Power. 25W - Connector BNC Male	80,00	10,00
P8AX09-N/MF	SPD RF DC-4GHz - Max. Power. 25W - Connector N Male-Fe	70,00	10,00
P8AX09-N/FF	SPD RF DC-4GHz - Max. Power. 25W - Connector N Female-	70,00	10,00
P8AX09-F/FF	SPD RF DC-4GHz - Max. Power. 25W - Connector F Male-Fe	70,00	10,00
P8AX09-F/MF	SPD RF DC-4GHz - Max. Power. 25W - Connector F Female-	70,00	10,00
P8AX09-716/MF	SPD RF DC-4GHz - Max. Power. 25W - Connector 7/16 Male	80,00	10,00
P8AX09-716/FF	SPD RF DC-4GHz - Max. Power. 25W - Connector 7/16 Fema	80,00	10,00
P8AX09-T/MF	SPD RF DC-4GHz - Max. Power. 25W - Connector TNC Male	70,00	10,00
P8AX09-T/FF	SPD RF DC-4GHz - Max. Power. 25W - Connector TNC Fema	70,00	10,00
P8AX09-SMA/MF	SPD RF DC-4GHz - Max. Power. 25W - Connector SMA Male	70,00	10,00
P8AX09-SMA/FF	SPD RF DC-4GHz - Max. Power. 25W - Connector SMA Fema	70,00	10,00
P8AX09-U/FF	SPD RF DC-4GHz - Max. Power. 25W - Connector UHF Male	70,00	10,00
P8AX09-U/MF	SPD RF DC-4GHz - Max. Power. 25W - Connector UHF Fema	70,00	10,00
P8AX15-B/MF	SPD RF DC-4GHz - Max. Power. 70W - Connector BNC Male	70,00	10,00
P8AX15-B/FF	SPD RF DC-4GHz - Max. Power. 70W - Connector BNC Fema	70,00	10,00
P8AX15-N/MF	SPD RF DC-4GHz - Max. Power. 70W - Connector N Male-Fe	70,00	10,00
P8AX15-N/FF	SPD RF DC-4GHz - Max. Power. 70W - Connector N Female-	75,00	10,00
P8AX15-F/FF	SPD RF DC-4GHz - Max. Power. 70W - Connector F Male-Fe	70,00	10,00
P8AX15-F/MF	SPD RF DC-4GHz - Max. Power. 70W - Connector F Female-	70,00	10,00
P8AX15-716/MF	SPD RF DC-4GHz - Max. Power. 70W - Connector 7/16 Male	80,00	10,00
P8AX15-716/FF	SPD RF DC-4GHz - Max. Power. 70W - Connector 7/16 Fema	80,00	10,00
P8AX15-T/MF	SPD RF DC-4GHz - Max. Power. 70W - Connector TNC Male	70,00	10,00
P8AX15-T/FF	SPD RF DC-4GHz - Max. Power. 70W - Connector TNC Fema	70,00	10,00
P8AX15-SMA/MF	SPD RF DC-4GHz - Max. Power. 70W - Connector SMA Male	70,00	10,00
P8AX15-SMA/FF	SPD RF DC-4GHz - Max. Power. 70W - Connector SMA Fema	70,00	10,00
P8AX25-B/MF	SPD RF DC-4GHz - Max. Power. 190W - Connector BNC Mal	70,00	10,00
P8AX25-B/FF	SPD RF DC-4GHz - Max. Power. 190W - Connector BNC Fem	70,00	10,00
P8AX25-N/MF	SPD RF DC-4GHz - Max. Power. 190W - Connector N Male-F	70,00	10,00
P8AX25-N/FF	SPD RF DC-4GHz - Max. Power. 190W - Connector N Female	75,00	10,00
P8AX25-T/MF	SPD RF DC-4GHz - Max. Power. 190W - Connector TNC Mal	70,00	10,00
P8AX25-T/FF	SPD RF DC-4GHz - Max. Power. 190W - Connector TNC Fem	70,00	10,00
P8AX25-SMA/MF	SPD RF DC-4GHz - Max. Power. 190W - Connector SMA Ma	70,00	10,00
P8AX25-SMA/FF	SPD RF DC-4GHz - Max. Power. 190W - Connector SMA Fem	70,00	10,00
P8AX25-U/MF	SPD RF DC-4GHz - Max. Power. 190W - Connector UHF Mal	70,00	10,00
P8AX25-U/FF	SPD RF DC-4GHz - Max. Power. 190W - Connector UHF Fem	70,00	10,00
P8AX25-F/MF	SPD RF DC-4GHz - Max. Power. 190W - Connector F Female	70,00	10,00

P8AX25-F/FF	SPD RF DC-4GHz - Max. Power. 190W - Connector F Male-F	70,00	10,00
P8AX25-716/MF	SPD RF DC-4GHz - Max. Power. 190W - Connector 7/16 Ma	80,00	10,00
P8AX25-716/FF	SPD RF DC-4GHz - Max. Power. 190W - Connector 7/16 Fem	80,00	10,00
P8AX35-B/MF	SPD RF DC-4GHz - Max. Power. 380W - Connector BNC Mal	70,00	10,00
P8AX35-B/FF	SPD RF DC-4GHz - Max. Power. 380W - Connector BNC Fem	70,00	10,00
P8AX35-N/MF	SPD RF DC-4GHz - Max. Power. 380W - Connector N Male-F	70,00	10,00
P8AX35-N/FF	SPD RF DC-4GHz - Max. Power. 380W - Connector N Female	70,00	10,00
P8AX35-T/MF	SPD RF DC-4GHz - Max. Power. 380W - Connector TNC Mal	70,00	10,00
P8AX35-T/FF	SPD RF DC-4GHz - Max. Power. 380W - Connector TNC Fem	70,00	10,00
P8AX35-SMA/MF	SPD RF DC-4GHz - Max. Power. 380W - Connector SMA Ma	70,00	10,00
P8AX35-SMA/FF	SPD RF DC-4GHz - Max. Power. 380W - Connector SMA Fem	70,00	10,00
P8AX35-F/MF	SPD RF DC-4GHz - Max. Power. 380W - Connector F Male-F	70,00	10,00
P8AX35-F/FF	SPD RF DC-4GHz - Max. Power. 380W - Connector F Female	70,00	10,00
P8AX35-716/MF	SPD RF DC-4GHz - Max. Power. 380W - Connector 7/16 Ma	80,00	10,00
P8AX35-716/FF	SPD RF DC-4GHz - Max. Power. 380W - Connector 7/16 Fem	80,00	10,00
P8AX50-B/MF	SPD RF DC-4GHz - Max. Power. 780W - Connector BNC Mal	70,00	10,00
P8AX50-B/FF	SPD RF DC-4GHz - Max. Power. 780W - Connector BNC Fem	70,00	10,00
P8AX50-N/MF	SPD RF DC-4GHz - Max. Power. 780W - Connector N Male-F	70,00	10,00
P8AX50-N/FF	SPD RF DC-4GHz - Max. Power. 780W - Connector N Female	70,00	10,00
P8AX50-T/MF	SPD RF DC-4GHz - Max. Power. 780W - Connector TNC Mal	70,00	10,00
P8AX50-T/FF	SPD RF DC-4GHz - Max. Power. 780W - Connector TNC Fem	70,00	10,00
P8AX50-F/MF	SPD RF DC-4GHz - Max. Power. 780W - Connector F Male-F	70,00	10,00
P8AX50-F/FF	SPD RF DC-4GHz - Max. Power. 780W - Connector F Female	70,00	10,00
P8AX50-716/MF	SPD RF DC-4GHz - Max. Power. 780W - Connector 7/16 Ma	80,00	10,00
P8AX50-716/FF	SPD RF DC-4GHz - Max. Power. 780W - Connector 7/16 Fem	80,00	10,00
P8AX09-6G-N/MF	SPD RF DC-6GHz - Max. Power. 25W - Connector N Male-Fe	80,00	10,00
P8AX09-6G-N/FF	SPD RF DC-6GHz - Max. Power. 25W - Connector N Female-	80,00	10,00
P8AX09-6VG-N/MF	SPD RF DC-6GHz - Max. Power. 25W - Connector N Male-Fe	86,00	10,00
P8AX09-6G-SMA/FF	SPD RF DC-6GHz - Max. Power. 25W - Connector SMA Femá	80,00	10,00
P8AX09-6G-SMA/MF	SPD RF DC-6GHz - Max. Power. 25W - Connector SMA Male	80,00	10,00
P8AX09-6G-T/FF	SPD RF DC-6GHz - Max. Power. 25W - Connector TNC Fema	80,00	10,00
P8AX09-6G-T/MF	SPD RF DC-6GHz - Max. Power. 25W - Connector TNC Male-	80,00	10,00
P8AX25-6G-N/FF	SPD RF DC-6GHz - Max. Power. 190W - Connector N Female	80,00	10,00
P8AX25-6G-N/MF	SPD RF DC-6GHz - Max. Power. 190W - Connector F Male-F	80,00	10,00
P8AX25-6G-SMA/FF	SPD RF DC-6GHz - Max. Power. 190W - Connector SMA Fem	80,00	10,00
P8AX25-6G-SMA/MF	SPD RF DC-6GHz - Max. Power. 190W - Connector SMA Ma	80,00	10,00
P8AX25-6G-T/FF	SPD RF DC-6GHz - Max. Power. 190W - Connector TNC Fem	80,00	10,00
P8AX25-6G-T/MF	SPD RF DC-6GHz - Max. Power. 190W - Connector TNC Mal	80,00	10,00
BK-D	Bracket for P8AX - 716	20,00	10,00
BK-F	Bracket for P8AX - F	20,00	10,00
BK-N	Bracket for P8AX - N	20,00	10,00
BK-SMA	Bracket for P8AX - SMA	20,00	10,00
BK-T/BK-N	Bracket for P8AX TNC o BNC	20,00	10,00
BBHF 90/20 (10 unidades)	GDT for P8AX09	32,00	10,00
BBHF 150/20 (10 unidades)	GDT for P8AX15	32,00	10,00
BBHF 250/20 (10 unidades)	GDT for P8AX25	32,00	10,00
BBHF 350/20 (10 unidades)	GDT for P8AX35	32,00	10,00
BBHF 500/20 (10 unidades)	GDT for P8AX50	32,00	10,00
BAHF 90/20 (10 unidades)	GDT for P8AX09-6G	32,00	10,00
BAHF 250/20 (10 unidades)	GDT for P8AX25-6G	32,00	10,00
CXP09-NW/MF-DCB	SPD RF + filter - 125-1000MHz - Max. Power. 25W - Connec	96,00	10,00
CXP25-N/FF-DCB	SPD RF + filter - 125-1000MHz - Max. Power. 190W - Conne	96,00	10,00
CXP25-N/MF-DCB	SPD RF + filter - 125-1000MHz - Max. Power. 190W - Conne	96,00	10,00
CXP09-N/MF-DCB	SPD RF + filter - 125-1000MHz - Max. Power. 25W - Connec	96,00	10,00
CXP09-N/FF-DCB	SPD RF + filter - 125-1000MHz - Max. Power. 25W - Connec	96,00	10,00
CNP-90TV F/FF	SPD RF for video transmission - DC-1000MHz - Max.Power	32,00	10,00
CNP-230TV F/FF	SPD RF for video transmission - DC-1000MHz - Max.Power	32,00	10,00

CXP09-F/MF	SPD RF Low Frequency - DC-1000MHz - Max. Power 25W - C	80,00	10,00
CXP09-F/FF	SPD RF Low Frequency - DC-1000MHz - Max. Power 25W - C	80,00	10,00
CXP09-N/FF	SPD RF Low Frequency - DC-1000MHz - Max. Power 25W - C	80,00	10,00
CXP25-N/MF	SPD RF Low Frequency - DC-1000MHz - Max. Power 190W - C	80,00	10,00
CXP25-F/FF	SPD RF Low Frequency - DC-1000MHz - Max. Power 190W - C	80,00	10,00
CXGPS-N/MF	SPD RF for GPS - 1475-1675MHz - Connector N Male/Fema	134,00	10,00
CXGPS-N/FF	SPD RF for GPS - 1475-1675MHz - Connector N Female/Fer	134,00	10,00
MSP-VM230	SPD for CCTV: AC 230Vac single-phase+ Data 1 pair 0-5V +	96,00	5,00
MSP-VM230/R	SPD for CCTV: AC 230Vac single-phase+ Data 4 pairs 0-5V -	96,00	5,00
MSP-VM230-2P	SPD for CCTV: AC 230Vac single-phase+ Data 2 pairs 0-5V +	96,00	5,00
MSP-VM120/R	SPD for CCTV: AC 120Vac single-phase+ Data 4 pairs 0-5V -	96,00	5,00
MSP-VM120-2P	SPD for CCTV: AC 120Vac single-phase+ Data 2 pairs 0-5V +	96,00	5,00
MSP-VM24	SPD for CCTV: 24Vac/Vdc+ Data 1 pair 0-5V + Video 6Vdc -	96,00	5,00
MSP-VM24/R	SPD for CCTV: 24Vac/Vdc + Data 4 pairs 0-5V - RJ45 conne	96,00	5,00
MSP-VM24-2P	SPD for CCTV: 24Vac/Vdc + Data 2 pairs 0-5V + Video 6Vdc	96,00	5,00
MSP-VM12	SPD for CCTV: 12Vac/Vdc+ Data 1 pair 0-5V + Video 6Vdc -	112,00	5,00
MSP-VM12/R	SPD for CCTV: 12Vac/Vdc + Data 4 pairs 0-5V - RJ45 conne	96,00	5,00
MSP-VM12-2P	SPD for CCTV: 12Vac/Vdc + Data 2 pairs 0-5V + Video 6Vdc	96,00	5,00
UTPB-1J	Video Balun w/SPD - BNC connector /screw terminals with	20,00	10,00
BA		0,00	1000,00
BAS		0,00	1000,00
BA CMS		0,00	1000,00
BA CMS (T&R)		0,00	1000,00
BA HF		16,00	100,00
BB		0,00	1000,00
BBS		0,00	1000,00
BB HF		10,00	100,00
BH		0,00	1000,00
BH		0,00	1000,00
BHS		0,00	1000,00
BHS		0,00	1000,00
BHS 90/20		4,00	1000,00
Serie CA8B		0,00	100,00
BM		0,00	1000,00
BMC		0,00	1000,00
BM CMS		0,00	1000,00
BM CMS (T&R)		0,00	1000,00
BMS		0,00	1000,00
BM FL		0,00	1000,00
BM S5		0,00	1000,00
BMS5C		0,00	1000,00
BMSC		0,00	1000,00
BT		0,00	1000,00
BTR		0,00	1000,00
BTRC		0,00	1000,00
BTS		0,00	1000,00
BTSC		0,00	1000,00
BPLC		142,00	1000,00
BF PC 250/20	Spark-gap for equipotentiality cable/connector	112,00	10,00
BF PCx 230/20	Spark-gap for equipotentiality with blade terminals	77,00	10,00
BF P100 500	N/PE spark gap	61,00	10,00
BF PS 350/20	Spark-gap for equipotentiality with cable	112,00	10,00
SOCLE SR	Support for BFPCx or CA8BC	48,00	10,00
SGP70	Isolating spark-gap IP54 - I _{max} =70kA - M10	109,00	4,00
SGP40	isolating spark-gap IP54 - I _{max} =40kA - M10	90,00	4,00
LSC-A	Lightning surge counter	175,00	1,00
LSC-A/DIN	Lightning surge counter with DIN rail assembly kit	175,00	1,00

	LSA10G-230C	-	42,00	1,00
	LSA10G-230		37,00	1,00
	VM120-DIN	Automatic AC voltage monitoring relay - 120Vac single-phase	77,00	8,00
	VM230-DIN	Automatic AC voltage monitoring relay - 230Vac single-phase	77,00	8,00
	SPT203	SPD tester briefcase - Adapted to serie DS10, DS40,DS40VG	7955,00	1,00
X	DS133RS-800/Y	800V Güneş Enerji Pr. İçin	178,00	3,00
	DSM40VG-277		42,00	4,00
	DSB4GS		40,00	1,00
	DSM40G-600		12,00	4,00
	DSM100R-230		58,00	
	DS98-400		19,00	8,00
	DS44VG-277		115,00	1,00
	DS44-320/G	3-Phase+neutral SPD - Type 2 - I _{max} =40kA	102,00	2,00
	113791U	OFI360-WW-048-U OBSTA	8591,00	1,00
	113905 / 113920	NAVILITE-48V-CABLE + support bracket	214,00	1,00
X	DS102RS-230/G		70,00	4,00
	DS104RS-230		134,00	2,00
X	DS104RS-230/G		148,00	2,00
	DS254VG-690		1012,00	1,00
	LOW INTENSITY SOLAR KIT		2069,00	1,00
	DLU-24DBC		45,00	8,00
	DLU2-24DBC		51,00	8,00
	CF01		175,00	1,00
	CXF60-N/MF		112,00	10,00
	CX06-B/FM		88,00	10,00
	DS80G-600		63,00	8,00
	DU33S-1000/WD/G		675,00	1,00
	KP1-T		55,00	
	KP10-T		252,00	
	KP1-06BBC		55,00	
	KP10-06DBC		252,00	
	KP1-12DBC		55,00	
	KP10-12DBC		252,00	
	KP1-24DBC		55,00	
	KP10-24DBC		252,00	
	KP1-48DBC		55,00	
	KP10-48DBC		252,00	
	DAC1-13VG-11-275		77,00	
	DAC1-13VGS-11-275		80,00	
	DAC1-13-11-275		71,00	
	DAC1-13S-11-275		74,00	
	OFI360-RW-048-U		9228,00	
	DAC1-13-10-150	Single pole SPD Type 1 I _{imp} = 12,5kA - U _c =150Vac	53,00	8,00
	DAC1-13-10-275	Single pole SPD Type 1 I _{imp} = 12,5kA - U _c =275Vac	53,00	8,00
	DAC1-13-10-320	Single pole SPD Type 1 I _{imp} = 12,5kA - U _c =320Vac	53,00	8,00
	DAC1-13-10-440	Single pole SPD Type 1 I _{imp} = 12,5kA - U _c =440Vac	53,00	8,00
	DAC1-13-20-150	Single Phase SPD Type 1 Configuration 2+0 I _{imp} = 12,5kA - U _c =150Vac	105,00	4,00
	DAC1-13-20-275	Single phase SPD Type 1 Configuration 2+0 I _{imp} = 12,5kA - U _c =275Vac	105,00	4,00
	DAC1-13-20-320	Single Phase SPD Type 1 Configuration 2+0 I _{imp} = 12,5kA - U _c =320Vac	105,00	4,00
	DAC1-13-20-440	Single phase SPD Type 1 Configuration 2+0 I _{imp} = 12,5kA - U _c =440Vac	105,00	4,00
	DAC1-13-30-150	3-phase SPD Type 1 Configuration 3+0 I _{imp} = 12,5kA - U _c =150Vac	155,00	3,00
	DAC1-13-30-275	3-phase SPD Type 1 Configuration 3+0 I _{imp} = 12,5kA - U _c =275Vac	155,00	3,00
	DAC1-13-30-320	3-phase SPD Type 1 Configuration 3+0 I _{imp} = 12,5kA - U _c =320Vac	155,00	3,00
	DAC1-13-30-440	3-phase SPD Type 1 Configuration 3+0 I _{imp} = 12,5kA - U _c =440Vac	155,00	3,00
	DAC1-13-40-150	3-phase+N SPD Type 1 Configuration 4+0 I _{imp} = 12,5kA - U _c =150Vac	210,00	2,00
	DAC1-13-40-275	3-phase+N SPD Type 1 Configuration 4+0 I _{imp} = 12,5kA - U _c =275Vac	210,00	2,00
	DAC1-13-40-320	3-phase+N SPD Type 1 Configuration 4+0 I _{imp} = 12,5kA - U _c =320Vac	210,00	2,00
	DAC1-13-40-440	3-phase+N SPD Type 1 Configuration 4+0 I _{imp} = 12,5kA - U _c =440Vac	210,00	2,00
	DAC1-13S-10-150	Single pole SPD Type 1 I _{imp} = 12,5kA - U _c =150Vac - remote	56,00	8,00
	DAC1-13S-10-275	Single pole SPD Type 1 I _{imp} = 12,5kA - U _c =275Vac - remote	56,00	8,00
	DAC1-13S-10-320	Single pole SPD Type 1 I _{imp} = 12,5kA - U _c =320Vac - remote	56,00	8,00
	DAC1-13S-10-440	Single pole SPD Type 1 I _{imp} = 12,5kA - U _c =440Vac - remote	56,00	8,00
	DAC1-13S-20-150	Single Phase SPD Type 1 Configuration 2+0 I _{imp} = 12,5kA - U _c =150Vac	115,00	4,00
	DAC1-13S-20-275	Single phase SPD Type 1 Configuration 2+0 I _{imp} = 12,5kA - U _c =275Vac	115,00	4,00
	DAC1-13S-20-320	Single Phase SPD Type 1 Configuration 2+0 I _{imp} = 12,5kA - U _c =320Vac	115,00	4,00
	DAC1-13S-20-440	Single phase SPD Type 1 Configuration 2+0 I _{imp} = 12,5kA - U _c =440Vac	115,00	4,00

DAC1-13S-30-150	3-phase SPD Type 1 Configuration 3+0 Iimp = 12,5kA - Uc=	171,00	3,00
DAC1-13S-30-275	3-phase SPD Type 1 Configuration 3+0 Iimp = 12,5kA - Uc=	171,00	3,00
DAC1-13S-30-320	3-phase SPD Type 1 Configuration 3+0 Iimp = 12,5kA - Uc=	171,00	3,00
DAC1-13S-30-440	3-phase SPD Type 1 Configuration 3+0 Iimp = 12,5kA - Uc=	171,00	3,00
DAC1-13S-40-150	3-phase+N SPD Type 1 Configuration 4+0 Iimp = 12,5kA -	230,00	2,00
DAC1-13S-40-275	3-phase+N SPD Type 1 Configuration 4+0 Iimp = 12,5kA - U	230,00	2,00
DAC1-13S-40-320	3-phase+N SPD Type 1 Configuration 4+0 Iimp = 12,5kA - U	230,00	2,00
DAC1-13S-40-440	3-phase+N SPD Type 1 Configuration 4+0 Iimp = 12,5kA - U	230,00	2,00
DAC1-13VG-10-150	Single pole SPD Type 1 Iimp = 12,5kA - Uc=150Vac - VG Tec	58,00	8,00
DAC1-13VG-10-275	Single pole SPD Type 1 Iimp = 12,5kA - Uc=275Vac - VG Tec	58,00	8,00
DAC1-13VG-10-320	Single pole SPD Type 1 Iimp = 12,5kA - Uc=320Vac - VG Tec	58,00	8,00
DAC1-13VG-20-150	Single Phase SPD Type 1 Configuration 2+0 Iimp = 12,5kA -	115,00	4,00
DAC1-13VG-20-275	Single phase SPD Type 1 Configuration 2+0 Iimp = 12,5kA -	115,00	4,00
DAC1-13VG-20-320	Single Phase SPD Type 1 Configuration 2+0 Iimp = 12,5kA -	115,00	4,00
DAC1-13VG-30-150	3-phase SPD Type 1 Configuration 3+0 Iimp = 12,5kA - Uc=	153,00	3,00
DAC1-13VG-30-275	3-phase SPD Type 1 Configuration 3+0 Iimp = 12,5kA - Uc=	153,00	3,00
DAC1-13VG-30-320	3-phase SPD Type 1 Configuration 3+0 Iimp = 12,5kA - Uc=	153,00	3,00
DAC1-13VG-40-150	3-phase+N SPD Type 1 Configuration 4+0 Iimp = 12,5kA -	230,00	2,00
DAC1-13VG-40-275	3-phase+N SPD Type 1 Configuration 4+0 Iimp = 12,5kA - U	230,00	2,00
DAC1-13VG-40-320	3-phase+N SPD Type 1 Configuration 4+0 Iimp = 12,5kA - U	230,00	2,00
DAC1-13VGS-10-150	Single pole SPD Type 1 Iimp = 12,5kA - Uc=150Vac - VG Tec	61,00	8,00
DAC1-13VGS-10-275	Single pole SPD Type 1 Iimp = 12,5kA - Uc=275Vac - VG Tec	61,00	8,00
DAC1-13VGS-10-320	Single pole SPD Type 1 Iimp = 12,5kA - Uc=320Vac - VG Tec	61,00	8,00
DAC1-13VGS-20-150	Single Phase SPD Type 1 Configuration 2+0 Iimp = 12,5kA -	118,00	4,00
DAC1-13VGS-20-275	Single phase SPD Type 1 Configuration 2+0 Iimp = 12,5kA -	118,00	4,00
DAC1-13VGS-20-320	Single Phase SPD Type 1 Configuration 2+0 Iimp = 12,5kA -	118,00	4,00
DAC1-13VGS-30-150	3-phase SPD Type 1 Configuration 3+0 Iimp = 12,5kA - Uc=	156,00	3,00
DAC1-13VGS-30-275	3-phase SPD Type 1 Configuration 3+0 Iimp = 12,5kA - Uc=	156,00	3,00
DAC1-13VGS-30-320	3-phase SPD Type 1 Configuration 3+0 Iimp = 12,5kA - Uc=	156,00	3,00
DAC1-13VGS-40-150	3-phase+N SPD Type 1 Configuration 4+0 Iimp = 12,5kA -	233,00	2,00
DAC1-13VGS-40-275	3-phase+N SPD Type 1 Configuration 4+0 Iimp = 12,5kA - U	233,00	2,00
DAC1-13VGS-40-320	3-phase+N SPD Type 1 Configuration 4+0 Iimp = 12,5kA - U	233,00	2,00
DAC50-10-150	Single pole SPD Type 2 I _{max} = 50kA - Uc=150Vac	26,00	8,00
DAC50-10-275	Single pole SPD Type 2 I _{max} = 50kA - Uc=275Vac	26,00	8,00
DAC50-10-320	Single pole SPD Type 2 I _{max} = 50kA - Uc=320Vac	26,00	8,00
DAC50-10-440	Single pole SPD Type 2 I _{max} = 50kA - Uc=440Vac	28,00	8,00
DAC50-10-530	Single pole SPD Type 2 I _{max} = 50kA - Uc=530Vac	28,00	8,00
DAC50-10-660	Single pole SPD Type 2 I _{max} = 50kA - Uc=660Vac	28,00	8,00
DAC50-10-760	Single pole SPD Type 2 I _{max} = 50kA - Uc=760Vac	28,00	8,00
DAC50-11-150	Single phase SPD configuration 1+1 Type 2 I _{max} =50kA - Uc=	51,00	4,00
DAC50-11-275	Single phase SPD configuration 1+1 Type 2 I _{max} =50kA - Uc=	51,00	4,00
DAC50-11-320	Single phase SPD configuration 1+1 Type 2 I _{max} =50kA - Uc=	51,00	4,00
DAC50-11-440	Single phase SPD configuration 1+1 Type 2 I _{max} =50kA - Uc=	55,00	4,00
DAC50-20-150	Single phase SPD configuration 2+0 Type 2 I _{max} =50kA - Uc=	51,00	4,00
DAC50-20-275	Single phase SPD configuration 2+0 Type 2 I _{max} =50kA - Uc=	51,00	4,00
DAC50-20-320	Single phase SPD configuration 2+0 Type 2 I _{max} =50kA - Uc=	51,00	4,00
DAC50-20-440	Single phase SPD configuration 2+0 Type 2 I _{max} =50kA - Uc=	55,00	4,00
DAC50-20-530	Single phase SPD configuration 2+0 Type 2 I _{max} =50kA - Uc=	55,00	4,00
DAC50-20-660	Single phase SPD configuration 2+0 Type 2 I _{max} =50kA - Uc=	55,00	4,00
DAC50-20-760	Single phase SPD configuration 2+0 Type 2 I _{max} =50kA - Uc=	55,00	4,00
DAC50-30-150	3-phase SPD configuration 3+0 Type 2 I _{max} =50kA - Uc=150	77,00	3,00
DAC50-30-275	3-phase SPD configuration 3+0 Type 2 I _{max} =50kA - Uc=275	77,00	3,00
DAC50-30-320	3-phase SPD configuration 3+0 Type 2 I _{max} =50kA - Uc=320	77,00	3,00
DAC50-30-440	3-phase SPD configuration 3+0 Type 2 I _{max} =50kA - Uc=440	82,00	3,00
DAC50-30-530	3-phase SPD configuration 3+0 Type 2 I _{max} =50kA - Uc=530	82,00	3,00
DAC50-30-660	3-phase SPD configuration 3+0 Type 2 I _{max} =50kA - Uc=660	82,00	3,00
DAC50-30-760	3-phase SPD configuration 3+0 Type 2 I _{max} =50kA - Uc=760	82,00	3,00
DAC50-31-150	3-phase+N SPD configuration 3+1 Type 2 I _{max} =50kA - Uc=1	102,00	2,00
DAC50-31-275	3-phase+N SPD configuration 3+1 Type 2 I _{max} =50kA - Uc=2	102,00	2,00
DAC50-31-320	3-phase+N SPD configuration 3+1 Type 2 I _{max} =50kA - Uc=3	102,00	2,00
DAC50-31-440	3-phase+N SPD configuration 3+1 Type 2 I _{max} =50kA - Uc=4	109,00	2,00
DAC50-40-150	3-phase+N SPD configuration 4+0 Type 2 I _{max} =50kA - Uc=1	109,00	2,00
DAC50-40-275	3-phase+N SPD configuration 4+0 Type 2 I _{max} =50kA - Uc=2	109,00	2,00
DAC50-40-320	3-phase+N SPD configuration 4+0 Type 2 I _{max} =50kA - Uc=3	109,00	2,00
DAC50-40-440	3-phase+N SPD configuration 4+0 Type 2 I _{max} =50kA - Uc=4	109,00	2,00
DAC50-40-530	3-phase+N SPD configuration 4+0 Type 2 I _{max} =50kA - Uc=5	109,00	2,00
DAC50-40-660	3-phase+N SPD configuration 4+0 Type 2 I _{max} =50kA - Uc=6	109,00	2,00

DACF25S-10-150	Single pole SPD Type 2 I _{max} =25kA U _c 150Vac - Integrated f	61,00	8,00
DACF25S-20-150	Single phase SPD configuration 2+0 I _{max} =25kA U _c =150Vac	121,00	4,00
DACF25S-30-150	3-phase SPD configuration 3+0 I _{max} =25kA U _c =150Vac - Int	182,00	3,00
DACF25S-40-150	3-phase+N SPD configuration 4+0 I _{max} =25kA U _c =150Vac -	242,00	2,00
DACF25-11-150	Single phase SPD configuration 1+1 I _{max} =25kA U _c =150Vac	115,00	4,00
DACF25-31-150	3-phase+N SPD configuration 3+1 I _{max} =25kA U _c =150Vac -	230,00	2,00
DACF25S-11-150	Single phase SPD configuration 1+1 I _{max} =25kA U _c =150Vac	118,00	4,00
DACF25S-31-150	3-phase+N SPD configuration 3+1 I _{max} =25kA U _c =150Vac -	233,00	2,00
DACF25-10-275	Single pole SPD Type 2 I _{max} =25kA U _c =275Vac - Integrated	58,00	8,00
DACF25-20-275	Single phase SPD configuration 2+0 I _{max} =25kA U _c =275Vac	115,00	4,00
DACF25-30-275	3-phase SPD configuration 3+0 I _{max} =25kA U _c =275Vac - Int	172,00	3,00
DACF25-40-275	3-phase+N SPD configuration 4+0 I _{max} =25kA U _c =275Vac -	230,00	2,00
DACF25S-10-275	Single pole SPD Type 2 I _{max} =25kA U _c =275Vac - Integrated	61,00	8,00
DACF25S-20-275	Single phase SPD configuration 2+0 I _{max} =25kA U _c =275Vac	121,00	4,00
DACF25S-30-275	3-phase SPD configuration 3+0 I _{max} =25kA U _c =275Vac - Int	182,00	3,00
DACF25S-40-275	3-phase+N SPD configuration 4+0 I _{max} =25kA U _c =275Vac -	242,00	2,00
DACF25-11-275	Single phase SPD configuration 1+1 I _{max} =25kA U _c =275Vac	115,00	4,00
DACF25-31-275	3-phase+N SPD configuration 3+1 I _{max} =25kA U _c =275Vac -	230,00	2,00
DACF25S-11-275	Single phase SPD configuration 1+1 I _{max} =25kA U _c =275Vac	118,00	4,00
DACF25S-31-275	3-phase+N SPD configuration 3+1 I _{max} =25kA U _c =275Vac -	233,00	2,00
DACF25-10-320	Single pole SPD Type 2 I _{max} =25kA U _c =320Vac - Integrated	58,00	8,00
DACF25-20-320	Single phase SPD configuration 2+0 I _{max} =25kA U _c =320Vac	115,00	4,00
DACF25-30-320	3-phase SPD configuration 3+0 I _{max} =25kA U _c =320Vac - Int	172,00	3,00
DACF25-40-320	3-phase+N SPD configuration 4+0 I _{max} =25kA U _c =320Vac -	230,00	2,00
DACF25S-10-320	Single pole SPD Type 2 I _{max} =25kA U _c =320Vac - Integrated	61,00	8,00
DACF25S-20-320	Single phase SPD configuration 2+0 I _{max} =25kA U _c =320Vac	121,00	4,00
DACF25S-30-320	3-phase SPD configuration 3+0 I _{max} =25kA U _c =320Vac - Int	182,00	3,00
DACF25S-40-320	3-phase+N SPD configuration 4+0 I _{max} =25kA U _c =320Vac -	242,00	2,00
DACF25-11-320	Single phase SPD configuration 1+1 I _{max} =25kA U _c =320Vac	115,00	4,00
DACF25-31-320	3-phase+N SPD configuration 3+1 I _{max} =25kA U _c =320Vac -	230,00	2,00
DACF25S-11-320	Single phase SPD configuration 1+1 I _{max} =25kA U _c =320Vac	118,00	4,00
DACF25S-31-320	3-phase+N SPD configuration 3+1 I _{max} =25kA U _c =320Vac -	233,00	2,00
DACF25-10-440	Single pole SPD Type 2 I _{max} =25kA U _c =440Vac - Integrated	58,00	8,00
DACF25-20-440	Single phase SPD configuration 2+0 I _{max} =25kA U _c =440Vac	115,00	4,00
DACF25-30-440	3-phase SPD configuration 3+0 I _{max} =25kA U _c =440Vac - Int	172,00	3,00
DACF25-40-440	3-phase+N SPD configuration 4+0 I _{max} =25kA U _c =440Vac -	230,00	2,00
DACF25S-10-440	Single pole SPD Type 2 I _{max} =25kA U _c =440Vac - Integrated	61,00	8,00
DACF25S-20-440	Single phase SPD configuration 2+0 I _{max} =25kA U _c =440Vac	121,00	4,00
DACF25S-30-440	3-phase SPD configuration 3+0 I _{max} =25kA U _c =440Vac - Int	182,00	3,00
DACF25S-40-440	3-phase+N SPD configuration 4+0 I _{max} =25kA U _c =440Vac -	242,00	2,00
DACF25-11-440	Single phase SPD configuration 1+1 I _{max} =25kA U _c =440Vac	115,00	4,00
DACF25-31-440	3-phase+N SPD configuration 3+1 I _{max} =25kA U _c =440Vac -	230,00	2,00
DACF25S-11-440	Single phase SPD configuration 1+1 I _{max} =25kA U _c =440Vac	118,00	4,00
DACF25S-31-440	3-phase+N SPD configuration 3+1 I _{max} =25kA U _c =440Vac -	233,00	2,00